



## **SOUTH AFRICAN HERITAGE RESOURCES AGENCY**

111 HARRINGTON STREET, CAPE TOWN, 8001  
PO BOX 4637, CAPE TOWN, 8000  
TEL: (021) 462 4502 FAX: (021) 462 4509

9/2/059/0001

### **PERMIT**

No. 80/11/07/003/51

Issued under Section 35(4) of the National Heritage Resources Act, Act No. 25 of 1999.  
Permission is hereby given:

to: Dr D Pearce (ID: 7809155129080),  
of: the Rock Art Research Institute, University of the Witwatersrand, Private Bag 3,  
WITS, Johannesburg, 2050,  
for: collection of paint samples for radiocarbon dating from Freshwater 1,  
at: at approximately 30° 59' 29.9"S, 28° 08' 45.3"E,  
on: the farm Freshwater 1,  
in: the Maclear District, Northern Cape Province.

The following conditions apply:

1. Adequate recording methods as specified in the Regulations and Guidelines pertaining to the National Heritage Resources Act must be used. The position of all samples must be marked on tracings of the paintings, and a full photographic record of the affected surfaces must be made before removal.
2. A record must be made of all methods used in the removal and analysis.
3. Copies of the records must be lodged with SAHRA.
4. A final report is due on or before 01 September 2012.
5. Reprints of all published papers, or copies of theses or reports resulting from this work must be lodged with SAHRA.
6. If a published report has not appeared within three years of the lapsing of this permit, the report required in terms of the permit will be made available to researchers on request.
7. It is the responsibility of the permit holder to obtain permission from the landowner for each visit, and conditions of access imposed by the landowner must be observed.
8. SAHRA shall not be liable for any losses, damages or injuries to persons or properties as a result of any activities in connection with this permit.
9. SAHRA reserves the right to cancel this permit by notice to the permit holder.

This permit is valid until 01 September 2012.

for CHIEF EXECUTIVE OFFICER .....

Date: 16 August 2011

Place: Cape Town