



SOUTH AFRICAN HERITAGE RESOURCES AGENCY
111 HARRINGTON STREET, CAPE TOWN, 8000 PO BOX 4637, CAPE TOWN, 8000
TEL: (021) 462 4502 FAX: (021) 462 4509

9/2/228/0001

PERMIT
No. 80/06/11/011/51

Issued under Section 35(4) of the National Heritage Resources Act, Act No. 25 of 1999. Permission is hereby given:

to: Mr J Nel (ID: 8001015011080) in association with Dr C Nienaber (ID: 6911175094087) as principal investigator,
of: the Archaic HPM, 979 Crotz Street, Rietfontein, 0084 and Heritage Resources Management Solutions, 225 Roos Street, Meyerspark, 0184,
for: exploratory test excavations to determine the presence of archaeological resources at each pier position of the Gautrain Rapid Rail Link,
at: Du Preezhoek / Fountains Valley,
on: Portion 383, of Elandspoort 357 JR,
in: the Pretoria District, Gauteng Province.

The following conditions apply:

1. If the permit holder is not to be present on the site at all times then SAHRA must be provided with the names and qualifications of the authorised representatives.
2. Adequate recording methods as specified in the Regulations and Guidelines pertaining to the National Heritage Resources Act must be used. Note that the position of all excavations must be marked on a plan of each site.
3. A standard site record form must be lodged with the National Cultural History Museum.
4. Should any archaeological resources be uncovered, and a decision is made to mitigate, a permit would have to be applied for from SAHRA and adequate storage found for the material.
5. A report on activities connected with this permit must be submitted to SAHRA on or before 1 January 2008. SAHRA reserves the right to withhold further permits if progress is not deemed satisfactory.
6. Reprints of all published papers, or copies of theses or reports resulting from this work must be lodged with SAHRA.
7. If a published report has not appeared within three years of the lapsing of this permit, the report required in terms of the permit will be made available to researchers on request.
8. It is the responsibility of the permit holder to obtain permission from the landowner for each visit, and conditions of access imposed by the landowner must be observed.
9. It is the responsibility of the permit holder to fill in excavations and protect sites during and after excavation to the satisfaction of SAHRA and the landowner.
10. SAHRA shall not be liable for any losses, damages or injuries to persons or properties as a result of any activities in connection with this permit.
11. SAHRA reserves the right to cancel this permit by notice to the permit holder.
12. This permit is subject to a general appeal and may be suspended should an appeal against the decisions be received by SAHRA within 14 days from the date of the permit. SAHRA may not be held responsible for any costs or losses incurred in the event of the suspension or retraction of this permit.

This permit is valid until 1 January 2008.

for CHIEF EXECUTIVE OFFICER

Date: 5 December 2006

Place: Cape Town