

**34KELVIN PLACE**

PermitID: **4046** REF: **SAH22/20779 & 22/405**

Issued under section 37 of the KwaZulu Natal Amafa and Research Institute Act (Act 05 of 2018) and section 34(1) of the National Heritage Resources Act (Act 25 of 1999)

Permit Holder: Mr Vilosen Pillay

Approval is hereby given to **Mr Vilosen Pillay** in accordance with the application received on **28/02/2023**, for **Additions, Alteration** on the site/s: **Portion 68 of Erf 39 being at 34 Kelvin Place, Durban North.**

**ADDITIONS AND ALTERATIONS TO DWELLING**

**Graded:** IIIIC

**This permit is issued in accordance with Drawings:**

**Drawing No.:** D.D.62 -1/2020 rev 000

**Dated:** 23 March 2023

**Drawn By:** T.K Design Dynamics Architectural Studio

**Conditions: This permit is issued subject to the following conditions:-**

- 1.1 That in the event of any contemplated deviation the prior **written approval** of KwaZulu- Natal Amafa and Research Institute must be obtained;
- 1.2 In such event, a **written motivation** in support of such deviation must be submitted to KwaZulu- Natal Amafa and Research Institute for consideration and;
- 1.3 The KwaZulu- Natal Amafa and Research Institute has the right to inspect the site at any time;
- 1.4 Where necessary monthly reports are to be submitted to KwaZulu- Natal Amafa and Research Institute on the work being conducted and the findings;
- 1.5 Monthly reports are to be accompanied by the relevant National Site Record forms;

### 34KELVIN PLACE

- 1.6 A final report on the work conducted and the findings must be submitted to KwaZulu- Natal Amafa and Research Institute not later than thirty (30) days from the date of expiration of this permit, extensions are negotiable;
- 1.7 KwaZulu- Natal Amafa and Research Institute shall not be liable for any loss, damage or injuries to any person/s or property caused by any of the activities conducted by the applicant;
- 1.8 All archaeological and paleontological Material become, on discovery, the property of the Province of KwaZulu- Natal and must be lodged at the repository of KwaZulu- Natal Amafa and Research Institute.
- 1.9 It is the responsibility of the Applicant to ensure that artefacts are preserved in its original state while in his/her possession;
- 1.10 The Applicant shall be liable for any damage or destruction caused at any site or to any artefact.
- 1.11 **FAILURE TO COMPLY WITH THESE CONDITIONS WILL RENDER ANY ACTIVITY CONDUCTED UNLAWFUL, AND KWAZULU NATAL AMAFA AND RESEARCH INSTITUTE RESERVES THE RIGHT TO CANCEL THIS PERMIT AND TO INSTITUTE CRIMINAL AND/OR CIVIL ACTION AGAINST THE PERSON/S RESPONSIBLE.**
- 1.12 The issuing of this permit does not exempt the Applicant from compliance with any other law, where applicable.

This permit is valid from **23/05/2023 to 23/05/2026 AND IS NOT TRANSFERABLE.**



Sandisiwe Matole  
Heritage Officer  
KwaZulu-Natal Amafa and Research Institute



Mxolisi Dlamuka  
Head of Secretariat and Administration



## HERITAGE IDENTIFICATION, MANAGEMENT & PROTECTION

Enquiries: Sandisiwe Matole

Email: sandisiwe.matole@amafainstitute.org.za

Tel: 0333946543

Date: Tuesday May 23, 2023

CaseID: 20779

Ref No.: SAH22/20779 & 22/405

### 34KELVIN PLACE

---

KwaZulu-Natal Amafa and Research Institute

Additional Info:

Please note that this permit may be suspended should an appeal against the decisions be received by the KwaZulu Natal Amafa and Research Institute within 14 days from the date of the permit. The KwaZulu Natal Amafa and Research Institute may not be held responsible for any costs or losses incurred in the event of the suspension or retraction of this permit.

---

**ADMIN:** Direct URL to case: <https://sahris.sahra.org.za/node/613643>