

INTERNAL ALTERATIONS AND ADDITIONS TO 562 SARNIA ROAD, SEAVIEW, DURBAN, 4094

PermitID: 3688 REF: SAH22/19195 & 22/144

Issued under section 37 of the KwaZulu Natal Amafa and Research Institute Act (Act 05 of 2018)

Permit Holder: Mr MLUNGISI NKABINDE

Approval is hereby given to Mr MLUNGISI NKABINDE in accordance with the application received on 02/08/2022, for Additions, Alteration on the site/s: DWELLING.

PROPOSED INTERNAL ALTERATIONS AND ADDITIONS TO EXISTING HOUSE AND OUTBUILDING ON REM OF ERF 410 SEAVIEW, 562 SARNIA ROAD, SEAVIEW, DURBAN, ETHEKWINI, KWAZULU NATAL.

This permit is issued in accordance with:

Drawing No: 6696/22/1 and 2
Dated: July 2022
Drawn By: M. R Azmuth (Graham Braum Architectural Designs)
Graded: Not conservation worthy

Conditions: This permit is issued subject to the following conditions:-

- 1.1 That in the event of any contemplated deviation the prior **written approval** of Kwa-Zulu Natal Amafa and Research Institute must be obtained;
- 1.2 In such event, a **written motivation** in support of such deviation must be submitted to Kwa-Zulu Natal Amafa and Research Institute for consideration and;
- 1.3 The Kwa-Zulu Natal Amafa and Research Institute has the right to inspect the site at any time;
- 1.4 Where necessary monthly reports are to be submitted to Kwa-Zulu Natal Amafa and Research Institute on the work being conducted and the findings;
- 1.5 Monthly reports are to be accompanied by the relevant National Site Record forms;
- 1.6 A final report on the work conducted and the findings must be submitted to Kwa-Zulu Natal Amafa and Research Institute not later than thirty (30) days from the date of expiration of this permit, extensions are negotiable;
- 1.7 Kwa-Zulu Natal Amafa and Research Institute shall not be liable for any loss, damage or injuries to any

INTERNAL ALTERATIONS AND ADDITIONS TO 562 SARNIA ROAD, SEAVIEW, DURBAN, 4094

person/s or property caused by any of the activities conducted by the applicant;

1.8 All archaeological and paleontological Material become, on discovery, the property of the Province of Kwa-Zulu Natal and must be lodged at the repository of Kwa-Zulu Natal Amafa and Research Institute.

1.9 It is the responsibility of the Applicant to ensure that artefacts are preserved in its original state while in his/her possession;

1.10 The Applicant shall be liable for any damage or destruction caused at any site or to any artefact.

1.11 **FAILURE TO COMPLY WITH THESE CONDITIONS WILL RENDER ANY ACTIVITY CONDUCTED UNLAWFUL, AND KWAZULU NATAL AMAFA AND RESEARCH INSTITUTE RESERVES THE RIGHT TO CANCEL THIS PERMIT AND TO INSTITUTE CRIMINAL AND/OR CIVIL ACTION AGAINST THE PERSON/S RESPONSIBLE.**

1.12 The issuing of this permit does not exempt the Applicant from compliance with any other law, where applicable.

This permit is valid from **18/08/2022 to 18/08/2025 AND IS NOT TRANSFERABLE.**



John Pakwe
Heritage Officer
KwaZulu-Natal Amafa and Research Institute

Additional Info:

Please note that this permit may be suspended should an appeal against the decisions be received by the KwaZulu Natal Amafa and Research Institute within 14 days from the date of the permit. The KwaZulu Natal Amafa and Research Institute may not be held responsible for any costs or losses incurred in the event of the suspension or retraction of this permit.



KWAZULU-NATAL
AMAFA
& RESEARCH INSTITUTE

HERITAGE IDENTIFICATION, MANAGEMENT & PROTECTION

Enquiries: John Pakwe

Email: john.pakwe@amafainstitute.org.za

Tel: 0333946543

Date: Thursday August 18, 2022

CaseID: 19195

Ref No.: SAH22/19195 & 22/144

INTERNAL ALTERATIONS AND ADDITIONS TO 562 SARNIA ROAD, SEAVIEW, DURBAN, 4094

ADMIN: Direct URL to case: <https://sahris.sahra.org.za/node/602533>

195 Langalibalele St, Pietermaritzburg, 3201
033 394 6543
www.amafainstitute.org.za

