KWAZULU-NATAL AMAFA AND RESEARCH INSTITUTE

ISIKHUNGO SAMAFA NOCWANINGO SAKWAZULU-NATALI

KWAZULU-NATAL AMAFA- EN NAVORSINGSINSTITUUT PO Box 2685 Pietermaritzburg 3200

> Tel: 033 394 6543 Fax: 033 394 6552

email: bernadetp@amafapmb.co.za Website: www.heritagekzn.co.za

Ntshekane Excavation Our Ref: SAH19/ 13993

Enquiries: Bernadet Pawandiwa

Tel: 033 394 6543

Email: bernadetp@amafapmb.co.za

CaseID: 13993

Date: Friday, July 5 2019

Page No: 1

LETTER

IN TERMS OF THE NATIONAL HERITAGE RESOURCES ACT (ACT 25 OF 1999) AND THE KWAZULU-NATAL AMAFA AND RESEARCH INSTITUTE ACT (ACT 05 OF 2018)

Attention: Dr Gavin Whitelaw KwaZulu Natal Museum

RE: NTSHEKANE NIETGEDOCHT 1192 (Ntshekane Nietgedocht 1192)

The case has been assessed. The site Ntshekane is a valuable source of information to broaden our Understanding of the socio-economic status of an Early Iron Age site in the KwaZulu-Natal region.

This permit includes but is not limited to the following:

- -Excavation
- -Mapping
- -Artefact analysis

This permit is valid from 05/07/2019 to 05/07/2022.

Should you have any further queries, please contact the designated official using the case number quoted above in the case header.

Failure to comply with the requirements of the National Heritage Resources Act and the KwaZulu Natal Amafa and Research Institute Act could lead to legal action being instituted against the applicant. Should you have any further queries, please contact the designated official using the case number quoted above in the case header.

Yours faithfully

Bernadet Pawandiwa Senior Heritage Officer

KwaZulu Natal Amafa and Research Institute

Terms & Conditions:

1. This approval does not exonerate the applicant from obtaining local authority approval or any other necessary approval for proposed work.

- 2. If any heritage resources, including graves or human remains, are encountered they must be reported to the Institute immediately.
- 3. The Institute reserves the right to request additional information and/ withdraw the letter of decision as required.