U.W. 101-2076 Block synchrotron scan

Our Ref:



T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za South African Heritage Resources Agency | 111 Harrington Street | Cape Town P.O. Box 4637 | Cape Town | 8001 www.sahra.org.za

Enquiries: Ragna Redelstorff, PhD Tel: +27 (0)21 202 8651 Email: rredelstorff@sahra.org.za CaseID: 17795 Date: Tuesday February 01, 2022 Page No: 1

PermitID: 3425

PERMIT: Export (Temporary)

In terms of Section 32(19) of the National Heritage Resources Act (Act 25 of 1999)

Permit Holder: Prof. Lee R. Berger Evolutionary Studies Institute University of the Witwatersrand PO WITS 2050

Object: U.W.101-2076

The permit is issued to Prof Lee R. Berger (ESI, University of the Witwatersrand) to temporariy export plaster jacket material for synchrotron scanning at the European Synchrotron and Radiation Facility in Grenoble, France. The material is currently housed at the Evolutionary Studies Institute (ESI), University of the Witwatersrand.

Conditions:

1. Only the selected representatives of the material stored in the collection may be exported.

2. The material must be carefully packed and all packaging must be clearly marked with the name of the site (if known), and the name and address of the permit holder or the ESI.

3. The material will be hand-carried by Prof Lee R. Berger to the ESRF on 4 February 2022 and returned on 31 August 2022.

4. Dr Paul Tafforeau is responsible for the analysis of the material and Prof Lee R. Berger is responsible for its transport to and from the above mentioned institutions/collections.

5. The samples must be used for study purposes only, and may not be sold or exchanged.

6. The material may not be loaned to any person or institution other than the above stated participants in the study, without the consent of SAHRA.

7. No destructive analysis or sampling may be undertaken.

8. A report on the activities undertaken in terms of this permit must be emailed to <u>apmpermitreports@sahra.org.za</u> before 31 August 2022 using the template in the following

U.W. 101-2076 Block synchrotron scan

Our Ref:



T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za South African Heritage Resources Agency | 111 Harrington Street | Cape Town P.O. Box 4637 | Cape Town | 8001 www.sahra.org.za

Enquiries: Ragna Redelstorff, PhD Tel: +27 (0)21 202 8651 Email: rredelstorff@sahra.org.za CaseID: 17795 Date: Tuesday February 01, 2022 Page No: 2

PermitID: 3425

link: https://sahris.sahra.org.za/content/apmpermitreports.

9. Copies of any papers that may result from the export of the material must be lodged with SAHRA.

10. SAHRA shall not be liable for any losses, damages or injuries to persons or properties as a result of any activities in connection with this permit.

11. SAHRA reserves the right to cancel this permit by notice to the permit holder.

12. Should any legal proceedings arise with regard to this permit or the transport and loan of the material, these proceedings must be addressed within in the South African legislative framework.

13. Request to renew permits must be done at least two months prior to the expiry of the existing permit.

This permit is valid from **31/01/2022 to 31/08/2022**

Ragna Redelstorff, PhD Heritage Officer South African Heritage Resources Agency

Phillip Hine Manager: Archaeology, Palaeontology and Meteorites Unit South African Heritage Resources Agency

Additional Info:

U.W. 101-2076 Block synchrotron scan

Our Ref:



Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za South African Heritage Resources Agency | 111 Harrington Street | Cape Town P.O. Box 4637 | Cape Town | 8001 www.sahra.org.za

Enquiries: Ragna Redelstorff, PhD Tel: +27 (0)21 202 8651 Email: rredelstorff@sahra.org.za CaseID: 17795

Date: Tuesday February 01, 2022 Page No: 3

PermitID: 3425

Please note that this permit may be suspended should an appeal against the decisions be received by SAHRA within 14 days from the date of the permit. SAHRA may not be held responsible for any costs or losses incurred in the event of the suspension or retraction of this permit.

ADMIN: Direct URL to case: https://sahris.sahra.org.za/node/591210