Our Ref:



an agency of the Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za South African Heritage Resources Agency | 111 Harrington Street | Cape Town P.O. Box 4637 | Cape Town | 8001 www.sahra.org.za

Enquiries: Elijah Dumisani Katsetse

Tel: 0214624502

Email: ekatsetse@sahra.org.za

CaseID: 19208

Date: Friday August 19, 2022

Page No: 1

PermitID: 3678

PERMIT: Test Excavation

In terms of Section 35(4) of the National Heritage Resources Act (Act 25 of 1999)

Permit Holder: Dr MH Alex Schoeman

School of Geography, Archaeology and Environmental Studies

University of the Witwatersrand

Private Bag 3, Wits

Site: De Wittekrans 009 (DEW009)

This permit is issued to Prof. MH Alex Schoeman (University of the Witwatersrand) for Test Excavations at deWitterkrans Shelter on the Farm De Witterkrans in the Gert Sibande District Mpumalanga.

- 1. If the permit holder is not to be present on the site at all times then SAHRA must be provided with the names and qualifications of the authorised representatives.
- 2. Excavation activities will be carried out over three squares of 1 x 1m trences sub-divided into 50 x 50cm quadrants across the shelter. A site map must be created and a total station must be used to record the finds.
- 3. Adequate recording methods as specified in the Regulations and Guidelines pertaining to the National Heritage Resources Act must be employed. Note that the position of all excavations and objects collected must be marked on a plan of the site. Materials will be bagged per quadrant and labeled carefully.
- 4. A standard site record form must be lodged with the Archaeology Department, University of the Witwatersrand.
- 5. All material collected and excavated, as well as field notes and records, will be curated by the Archaeology Department, University of the Witwatersrand, who will be responsible for the permanent curation and safekeeping of all artefactual material in a condition that allows ongoing research.
- 6. A final permit reports on the results of the excavations and analyses must be emailed to apmpermitreports@sahra.org.za or before 31 August 2023 using the template in the following link: https://sahris.sahra.org.za/content/apmpermitreports. SAHRA reserves the right to withhold further permits if progress is not deemed satisfactory. Permit reports can be made available to researchers on request within three years of the lapsing of this permit.

Test excavations at deWittekrans shelter

Our Ref:



an agency of the

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za South African Heritage Resources Agency | 111 Harrington Street | Cape Town P.O. Box 4637 | Cape Town | 8001 www.sahra.org.za

Enquiries: Elijah Dumisani Katsetse

Tel: 0214624502

Email: ekatsetse@sahra.org.za

CaseID: 19208

Date: Friday August 19, 2022

Page No: 2

PermitID: 3678

- 7. Reprints of all published papers or copies of theses and/or reports resulting from this work must be lodged with SAHRA.
- 8. It is the responsibility of the permit holder to obtain permission from the landowner for each visit, and the excavator is responsible for ensuring that he or she has an understanding with the landowner concerning: the number of visitors and workers; conditions for camping on the property; speed limits on access roads; possible prohibitions on off-road driving; size, type and number of vehicles permitted; possible prohibitions on trespassing beyond the site; disturbing fauna, flora or substrate; erection and demolition of structures on the site; appropriate hours of visiting and working on the site; use of firewood, electricity and water; lighting fires and the prevention of uncontrolled fires and any fencing necessary to protect livestock. Conditions of access imposed by the landowner must be observed.
- 9. SAHRA acknowledges reciept of the consent letter by the landowner(s)
- 10. The permitted excavator shall be responsible for the activities and impacts of all colleagues, students and employees under his or her supervision.
- 11. Excavators must take measures to ensure the safety of any person who may enter the excavation site as part of their excavation team or as their visitor.
- 12. It is the responsibility of the permit holder to protect sites during and after excavation and to ensure that, where appropriate, excavations are filled in or stabilised with adequate materials (e.g., Loffelstein blocks or army bags in geotextile) to the satisfaction of SAHRA and the landowner.
- 13. SAHRA shall not be liable for any losses, damages or injuries to persons or properties because of any activities in connection with this permit.
- 14. SAHRA reserves the right to cancel this permit by notice to the permit holder.
- 15. This permit is subject to a general appeal and may be suspended should an appeal against the decisions be received by SAHRA within 14 days from the date of the permit. SAHRA may not be held responsible for any costs or losses incurred in the event of the suspension or retraction of this permit.
- 16. Request to renew permits must be done at least two months prior to the expiry of the existing permit.

This permit is valid from

Test excavations at deWittekrans shelter

Our Ref:



an agency of the
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za South African Heritage Resources Agency | 111 Harrington Street | Cape Town P.O. Box 4637 | Cape Town | 8001 www.sahra.org.za

Enquiries: Elijah Dumisani Katsetse

Tel: 0214624502

Email: ekatsetse@sahra.org.za

CaseID: 19208

Date: Friday August 19, 2022

Page No: 3

PermitID: 3678

12/08/2022 to 31/08/2023



Elijah Dumisani Katsetse Heritage Officer South African Heritage Resources Agency

Phillip Hine

Manager: Archaeology, Palaeontology and Meteorites Unit

South African Heritage Resources Agency

Additional Info:

Please note that this permit may be suspended should an appeal against the decisions be received by SAHRA within 14 days from the date of the permit. SAHRA may not be held responsible for any costs or losses incurred in the event of the suspension or retraction of this permit.

ADMIN: Direct URL to case: https://sahris.sahra.org.za/node/602652