

23 Park Drive, Umhlanga Rocks, Durban PROPOSED ALTERATIONS TO EXISTING FLAT

PermitID: 3873 REF: SAH22/20190 & 22/295

Issued under section 37 of the KwaZulu Natal Amafa and Research Institute Act (Act 05 of 2018)

Permit Holder: Mr JEREMY DOUGLAS
23 PARK DRIVE
UMHLANGA ROCKS

Approval is hereby given to Mr JEREMY DOUGLAS in accordance with the application received on 21/11/2022, for Additions, Alteration on the site/s: ERF 200.

Proposed Alterations to existing flat on Erf 200, 23 Park Drive, Umhlanga Rocks, Durban, Ethekeini, KwaZulu-Natal. Drawing No dhs2022_162_300

This permit is issued in accordance with Drawings:

No: dhs2022_162_300_01
Dated: November 2022
Drawn By: Derek Hauptflisch (DHA Architectural Services)
Graded: Not Conservation Worthy

Conditions: This permit is issued subject to the following conditions:-

- 1.1 That in the event of any contemplated deviation the prior **written approval** of KwaZulu-Natal Amafa and Research Institute must be obtained;
- 1.2 In such event, a **written motivation** in support of such deviation must be submitted to KwaZulu-Natal Amafa and Research Institute for consideration and;
- 1.3 The KwaZulu-Natal Amafa and Research Institute has the right to inspect the site at any time;
- 1.4 Where necessary monthly reports are to be submitted to KwaZulu-Natal Amafa and Research Institute on the work being conducted and the findings;
- 1.5 Monthly reports are to be accompanied by the relevant National Site Record forms;
- 1.6 A final report on the work conducted and the findings must be submitted to Kwa-Zulu Natal Amafa and Research Institute not later than thirty (30) days from the date of expiration of this permit, extensions are

23 Park Drive, Umhlanga Rocks, Durban PROPOSED ALTERATIONS TO EXISTING FLAT

negotiable;

1.7 KwaZulu-Natal Amafa and Research Institute shall not be liable for any loss, damage or injuries to any person/s or property caused by any of the activities conducted by the applicant;

1.8 All archaeological and paleontological Material become, on discovery, the property of the Province of KwaZulu-Natal and must be lodged at the repository of KwaZulu-Natal Amafa and Research Institute.

1.9 It is the responsibility of the Applicant to ensure that artefacts are preserved in their original state while in his/her possession;

1.10 The Applicant shall be liable for any damage or destruction caused at any site or to any artefact.

1.11 **FAILURE TO COMPLY WITH THESE CONDITIONS WILL RENDER ANY ACTIVITY CONDUCTED UNLAWFUL, AND THE KWAZULU-NATAL AMAFA AND RESEARCH INSTITUTE RESERVE THE RIGHT TO CANCEL THIS PERMIT AND TO INSTITUTE CRIMINAL AND/OR CIVIL ACTION AGAINST THE PERSON/S RESPONSIBLE.**

1.12 The issuing of this permit does not exempt the Applicant from compliance with any other law, where applicable.

This permit is valid from **12/12/2022 to 12/12/2025 AND IS NOT TRANSFERABLE.**



John Pakwe
Heritage Officer
KwaZulu-Natal Amafa and Research Institute

Additional Info:

Please note that this permit may be suspended should an appeal against the decisions be received by the KwaZulu Natal Amafa and Research Institute within 14 days from the date of the permit. The



KWAZULU-NATAL
AMAF A
& RESEARCH INSTITUTE

HERITAGE IDENTIFICATION, MANAGEMENT & PROTECTION

Enquiries: John Pakwe

Email: john.pakwe@amafainstitute.org.za

Tel: 0333946543

Date: Monday December 12, 2022

CaseID: 20190

Ref No.: SAH22/20190 & 22/295

23 Park Drive, Umhlanga Rocks, Durban PROPOSED ALTERATIONS TO EXISTING FLAT

KwaZulu Natal Amafa and Research Institute may not be held responsible for any costs or losses incurred in the event of the suspension or retraction of this permit.

ADMIN: Direct URL to case: <https://sahris.sahra.org.za/node/609442>