

Demolition of burnt down Admin Kiosk building near Goddard Park, Howick

PermitID: 4065 REF: SAH22/20540 & 22/396, SAH22/20540 & 22/397

Issued under section 37 of the KwaZulu Natal Amafa and Research Institute Act (Act 05 of 2018)

Permit Holder: uMngeni Local Municipality

Cnr Somme & Dick Street

Howick

3290

Approval is hereby given to uMngeni Local Municipality in accordance with the application received on 23/01/2023, for Demolition on the site/s: Portion 1 of ERF755 Howick.

The uMngeni Municipality seeks permission to demolish the existing burnt down admin kiosk building located at the Howick Falls Precinct near Goddard Park on Falls drive. The proposed demolition is for the burnt down structures on Portion 1 of ERF 755, Howick, KwaZulu-Natal. Drawing No: 61/99

This permit is issued in accordance with the Drawings:

No:	61/99
Dated:	July 1999
Drawn By:	Hlatikulu Studio
Graded:	Not conservation worthy

Conditions: This permit is issued subject to the following conditions:-

- 1.1 That in the event of any contemplated deviation the prior **written approval** of KwaZulu-Natal Amafa and Research Institute must be obtained;
- 1.2 In such event, a **written motivation** in support of such deviation must be submitted to KwaZulu-Natal Amafa and Research Institute for consideration and;
- 1.3 The KwaZulu-Natal Amafa and Research Institute has the right to inspect the site at any time;
- 1.4 Where necessary monthly reports are to be submitted to KwaZulu-Natal Amafa and Research Institute on the work being conducted and the findings;
- 1.5 Monthly reports are to be accompanied by the relevant National Site Record forms;
- 1.6 A final report on the work conducted and the findings must be submitted to Kwa-Zulu Natal Amafa and

Demolition of burnt down Admin Kiosk building near Goddard Park, Howick

Research Institute not later than thirty (30) days from the date of expiration of this permit, extensions are negotiable;

1.7 KwaZulu-Natal Amafa and Research Institute shall not be liable for any loss, damage, or injuries to any person/s or property caused by any of the activities conducted by the applicant;

1.8 All archaeological and paleontological Material become, on the discovery, the property of the Province of KwaZulu-Natal and must be lodged at the repository of KwaZulu-Natal Amafa and Research Institute.

1.9 It is the responsibility of the Applicant to ensure that artifacts are preserved in their original state while in his/her possession;

1.10 The Applicant shall be liable for any damage or destruction caused at any site or to any artefact.

1.11 FAILURE TO COMPLY WITH THESE CONDITIONS WILL RENDER ANY ACTIVITY CONDUCTED UNLAWFUL, AND THE KWAZULU-NATAL AMAFA AND RESEARCH INSTITUTE RESERVE THE RIGHT TO CANCEL THIS PERMIT AND TO INSTITUTE CRIMINAL AND/OR CIVIL ACTION AGAINST THE PERSON/S RESPONSIBLE.

This permit is valid from **06/06/2023 to 06/06/2026 AND IS NOT TRANSFERABLE.**



John Pakwe
Heritage Officer
KwaZulu-Natal Amafa and Research Institute

Additional Info:

Please note that this permit may be suspended should an appeal against the decisions be received by the KwaZulu Natal Amafa and Research Institute within 14 days from the date of the permit. The KwaZulu Natal Amafa and Research Institute may not be held responsible for any costs or losses incurred in the event of the suspension or retraction of this permit.



KWAZULU-NATAL
AMAFA
& RESEARCH INSTITUTE

HERITAGE IDENTIFICATION, MANAGEMENT & PROTECTION

Enquiries: John Pakwe

Email: john.pakwe@amafainstitute.org.za

Tel: 0333946543

Date: Tuesday June 06, 2023

CaseID: 20540

Ref No.: SAH22/20540 & 22/396, SAH22/20540
& 22/397

Demolition of burnt down Admin Kiosk building near Goddard Park, Howick

ADMIN: Direct URL to case: <https://sahris.sahra.org.za/node/612085>