

Proposed Additions and Alterations to existing shop and warehouse at 190 Chief Albert Luthuli Street, Pietermaritzburg

PermitID: 4256 REF: SAH23/22322 & 23/237

Issued under section 37 of the KwaZulu Natal Amafa and Research Institute Act (Act 05 of 2018)

Permit Holder: Sean Connell Robinson

190 Chief Albert Luthuli Road
PO BOX 72008
Parkview
2022

Approval is hereby given to **Sean Connell Robinson** in accordance with the application received on **05/09/2023**, for **Additions, Alteration** on the site/s: **190 Chief Albert Luthuli Street**.

Proposed Additions and Alterations to existing shop and warehouse at PTN 19 of erf 2625, 190 Chief Albert Luthuli Street, Pietermaritzburg, KwaZulu Natal.

This permit is issued in accordance with the Drawings:

No:	1.201, 1.303 & 1.304
Dated:	6 February 2023
Drawn By:	Thomas F. Marincowitz(Lindsay Napier and Arc Design RMA cc)
Graded:	Grade IIIc

Conditions: This permit is issued subject to the following conditions:-

- 1.1 That in the event of any contemplated deviation the prior **written approval** of KwaZulu-Natal Amafa and Research Institute must be obtained;
- 1.2 In such event, a **written motivation** in support of such deviation must be submitted to KwaZulu-Natal Amafa and Research Institute for consideration and;
- 1.3 The KwaZulu-Natal Amafa and Research Institute has the right to inspect the site at any time;
- 1.4 Where necessary monthly reports are to be submitted to KwaZulu-Natal Amafa and Research Institute on the work being conducted and the findings;
- 1.5 Monthly reports are to be accompanied by the relevant National Site Record forms;

Proposed Additions and Alterations to existing shop and warehouse at 190 Chief Albert Luthuli Street, Pietermaritzburg

- 1.6 A final report on the work conducted and the findings must be submitted to Kwa-Zulu Natal Amafa and Research Institute not later than thirty (30) days from the date of expiration of this permit, extensions are negotiable;
- 1.7 KwaZulu-Natal Amafa and Research Institute shall not be liable for any loss, damage, or injuries to any person/s or property caused by any of the activities conducted by the applicant;
- 1.8 All archaeological and paleontological Material become, on the discovery, the property of the Province of KwaZulu-Natal and must be lodged at the repository of KwaZulu-Natal Amafa and Research Institute.
- 1.9 It is the responsibility of the Applicant to ensure that artifacts are preserved in their original state while in his/her possession;
- 1.10 The Applicant shall be liable for any damage or destruction caused at any site or to any artefact.
- 1.11 **FAILURE TO COMPLY WITH THESE CONDITIONS WILL RENDER ANY ACTIVITY CONDUCTED UNLAWFUL, AND THE KWAZULU-NATAL AMAFA AND RESEARCH INSTITUTE RESERVE THE RIGHT TO CANCEL THIS PERMIT AND TO INSTITUTE CRIMINAL AND/OR CIVIL ACTION AGAINST THE PERSON/S RESPONSIBLE.**
- 1.12 The issuing of this permit does not exempt the Applicant from compliance with any other law, where applicable.

This permit is valid from **21/09/2023 to 21/09/2026 AND IS NOT TRANSFERABLE.**



John Pakwe
Heritage Officer
KwaZulu-Natal Amafa and Research Institute

Additional Info:

Please note that this permit may be suspended should an appeal against the decisions be received by

195 Langalibalele St, Pietermaritzburg, 3201
033 394 6543
www.amafainstitute.org.za

  
@KZNAMAF A



KWAZULU-NATAL
AMAF A
& RESEARCH INSTITUTE

HERITAGE IDENTIFICATION, MANAGEMENT & PROTECTION

Enquiries: John Pakwe

Email: john.pakwe@amafainstitute.org.za

Tel: 0333946543

Date: Thursday October 05, 2023

CaseID: 22322

Ref No.: SAH23/22322 & 23/237

Proposed Additions and Alterations to existing shop and warehouse at 190 Chief Albert Luthuli Street, Pietermaritzburg

the KwaZulu Natal Amafa and Research Institute within 14 days from the date of the permit. The KwaZulu Natal Amafa and Research Institute may not be held responsible for any costs or losses incurred in the event of the suspension or retraction of this permit.

ADMIN: Direct URL to case: <https://sahris.sahra.org.za/node/624477>