Our Ref:



an agency of the Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za South African Heritage Resources Agency | 111 Harrington Street | Cape Town P.O. Box 4637 | Cape Town | 8001 www.sahra.org.za

Enquiries: Thingahangwi Tracy Tshivhase Tel: 012 941 4968 Email: ttshivhase@sahra.org.za CaseID: 10458 Date: Thursday September 28, 2017 Page No: 1

PermitID: 2482

## **PERMIT:** Remove from its original position

## In terms of Section 36(3) of the National Heritage Resources Act (Act 25 of 1999)

Permit Holder: Ms Stephany van der Walt

PGS Heritage and Grave Relocation Consultants PO Box 32542 Totiusdal 0134


## Site: FARM STEENKOOLSPRUIT 18 IS (FARM STEENKOOLSPRUIT 18 IS)

Conditions:

- 1. If the permit holder is not to be present on the site at all times then the heritage authority must be provided with the names and qualifications of the authorised representatives.
- 2. Adequate recording methods as specified in the Regulations and Guidelines pertaining to the National Heritage Resources Act must be employed. Note that the position of all excavations and objects collected must be marked on a plan of site.
- 3. A standard site record form must be lodged on SAHRIS.
- 4. Human remains must at all times be handled with respect and graves should not be disturbed except where unavoidable. The consultation procedures as indicated in the Regulations and the National Heritage Resources Act must be observed as appropriate. The recommendations for removal of graves and exhumations and for re-burial stipulated in SAHRA's Policy 'What to do when graves are uncovered', section 3, must be observed as far as possible. A Preliminary report on the specimens recovered and their origin must be submitted to the heritage authority on or before 30 September 2017 for the duration of the permit.
- 5. All remains recovered, including relics and artefacts, as well as field notes and records, must be kept with the skeletal material and be curated at a local municipal cemetery.
- 6. Reprints of all published papers or copies of theses and/or reports resulting from this work must be lodged with the relevant provincial heritage authority and SAHRA.
- 7. If a published report has not appeared within three years of the lapsing of this permit, the report required in terms of the permit will be made available to researchers on request.
- 8. It is the responsibility of the permit holder to obtain permission from the landowner for each visit, and conditions of access imposed by the landowner must be observed.
- 9. It is the responsibility of the permit holder to fill in excavations and protect sites during and after excavation to the satisfaction of the heritage authority and the landowner.
- 10. The heritage authority shall not be liable for any losses, damages or injuries to persons or properties

## **Relocation of graves located at AEPC 10 and AEPC 8**

Our Ref:



T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za South African Heritage Resources Agency | 111 Harrington Street | Cape Town P.O. Box 4637 | Cape Town | 8001 www.sahra.org.za

Enquiries: Thingahangwi Tracy Tshivhase Tel: 012 941 4968 Email: ttshivhase@sahra.org.za CaseID: 10458 Date: Thursday September 28, 2017 Page No: 2

PermitID: 2482

- as a result of any activities in connection with this permit.
- 11. The heritage authority reserves the right to cancel this permit by notice to the permit holder.

This permit is valid from **28/06/2017 to 28/06/2018** 

have

Thingahangwi Tracy Tshivhase Heritage Officer: Permitting South African Heritage Resources Agency

Mimi Seetelo Manager:Burial Grounds & Graves Unit South African Heritage Resources Agency

Additional Info:

Please note that this permit may be suspended should an appeal against the decisions be received by SAHRA within 14 days from the date of the permit. SAHRA may not be held responsible for any costs or losses incurred in the event of the suspension or retraction of this permit.

ADMIN: Direct URL to case: http://www.sahra.org.za/node/375890