



Enquiries: Mariagrazia Galimberti
Tel: 021 462 4502
Email: mgalimberti@sahra.org.za
CaseID: 65

Date: Thursday August 23, 2012
Page No: 1

PermitID: 100

PERMIT: Excavation

In terms of section 35(4) of the National Heritage Resources Act (Act 25 of 1999)

Permit Holder:
Mr Frans Roodt

P.O. Box 1600
Polokwane
0700

Site: M'Pefu 202 Site 6 (M'Pefu 202 Site 6) approximately at 22° 50' 45.8016" S, 30° 4' 26.0004" E

For:

Test excavation of the possible Iron Age site 6 along the Paradise substation-Makhado colliery power line.

Conditions:

- If the permit holder is not to be present on the site at all times then the heritage authority must be provided with the names and qualifications of the authorised representatives.
- Adequate recording methods as specified in the Regulations and Guidelines pertaining to the National Heritage Resources Act must be employed. Note that the position of all excavations and objects collected must be marked on a plan of site.
- A standard site record form must be lodged with the Museum of the Polokwane Cultural Services .
- All archaeological material collected and excavated, as well as field notes and records, will be curated by the Museum of the Polokwane Cultural Services .
- A final report on the results of the excavations and analyses must be submitted to the heritage authority issuing this permit on or before the 1st of September 2013.
- Reprints of all published papers or copies of theses and/or reports resulting from this work must be lodged with the heritage authority.
- If a published report has not appeared within three years of the lapsing of this permit, the report required in terms of the permit will be made available to researchers on request.
- It is the responsibility of the permit holder to obtain permission from the landowner for each visit, and conditions of access imposed by the landowner must be observed.
- It is the responsibility of the permit holder to fill in excavations and protect sites during and after excavation to the satisfaction of the heritage authority and the landowner.
- The heritage authority shall not be liable for any losses, damages or injuries to persons or properties as a result of any activities in connection with this permit.



The South African Heritage Resources Agency

Street Address: 111 Harrington Street, Cape Town 8000 * Postal Address: PO Box 4637, Cape Town 8000
* Tel: +27 21 462 4502 * Fax: +27 21 462 4509 * Web: <http://www.sahra.org.za>

Paradise substation to Makhado colliery power line

Our Ref: 9/2/269/0017 80/12/04/006/51



Enquiries: Mariagrazia Galimberti
Tel: 021 462 4502
Email: mgalimberti@sahra.org.za
CaseID: 65

Date: Thursday August 23, 2012
Page No: 2

PermitID: 100

-
- The heritage authority reserves the right to cancel this permit by notice to the permit holder.
 - This permit is subject to a general appeal and may be suspended should an appeal against the decisions be received by SAHRA within 14 days from the date of the permit. SAHRA may not be held responsible for any costs or losses incurred in the event of the suspension or retraction of this permit.

This permit is valid from **23/08/2012 to 01/09/2013**.

Mariagrazia Galimberti
Heritage Officer: Archaeology
South African Heritage Resources Agency

Colette Scheermeyer
SAHRA Head Archaeologist
South African Heritage Resources Agency



The South African Heritage Resources Agency

Street Address: 111 Harrington Street, Cape Town 8000 * Postal Address: PO Box 4637, Cape Town 8000
* Tel: +27 21 462 4502 * Fax: +27 21 462 4509 * Web: <http://www.sahra.org.za>