Our Ref:



an agency of the Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za South African Heritage Resources Agency | 111 Harrington Street | Cape Town P.O. Box 4637 | Cape Town | 8001 www.sahra.org.za

Enquiries: Phillip Hine Tel: 021 462 4502

Email: phine@sahra.org.za

CaseID: 13732

Date: Monday May 27, 2019

Page No: 1

PermitID: 2943

PERMIT: Excavation

In terms of Section 35(4) of the National Heritage Resources Act (Act 25 of 1999)

Permit Holder: Prof. Michael Chazan

University of Toronto - Anthropology

Department of Anthropology, University of Toronto, 19 Russell St., Toronto, Ontario, M5S 2S2

Canada

Site: Kathu Pan Sites (Bestwood 1)

This permit is issued to Dr Michael Chazan in collaboration with Dr David Morris for the continued excavations at Bestwood 1, in Kathu, Northern Cape Province.

Conditions:

- 1. If the permit holder is not to be present on the site at all times then the heritage authority must be provided with the names and qualifications of the authorised representatives.
- 2. Adequate recording methods as specified in the Regulations and Guidelines pertaining to the National Heritage Resources Act must be employed. Note that the position of all excavations and objects collected must be marked on a plan of site.
- 3. A standard site record form must be lodged with the McGregor Museum.
- 4. All archaeological material collected and excavated, as well as field notes and records, will be curated by the McGregor Museum.
- 5. An annual progress report on the results of the excavations and analyses must be submitted to the heritage authority issuing this permit on 31 May 2020, 31 May 2021 and 31 May 2022, and a final report is due on or before 31 December 2022.
- 6. All permit reports must be emailed to apmpermitreports@sahra.org.za.
- 7. It is noted that the new excavation will focus on a series of trenches along the western fringes of the valley to confirm the overall extent of the occupation and to better understand site formation processes.
- 8. Excavation will be in one meter square units with all lithic material above 2 cm mapped *in situ* and all sediments sieved through a 1 cm mesh.
- 9. Reprints of all published papers or copies of theses and/or reports resulting from this work must be lodged with the heritage authority.
- 10. If a published report has not appeared within three years of the lapsing of this permit, the report required in terms of the permit will be made available to researchers on request.

Our Ref:



an agency of the Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za South African Heritage Resources Agency | 111 Harrington Street | Cape Town P.O. Box 4637 | Cape Town | 8001 www.sahra.org.za

Enquiries: Phillip Hine Tel: 021 462 4502

Email: phine@sahra.org.za

CaseID: 13732

Date: Monday May 27, 2019

Page No: 2

PermitID: 2943

- 11. It is the responsibility of the permit holder to obtain permission from the landowner for each visit, and conditions of access imposed by the landowner must be observed.
- 12. It is the responsibility of the permit holder to fill in excavations and protect sites during and after excavation to the satisfaction of the heritage authority and the landowner.
- 13. The heritage authority shall not be liable for any losses, damages or injuries to persons or properties as a result of any activities in connection with this permit.
- 14. The heritage authority reserves the right to cancel this permit by notice to the permit holder.

This permit is valid from

27/05/2019 to 24/05/2022

Phillip Hine

Acting Manager: Archaeology, Palaeontology and Meteorites Unit

South African Heritage Resources Agency

Additional Info:

Please note that this permit may be suspended should an appeal against the decisions be received by SAHRA within 14 days from the date of the permit. SAHRA may not be held responsible for any costs or losses incurred in the event of the suspension or retraction of this permit.

ADMIN: Direct URL to case: http://www.sahra.org.za/node/522881