Phase 1 Heritage Impact Assessment for the proposed installation of a 710 mm – diameter, bulk water pipeline from the Postdene reservoir to the Greenfields residential development in Postmasburg, NC Province.



Paleo Field Services PO Box 38806 Langenhovenpark 9330

25 / 05 / 2021

Summary

A Phase 1 Heritage Impact Assessment was carried out for a proposed new bulk water pipeline to be constructed between the existing Postdene Reservoir and the Greenfields Residential Development in Postmasburg in the Northern Cape Province. The development calls for the construction of a 710 mm – diameter, 1.9 km - long pipeline, located on gently sloping terrain near the northeastern outskirts of Postmasburg. The study area underlain by palaeontologically significant carbonate rocks of the ~2.5 Ga old Cambellrand Subgroup. Superficial deposits within the proposed impact area include a down-weathered, pebbly rubble matrix around the reservoir grading into a reddish-brown sandy soil with patches of alluvium spread across low topography terrain towards the west. Small, isolated and horizontally exposed dolomite exposures observed during the foot survey revealed no visible stromatolite structures, although it is expected that excavations into fresh dolomites at the site might affect intact stromatolitic structures and associated micro-fossil-bearing strata. As far as palaeontological heritage is concerned, any excavation within the development footprint larger than 1 m^2 that exceeds depths of >1 m into unweathered, Cambellrand Subgroup bedrock, will need monitoring by a professional palaeontologist. It is therefore advised that, as part of a follow-up Phase 2 Palaeontological Impact Assessment, a professional palaeontologist should monitor exposures where large-scale excavations into unweathered/fresh sedimentary bedrock are to be conducted during the construction phase of the development. There was no indication of in situ Stone Age archaeological material, either as capped assemblages or distributed as surface scatters on the landscape within the boundaries of the proposed pipeline footprint. There are also no indications of rock art (engravings), graves, stonewalled structures or historically significant buildings older than 60 years within the boundaries of the linear footprint. The ancient mining site at Blinkklipkop (Gatkoppies), is located about about 250 m due east of the reservoir and a small excavated area considered to be an open mining pit is located about 120 m southwest of the reservoir and 35 m southeast of the pipeline footprint. Neither sites will be impacted by the proposed development. The pipeline footprint in general is regarded as of low archaeological significance and is assigned a rating of Generally Protected C (GP.C). As far as the archaeological heritage is concerned, the proposed development may proceed, provided that all excavation activities are restricted to within the boundaries of the linear development footprint.

Contents

Introduction	4
Locality data	7
Background	7
Field Assessment	
Impact Statement and Recommendations	11
References	12
Tables and Figures	15

Introduction

A Phase 1 Heritage Impact Assessment was carried out for a proposed new bulk water pipeline to be constructed between the existing Postdene Reservoir and the Greenfields Residential Development in Postmasburg in the Northern Cape Province. The development calls for the construction of a 710 mm – diameter, 1.9 km - long pipeline, located on gently sloping terrain near the northeastern outskirts of Postmasburg in the Northern Cape Province (**Fig. 1**).

The primary legal trigger for identifying when heritage specialist involvement is required in the Environmental Impact Assessment process is the National Heritage Resources (NHR) Act (Act No 25 of 1999). The NHR Act requires that all heritage resources, that is, all places or objects of aesthetic, architectural, historical, scientific, social, spiritual, linguistic or technological value or significance are protected. Thus any assessment should make provision for the protection of all these heritage components, including archaeology, shipwrecks, battlefields, graves, and structures over 60 years of age, living heritage and the collection of oral histories, historical settlements, landscapes, geological sites, palaeontological sites and objects.

Heritage Impact Assessments are required as a prerequisite for new development in terms of the National Environmental Management Act and is also called for in terms of the National Heritage Resources Act (NHRA) 25 of 1999. The region's unique and non-renewable archaeological heritage sites are 'Generally' protected in terms of the National Heritage Resources Act (Act No 25 of 1999, section 35) and may not be disturbed at all without a permit from the relevant heritage resources authority. As many such heritage sites are threatened daily by development, both the environmental and heritage legislation require impact assessment reports that identify all heritage resources in the area to be developed, and that make recommendations for protection or mitigation of the impact of such sites.

The NHRA identifies what is defined as a heritage resource, the criteria for establishing its significance and lists specific activities for which a heritage specialist study may be required. In this regard, categories relevant to the proposed development are listed in Section 34 (1), Section 35 (4), Section 36 (3) and Section 38 (1) of the NHR Act and are as follows:

34. (1) No person may alter or demolish any structure or part of a structure which is older than 60 years without a permit issued by the relevant provincial heritage resources authority.

35 (4) No person may, without a permit issued by the responsible heritage resources authority—

- destroy, damage, excavate, alter, deface or otherwise disturb any archaeological or palaeontological site or any meteorite;
- *b)* destroy, damage, excavate, remove from its original position, collect or own any archaeological or palaeontological material or object or any meteorite;

36 (3) No person may, without a permit issued by SAHRA or a provincial heritage resources authority—

- (a) destroy, damage, alter, exhume or remove from its original position or otherwise disturb the grave of a victim of conflict, or any burial ground or part thereof which contains such graves;
- (b) destroy, damage, alter, exhume, remove from its original position or otherwise disturb any grave or burial ground older than 60 years which is situated outside a formal cemetery administered by a local authority; or
- (c) bring onto or use at a burial ground or grave referred to in paragraph (a) or
 (b) any excavation equipment, or any equipment which assists in the detection or recovery of metals.

38 (1) Subject to the provisions of subsections (7), (8) and (9), any person who intends to undertake a development categorised as—

- The construction of a road, wall, power line, pipeline, canal or other similar form of linear development or barrier exceeding 300m in length;
- The construction of a bridge or similar structure exceeding 50m in length;
- Any development or other activity which will change the character of the site
- a) exceeding 5000 m² in extent; or
- b) involving three or more existing erven or subdivisions thereof; or
- c) involving three or more subdivisions thereof which have been consolidated within the past five years;

- The rezoning of a site exceeding 10 000 m²; or
- Any other category of development provided for in regulations by the South African Heritage Resources Agency (SAHRA).

The significance or sensitivity of heritage resources within a particular area or region can inform the EIA process on potential impacts and whether or not the expertise of a heritage specialist is required. A range of contexts can be identified which typically have high or potential cultural significance and which would require some form of heritage specialist involvement. This may include formally protected heritage sites or unprotected, but potentially significant sites or landscapes. In many cases, the nature and degree of heritage significance is largely unknown pending further investigation (e.g. capped sites, assemblages or subsurface fossil remains). On the other hand, it is also possible that a site may contain heritage resources (e.g. structures older than 60 years), with little or no conservation value. In most cases it will be necessary to engage the professional opinion of a heritage specialist in determining whether or not further heritage specialist input in an EIA process is required. This requires site-significance classification standards as prescribed by SAHRA (Table 1). Alternatively, useful sources of information on heritage resources in South Africa can also be obtained through SAHRA's national database of heritage resources, including existing heritage survey information as well as other published or secondary source material on the overall history of a particular area or site.

Methodology

The archaeological and palaeontological significance of the affected area were evaluated based on existing field data, database information and published literature. This was followed by a field assessment by means of a pedestrian survey of the proposed pipe line route. A Garmin Etrex Vista GPS hand model (set to the WGS 84 map datum) and a digital camera were used for recording purposes. Relevant heritage information, aerial photographs and site records were consulted and integrated with data acquired during the on-site inspection.

Potential impacts on heritage resources are summarized in **Table 1** and site significance classification standards, a prescribed by SAHRA, were used for the purpose of this report (**Table 2**).

Terms of reference:

- Identify and map possible heritage sites and occurrences using available resources.
- Determine and assess the potential impacts of the proposed development on potential heritage resources;
- Recommend mitigation measures to minimize potential impacts associated with the proposed development.

Locality data

- 1:50 000 scale topographic map: 2823AC Postmasburg
- 1:250 000 scale geological map 2822 Postmasburg

The development entails a 1.9 km long linear footprint that is located on gently sloping terrain near the northeastern outskirts of Postmasburg (**Fig. 2 & 3**). According to the 1:250 000 scale geological map 2822 Postmasburg, the proposed development footprint is underlain by palaeontologically significant carbonate rocks of the ~ 2.5 Ga old Cambellrand Subgroup (*Vgl*, Ghaap Group, Transvaal Supergroup) (Beukes 1980, 1983; Erikson *et al.* 2006) (**Fig. 4 & 5**).

Pipeline coordinates (Fig. 2):

- A) 28°18'21.72"S 23° 5'35.99"E
- B) 28°18'22.21"S 23° 5'56.69"E
- C) 28°18'0.25"S 23° 6'38.87"E

Background

Palaeontology

The carbonate rocks of the Cambellrand Subgroup consist of stromatolite- and microfossil-bearing dolomite, dolomitic limestone and chert members that were formed by the precipitation of carbonate rocks when colonies of stromatolites thrived in shallow, tropical marine environments towards the end of the Archaean Eon, 2.6 billion years ago (Truswell & Eriksson 1973; De Villiers & Visser, 1977; Altermann & Schopf 1995). The shallow marine and lacustrine stromatolites and organic-walled microfossils preserved within the dolomites provide a record of early microbial dominated life in shallow seas and lakes during the Early / Mid Precambrian (c. 2.7-2.5 Ga). Stromatolites are layered mounds, columns, and sheet-like sedimentary rocks,

originally formed by the growth of layer upon layer of cyanobacteria, a single-celled photosynthesizing microbe that lives today in a wide range of environments ranging from the shallow shelf to lakes, rivers, and even soils. Bacteria, including the photosynthetic cyanobacteria, were the only form of life on Earth for the first 2 billion years that life existed on Earth.

Archaeology

Multiple sites associated with the Early, Middle and Later Stone Age (ESA, MSA & LSA) of South Africa are known from the region, with Wonderwerk Cave, situated halfway between Kuruman and Danielskuil, regarded as an important archaeological repository (Beaumont 1990; Kuman 2001; Thackeray et al 1981; Humphreys 1978) (**Fig. 6**). Various archaeological investigations at the site demonstrated that Wonderwerk Cave contains *in situ*, ESA, Fauresmith, Middle Stone Age (MSA) and Later Stone Age (LSA) deposits (Chazan *et al.* 2012). It is unique since few sites have yielded such a long sequence of *in situ* ESA horizons which also cover the ESA/MSA transition, while none of the other ESA sites in Southern Africa have yielded such abundant and well preserved *in situ* micro and macro-faunal and botanical remains. Several MSA and LSA sites were documented around Witsand. The LSA sites have yielded Wilton assemblages with formal lithics dominated by backed pieces including segments and scrapers. At Dikbosch between Kimberley and Griekwastad, a rock shelter located in travertine deposits of the Ghaap Plateau, has yielded LSA artefacts associated with faunal remains (Humphreys 1978).

An ancient specularite mine at Doornfontein (Doornfontein 1) north of Postmasburg has a maximum length of over 100 m and consists of four interlinked chambers (Beaumont & Boshier 1974. Excavations yielded mining tools including stone artefacts, various types of pottery, bone arrow heads, and hundreds of ostrich eggshell beads (**Fig. 7**). Several prehistoric specularite and haematite mines found closer to Postmasburg, include underground workings on the farms Paling M87, open mining pits at Gloucester 13 and Mount Huxley, as well as open mining pits next to the town reservoir (**Fig 8**). The most famous mining site is Blinkklipkop (Gatkoppies), a declared provincial heritage site, situated about 250 m due east of the reservoir (**Fig 2**, point C, **Fig. 8**). P.B. Borchards a member of the 1801 Truter and Somerville expedition to the Bechuanaland gave thefirst description of this site (Beaumont 1973; Morris 1990a). Lichtenstein, in

his *Travels in Southern Africa*, recounts a visit to the site in 1805, and William Burchell visited Blinkklipkop on June 18 1812 as noted in his *Travels in the Interior of Southern Africa*. The Blinkklipkop and Doornfontein sites near provide evidence of LSA mining practices and the introduction in the region of domesticated ovicaprids and possibly cattle as well as pottery by 1200 BP. Rock art sites in the region, including rock engraving as well as paintings, are known from Wonderwerk Cave (paintings) and the Danielskuil Townlands (engravings) (Fock & Fock, 1984; Morris 1990b). Nonrepresentational rock art sites near Postmasburg include engravings from the farms Beeshoek and Klapin and paintings from Andriesfontein and Toto (Van Riet Lowe 1941).

Archaeological and historical evidence suggest that the most southerly distribution of Late Iron Age Tswana settlements in the region during the 18th century AD ranged between the Langeberge and what is known today as Witsand (**Fig. 6 & 9**). The region north of Postmasburg was previously occupied by Tswana-speaking (Tlhaping and Tlharo) communities who settled in the Langeberg region throughout the late 18th century. The Tlhaping and Tlharo branches, who entered the northern Cape from the north at the beginning of the 17th century, reached as far south as Majeng (Langeberg), Tsantsabane (Postmasburg) and Tlhake le Tlou (Danielskuil) by the beginning of the 18th century (Snyman 1986). A large Thlaping settlement was established at Nokaneng, about 40 km southwest of Olifantshoek, while the Tlharo largely occupied the Langeberg region between Ditlou (Olifantshoek) and Dibeng (Deben) (Maingard 1933). The farm Nokanna, situated about 35 km north of Witsand, equates with the former BaTlaping capital of Nokaneng, where Chief Mothibi was born in about 1775.

After clashes with the Koranna and Griqua people, who moved into the area after 1770, the Tlhaping and Tlharo temporarily abandoned Nokanna and the Langeberg at around 1790 to settle around Dithakong (Kuruman) only to return again to the Langeberg at the beginning of the 19th century (Humphreys 1976). At the time of the 1801-1803 Borcherds and Somerville expedition, Dithakong was an important BaTlhaping capital. It was calculated that the number of huts there were at least not less than 1 500 and the number of occupants at somewhere between 8 000 and 25 000 (Maingard, 1933; Morris 1990). Extensive stonewall enclosures are found on the adjacent hills and archaeological investigations during the 1980's have revealed that the ruins were built

during the 15th century A.D. and possibly by sedentary Khoi groups. The area consists of primary and secondary enclosures and cover a total area of about 1 km² comprising hundreds of circles of varying size. With the annexation of the region south of the Molopo and north of Griqualand West by the British in 1885, the area became known as British Bechuanaland. Several reservations were established but following a revolt in 1895 known as the Langeberg Rebellion, the reservations were confiscated by the British colonial government, divided up into farms and offered to white settlers (Snyman 1986).

Originally a station of the London Missionary Society called Sibiling, the area in what is known today as Postmasburg, became a Griqua village named Blinkklip before acquiring its present name in 1890 (Raper 1987).

Field Assessment

Palaeontology

Superficial deposits within the proposed impact area include a down-weathered, pebbly rubble matrix around the reservoir grading into a reddish-brown sandy soil with patches of alluvium spread across low topography terrain towards the west (**Fig 10**). No fossils were observed within unconsolidated sediments as anticipated, because geologically recent superficial overburden is generally not expected to be fossiliferous in the absence of rock shelters, pans, springs or well-developed alluvial deposits. Small, isolated and horizontally exposed dolomite exposures observed during the foot survey revealed no visible stromatolite structures, although it is expected that excavations into fresh dolomites at the site might affect intact stromatolitic structures and associated microfossil-bearing strata (**Fig. 11**).

Archaeology

There was no indication of *in situ* Stone Age archaeological material, either as capped assemblages or distributed as surface scatters on the landscape within the boundaries of the proposed pipeline footprint. There are also no indications of rock art (engravings), graves, stonewalled structures or historically significant buildings older than 60 years within the boundaries of the linear footprint. A small excavated area considered to be an open mining pit is located about 120m southwest of the reservoir and 35m southeast

of the pipeline footprint (GPS coordinates 28°18'3.39"S 23°6'35.24"E; **Fig. 8**, blue rectangle & **Fig. 12**). The site will not be impacted by the proposed development.

Impact Statement and Recommendations

Palaeontology

It will be difficult to determine the potentially adverse effect of excavations into potentially fossil-bearing bedrock sediments underlying the area other than to emphasize that such impacts on fossil heritage are generally irreversible. Conversely, the recovery of new fossils as a result of industrial excavation activities can also be considered a positive impact, but only if the process is accompanied by appropriate scientific recording and retrieval methods. As far as palaeontological heritage is concerned, <u>any excavation within the development footprint larger than 1 m² that exceeds depths of >1 m into unweathered, Cambellrand Subgroup bedrock, will need monitoring by a professional palaeontologist. It is therefore advised that, as part of a follow-up Phase 2 Palaeontological Impact Assessment, a professional palaeontologist should monitor exposures where large-scale excavations into unweathered/fresh sedimentary bedrock are to be conducted <u>during the construction phase of the development</u>. The palaeontologist must apply for a valid collection / removal permit from SAHRA if fossil material is found in the process.</u>

Archaeology

The pipeline footprint in general is regarded as of low archaeological significance and is assigned a rating of Generally Protected C (GP.C). As far as the archaeological heritage is concerned, the proposed development may proceed, provided that all excavation activities are restricted to within the boundaries of the linear development footprint.

Visual (Cultural Landscape)

The ancient mining site at Blinkklipkop (Gatkoppies), is located about about 250 m due east of the reservoir (**Fig 2**, point C, **Fig. 8**) and will not be impacted by the proposed development, which will involve underground construction. However, it is important to note that the Postmasburg area represents one of a very few landscapes in South Africa with an ancient mining heritage.

References

Altermann, W. & Schopf, J.W. 1995. Microfossils from the Neoarchaean Campbell Group, Griqualand West Sequence of the Transvaal Group, and their palaeoenvironmental and evolutionary implications. *Precambrian Research* 75: 65-90. Beaumont. P. B. 1973. The ancient pigment mines of Southern Africa. South African Journal of Science. 69: 140-146.

Beaumont. P., & Boshier. A. 1974. Report on test excavations in a prehistoric pigment mine near Postmasburg. Northern Cape. South African Archaeological Bulletin, 29(113/114): 41-59.

Beaumont, P.B., 1990. Kathu Pan. In: Beaumont P.B., Morris D. (Eds.). *Guide to the Archaeological Sites in the Northern Cape*, McGregor Museum, Kimberley, pp. 101-134.

Beaumont, P.B., Vogel, J.C., 2006. On a timescale for the past million years of human history in central South Africa. *South African Journal of Science* 102, 217-228.

Beukes, N.J. 1980. Lithofacies and stratigraphy of the Kuruman and Griquatown ironformations, northern Cape Province, South Africa. Transactions of the Geological Society of South Africa 83: 69-86.

Beukes, N.J. 1983. Stratigraphie en litofasies van die Campbellrand-Subgroep van die proterofitiese Ghaap-Groep, Noord-Kaapland. Transactions of the Geological Society of South Africa 83: 141-170.

Chazan, M., *et al.* 2012. The Oldowan horizon in Wonderwerk Cave (South Africa): archaeological, geological, paleontological and paleoclimatic evidence. *Journal of Human Evolution* 63(6):859-66.

De Villiers & Visser, J.N.J. 1977. The glacial beds of the Griqualand West Supergroup as revealed by four deep boreholes between Postmasburg and Sishen. Transactions of the Geological Society of South Africa 80: 1 - 8.

Eriksson, P.G., Altermann, W. & Hartzer, F.J. 2006. The Transvaal Supergroup and its precursors. In: Johnson, M.R., Anhaeusser, C.R. & Thomas, R.J. (Eds.) The geology of South Africa, pp. 237-260. Geological Society of South Africa, Marshalltown.

Fock, G.J. and Fock, D.M.L. 1984. *Felsbilder in Sudafrika: Kinderdam und Kalahari*. Köln. Böhlau Verlag.

Humphreys, A.J.B. 1976. Note on the Southern Limits of Iron Age Settlement in the Northern Cape. *South African Archaeological Bulletin* 31(121&122): 54 – 57.

Humphreys, A.J.B. 1978. The re-excavation of Powerhouse Cave and an assessment of Frank Peabody's work on Holocene Deposits in the Taung area. *Ann. of the Cape Prov. Museums (nat. Hist)* 2 (12): 217 – 244.

Kuman, K. 2001. An Acheulean factory site with prepared core technology near Taung, SA. *South African Archaeological Bulletin* 56(173&174): 8 – 22.

Maingard, L.F. 1933. The Brikwa and the ethnic origins of the BaTlaping. *South African Journal of Science* 30, 597 – 602.

Morris, D. 1990a. Blinkklipkop and Doornfontein : Specularite Mines In: Beaumont P.B., Morris D. (Eds.). *Guide to the Archaeological Sites in the Northern Cape*, McGregor Museum, Kimberley, pp. 65 – 74.

Morris D. 1990b. Water snakes and wagons: Rock engravings of the Ghaap Plateau and Kuruman Valley In: Beaumont P.B., Morris D. (Eds.). *Guide to the Archaeological Sites in the Northern Cape*, McGregor Museum, Kimberley, pp.135 – 142.

Partridge, T.C. & Maud, R.R. 2000. *The Cenozoic of Southern Africa*. Oxford Monographs on Geology and Geophysics No. 40.

Raper, P.E. 1987. Dictionary of Southern African place names. Jonathan Ball Publishers. Johannesburg.

Snyman, P.H.R. 1986. Die Langeberg – rebellie en die totstandkoming van Olifantshoek. *Contree* 20: 16 – 26.

Thackeray, A.I., Thackeray, J.F., Beaumont, P.B., Vogel, J.C., 1981. Dated rock engravings from Wonderwerk Cave, South Africa. *Science* 214, 64-67.

Truswell, J.F. & Eriksson, K.A. 1973. Stromatolite associations and their palaeoenvironmental significance: a reappraisal of a Lower Proterozoic locality in the North Cape Province, South Africa. *Sedimentary Geology* 10: 1-23.

Van Riet Lowe, C. 1941. Prehistoric art in SA. Archaeological Series No. 5. Bureau of Archaeology. Dept. Of the Interior, Pretoria.

DECLARATION OF INDEPENDENCE

I, Lloyd Rossouw, declare that I act as an independent specialist consultant. I do not have or will not have any financial interest in the undertaking of the activity other than remuneration for work as stipulated in the terms of reference. I have no interest in secondary or downstream developments as a result of the authorization of this project and have no conflicting interests in the undertaking of the activity.

25 / 05 / 2021

Tables and Figures


 Table 1: Heritage contexts and resources likely to occur within these contexts, and

Heritage Context	Heritage Resources	Impact
Palaeontology	Precambrian shallow marine and lacustrine stromatolites, organic-walled microfossils, Ghaap Plateau (Transvaal Supergroup) Palaeozoic and Mesozoic fossil remains, e.g. Karoo Supergroup Neogene regolith	Road cuttings Quarry excavation Bridge and pipeline construction (Quaternary alluvial deposits)
Archaeology Early Stone Age Middle Stone Age LSA - Herder Historical	Types of sites that could occur in the Free Stateinclude:Localized Stone Age sites containing lithicartifacts, animal and human remains foundnear <i>inter alia</i> the following:River courses/springsStone tool making sitesCave sites and rock sheltersFreshwater shell middensAncient, kraals and stonewalled complexesAbandoned areas of past human settlementBurials over 100 years oldHistorical middensStructural remainsObjects including industrial machinery andaircraft	Subsurface excavations including ground levelling, landscaping, foundation preparation, road building, bridge building, pipeline construction, construction of electrical infrastructure and alternative energy facilities, township development.
History	Historical townscapes, e.g. Kimberley Historical structures, i.e. older than 60 years Historical burial sites Places associated with social identity/displacement, e.g. Witsieshoek Cave, Oppermansgronde Historical mission settlements, e.g. Bethulie, Beersheba, Moffat Mission	Demolition or alteration work. New development.
Natural Landscapes	Formally proclaimed nature reserves Evidence of pre-colonial occupation Scenic resources, e.g. view corridors, viewing sites, Historical structures/settlements older than 60 years Geological sites of cultural significance.	Demolition or alteration work. New development.
Relic Landscape Context	Battle and military sites, e.g Magersfontein Precolonial settlement and burial sites Historical graves (marked or unmarked, known or unknown) Human remains (older than 100 years) Associated burial goods (older than 100 years) Burial architecture (older than 60 years)	Demolition or alteration work. New development.

likely sources of heritage impacts in the region.

Field Rating	Grade	Significance	Mitigation
National	Grade 1	-	Conservation;
Significance (NS)			national site
			nomination
Provincial	Grade 2	-	Conservation;
Significance (PS)			provincial site
			nomination
Local Significance	Grade 3A	High significance	Conservation;
(LS)			mitigation not
			advised
Local Significance	Grade 3B	High significance	Mitigation (part of
(LS)			site should be
			retained)
Generally Protected	-	High/medium	Mitigation before
A (GP.A)		significance	destruction
Generally Protected	-	Medium	Recording before
B (GP.B)		significance	destruction
Generally Protected	-	Low significance	Destruction
C (GP.C)			

Table 2. Field rating categories as prescribed by SAHRA.












Figure 3. General view of the study area, looking southwest from point A, west from point B and northeast towards point C (in Fig 2).




Figure 4. SAHRIS palaeosensitivity map of the area (above). According to the 1:250 000 scale geological map 2822 Postmasburg (below), the proposed development footprint (white line) is underlain by palaeontologically significant carbonate rocks of the~2.5 Ga old Cambellrand Subgroup (Vgl, Ghaap Group, Transvaal Supergroup).






Figure 5. Regional geology according to Harding 2004 (left) and Beukes 1980 (right).





Artefacts from Blinkklipkop and Doornfontein (after Beaumont & Boshier 1974; Thackeray et al 1. Mining tool, Blinkklipkop; 2. Mining 1983). Doornfontein 1/1; 3. Flake and scrapers tool, excavations and surface Doornfontein from collection, and core scraper from Blinkklipkop surface collection; 4. Copper strip bead and possible broken bone pendant, Doornfontein 1/2; 5. Bone arrow-point, Doornfontein 1/2; 6. Iron spearhead. Doornfontein 2/1; 7. Pottery, Pottery, Doornfontein 2/1; spearhead, including decorated sherds, Blikklipkop; 8. Pottery with line decorations, Doornfontein 1/2 & 1/1.

Figure 7. Artefacts recorded from Blinkklipkop and Doornfontein. Extract from Morris (1990).




Figure 8. Aerial view of the proposed pipeline footprint at the reservoir. Blinkklipkop (Gatkoppies), is situated about 250 m due east of the reservoir GPS 28°18'2.54"S 23° 6'52.91"E). A small excavated area (blue rectangle), considered to be an open mining pit, is located about 120m southwest of the reservoir and 35m southeast of the pipeline footprint (GPS coordinates 28°18'3.39"S 23°6'35.24"E).




Figure 9 . Southern limits of Tswana settlement during the 18th and 19th centuries (after Humphreys 1976).



Figure 10. Superficial deposits within the proposed impact area include a down-weathered, pebbly rubble matrix around the reservoir (top left & right) grading into a reddish-brown sandy soil with patches of alluvium spread across low topography terrain towards the west (below).



Figure 11. Horizontally exposed dolomites underlying reddish-brown sandy soil. Scale 1 = 10 cm.



Figure 12. A small excavated area considered to be a specularite mining pit.