

# BASIC ASSESSMENT REPORT And ENVIRONMENTAL MANAGEMENT PROGRAMME REPORT

SUBMITTED FOR ENVIRONMENTAL AUTHORIZATIONS IN TERMS OF NATIONAL ENVIRONMENTAL MANAGEMENT ACT, 1998 AND THE NATIONAL ENVIRONMENTAL MANAGEMENT WASTE ACT, 2008 IN RESPECT OF LISTED ACTIVITIES THAT HAVE BEEN TRIGGERED BY APPLICATIONS IN TERMS OF THE MINERAL AND PETROLEUM RESOURCES DEVELOPMENT ACT, 2002 (MPRDA) (AS AMENDED).

NAME OF APPLICANT: BBT Contractor's Consultant

**TEL NO:** 0606083634

FAX NO: None

POSTAL ADDRESS: None

**PHYSICAL ADDRESS:** 

21 Melsetter Estate Bernard Road Lovemore Heights Port Elizabeth Code: 6070

FILE REFERENCE NUMBER SAMRAD:

**FILE REFERENCE NUMBER SAMRAD:** 

#### 1. IMPORTANT NOTICE

In terms of the Mineral and petroleum Resources Development Act (Act 28 of 2002 as amended), the Minister must grant a prospecting or mining right if among others the mining "will not result in unacceptable pollution, ecological degradation or damage to the environment".

Unless an Environmental Authorisation can be granted following the evaluation of an Environmental Impact Assessment and an Environmental Management Programme report in terms of the National Environmental Management Act (Act 107 of 1998)(NEMA), it cannot be concluded that the said activities will not result in unacceptable pollution, ecological degradation or damage to the environment.

In terms of section 16(3)(b) of the EIA Regulations, 2014, any report submitted as part of an application must be prepared in a format that may be determined by the Competent Authority and in terms of section 17 (1) (c) the competent Authority must check whether the application has taken into account any minimum requirements applicable or instructions or guidance provided by the competent authority to the submission of applications.

It is therefore an instruction that the prescribed reports required in respect of applications for an environmental authorisation for listed activities triggered by an application for a right or a permit are submitted in the exact format of, and provide all the information required in terms of, this template. Furthermore please be advised that failure to submit the information required in the in the format provided in this template will be regarded as a failure to meet the requirements of the Regulation and will lead to the Environmental Authorisation being refused.

It is furthermore an instruction that the Environmental Assessment Practitioner must process and interpret his/her research and analysis and use the findings thereof to compile the information required herein. (Unprocessed supporting information may be attached as appendices). The EAP must ensure that the information required is placed correctly in the relevant sections of the Report, in the order, and under the provided headings as set out below, and ensure that the report is not cluttered with un-interpreted information and that it unambiguously represents the interpretation of the applicant.

#### 2. Objective of the basic assessment process

The objective of the basic assessment process is to, through a consultative process-

- (a) determine the policy and legislative context within which the proposed activity is located and how the activity complies with and responds to the policy and legislative context;
- (b) identify the alternatives considered, including the activity, location, and technology alternatives;
- (c) describe the need and desirability of the proposed alternatives,
- (d) through the undertaking of an impact and risk assessment process inclusive of cumulative impacts which focused on determining the geographical, physical, biological, social, economic, heritage, and cultural sensitivity of the sites and locations within sites and the risk of impact of the proposed activity and technology alternatives on the these aspects to determine:
  - (i) The nature, significance, consequence, extent, duration, and probability of the impacts occurring to; and
  - (ii) The degree to which these impacts-
    - (aa) can be reversed;
    - (bb) may cause irreplaceable loss of resources; and
    - (cc) can be managed, avoided or mitigated;
- (e) through a ranking of the site sensitivities and possible impacts the activity and technology alternatives will impose on the sites and location identified through the life of the activity to-
  - (i) identify and motivate a preferred site, activity and technology alternative;
  - (ii) identify suitable measures to manage, avoid or mitigate identified impacts; and
  - (iii) identify residual risks that need to be managed an monitored.

#### PART A

#### SCOPE OF ASSESSMENT AND BASIC ASSESSMENT REPORT

#### 3. Contact Person and correspondence address

#### a) Details of

#### (i) Details of the EAP

Name of the Practitioner: Dr Josephine Bothma from Chameleon

Environmental

Tel No.: 012 809-1704 or 082 571 6920

Fax No.: 086 6855 080

E-mail address: ce.j@mwebbiz.co.za

#### (ii) Expertise of the EAP.

### (1) The qualifications of the EAP (with evidence).

PhD in Environmental Management. Please find proof of qualifications of EAP in Appendix A.

### (2) Summary of the EAP's past experience

(In carrying out the Environmental Impact Assessment Procedure)

The EAP that prepared this report is Dr J Bothma from Chameleon Environmental. The Environmental Assessment Practitioner (EAP) has the appropriate skills and experience to undertake the required studies for the proposed project. Dr Bothma has:

- Experience in environmental studies for borrow pits and quarries.
- The EAP is registered as an Environmental Assessment Practitioner with EAPASA with registration number 2019/246.
- Proven ability to timeously produce thorough, readable and informative documents.
- Adequate recording and reporting systems to ensure the preservation of all data gathered.
- A good working knowledge of all relevant and applicable policies, legislation, guidelines, norms and standards.
- The EAP does not have any links to engineering firms, construction companies, or financial institutions, and would be able sign the required declarations of independence to be submitted to the relevant environmental authorities.

Dr Bothma has a PhD in Environmental Management with extensive experience in the environmental field. Dr Bothma is a founder member of Chameleon Environmental since August 2006, a specialist environmental consulting company based in Pretoria, South Africa but operates nationwide. The company provides a broad range of environmental consulting services to the public and private sectors.

#### She has:

- » Thirty-one (31) years' experience in the environmental field
- » Twenty-one (21) years' experience in Project Management
- » Project management of large environmental assessment and environmental management projects.

#### b) Location of the overall Activity.

Farm Name:	Portion 2 of the farm Leeuwenfontein No 6 RD
Application area (Ha)	4.43 ha
Magisterial distract:	Murraysburg
Distance and direction from nearest town	Approximately 32 Km North west of Murraysburg
21 digit Surveyor general code for each farm portion	C05200000000000000000000000000000000000

### c) Locality map

(show nearest town, scale not smaller than 1:250000).

Please see locality map of the quarry in Appendix B.

### d) Description of the scope of the proposed overall activity.

Provide a plan drawn to a scale acceptable to the competent authority but not less than 1: 10 000 that shows the location, and area (hectares) of all the aforesaid main and listed activities, and infrastructure to be placed on site

Please refer to Appendix C of the proposed quarry and infrastructure to be placed on site.

### (i) Listed and specified activities

NAME OF ACTIVITY	Aerial extent	LISTED	APPLICABLE
(E.g. For Prospecting – drill site, site camp, ablution facility, accommodation, equipment storage, sample storage, site office, access route etcetc  E.g for mining,- excavations, blasting,	of the Activity Ha or m <sup>2</sup>	ACTIVITY  Mark with an  X where	LISTING NOTICE (GNR 544,
stockpiles, discard dumps or dams, Loading, hauling and transport, Water supply dams and boreholes, accommodation, offices, ablution, stores, workshops, processing plant, storm water control, berms, roads, pipelines, power lines, conveyors, etcetc)		applicable or affected.	GNR 545 or GNR 546)
A new quarry will be opened.  Dolerite material will be mined from the quarry.	4.43 ha	X	Activities 21, 27 GNR. 983
Access to the quarry will be from an existing gravel access road.  Opencast mining will take place as it is a quarry to be mined. Quarry excavations will, therefore be present.			
The following mining components will also be found on site:  - Temporary toilets,  - Generator and fuel storage,  - Stockpiles: Subsoil, overburden, spoil, topsoil,  - Crusher,  - Screening plant,  - Stockpiles,  - Weigh bridge;  - Temporary offices.			
The mined gravel material will be loaded and hauled to the wind farm close to the quarry site.			
Blasting will be undertaken in the quarry.			
Crushing will be conducted in the quarry.			
	l	l	

#### (ii) Description of the activities to be undertaken

(Describe Methodology to be employed, including the type of commodity to be prospected/mined and for a linear activity, a description of the route of the activity)

BBT Contractor's Consultant intends to open a dolerite quarry near Murraysburg. The quarry is situated approximately 32 km North West of Murraysburg within the boundaries of the Beaufort West Local municipality and the Central Karoo District Municipality. The quarry is located on Portion 2 of the farm Leeuwenfontein No 6 RD. The land is registered in the name of Misthoek Trust represented by Mr Jacques Theron tel 0826973885.

The actual area to be mined will be 0.5 ha in extent but the entire fenced area including the stockpiles will be approximately 4.43 ha in extent.

An amount of approximately 10 000m³ will be mined from the quarry for the Wind Farms Development. This quantity might increase as additional work in the area is secured. The depth of the quarry should not exceed 5m in depth.

Opencast mining will take place as it is a quarry to be mined.

The following mining components will be found on site:

- Temporary toilets,
- Generator and fuel storage,
- Stockpiles: Subsoil, overburden, spoil, topsoil,
- Crusher,
- Screening plant,
- Gravel stockpiles,
- Weigh bridge,
- Temporary offices.

The gravel material mined will be stockpiled within the quarry and hauled to the wind farm close to the quarry.

Blasting will be undertaken in the quarry.

The following process will be undertaken during the mining operation:

#### a. Vegetation Stripping

All vegetative material would be retained to ensure proper vegetation establishment during the rehabilitation phase. The vegetation material from the area to be mined would be stripped by a bulldozer and stockpiled for use during the rehabilitation phase.

#### **b.** Topsoil Stripping

All topsoil from the area to be mined would be stripped and stockpiled by a bulldozer for redistribution over the site during the rehabilitation phase. Overburden and coarse material shall be placed concurrently in the excavations or stored adjacent to the excavation, if practicable, to be used as backfill material once the gravel has been excavated. All topsoil, subsoil and vegetative material to be stockpiled for use during the rehabilitation phase.

#### c. Opencast Mining

The required gravel material will be excavated by an excavator and taken to the wind farm in the area by trucks. Excavations shall take place only within the approved demarcated mining area.

### e) Policy and Legislative Context

APPLICABLE LEGISLATION AND GUIDELINES USED TO COMPILE THE REPORT  (a description of the policy and legislative context within which the development is proposed including an identification of all legislation, policies, plans, guidelines, spatial tools, municipal development planning frameworks and instruments that are applicable to this activity and are to be considered in the assessment process	REFERENCE WHERE APPLIED	HOW DOES THIS DEVELOPMENT COMPLIY WITH AND RESPOND TO THE LEGISLATION AND POLICY CONTEXT  (E.g. In terms of the National Water Act a Water Use Licence has/ has not been applied for)
NEMA, EIA Regulations 2014, as amended GN R. 983	Activities 21, 27 GNR. 983	Application for mining permit at DMR. Closure objectives included in BAR
National Environmental Management Act, 1998 (Act No. 107 of 1998)  The National Environmental Management Act, 1998 (Act No. 107 of 1998): [NEMA] was enacted in November 1998. NEMA provides for cooperative governance by establishing principles for decision-making on matters affected the environment, institutions that will promote co-operative governance and procedures for coordinating environmental functions, public participation and sustainable development.	General objectives of Integrated Environmental Management as set out in section 23 of NEMA taken into account	Objectives of NEMA taken into account in BAR
Regulation 15 of the Conservation Act of Agricultural Resources Act, 1983 (Act 43 of 1983)	Ecological study Alien vegetation identification on site	Ecological study undertaken for the project
Disaster Management Act, 2002 (Act 57 of 2002)	Covid-19 Directions issued for PPP	Covid-19 Directions issued for PPP taken into account during Public Participation Process
National Heritage Resource Act 1999 (Act No. 25 of 1999) and KwaZulu- Natal Heritage Act (Act 4 of 2008) Standards and Regulations South African Heritage Resources Agency (SAHRA) Minimum Standards; Association of Southern African	Development exceeding 5000 sq m required approval from SAHRA.  Heritage and Palaeontological	Heritage Study and Palaeontological studies undertaken for the quarries
Professional Archaeologists (ASAPA) Constitution and Code of Ethics; Anthropological Association of	study	

Southern Africa Constitution and		
Code of Ethics.		
<b>International Best Practise and</b>		
Guidelines		
ICOMOS Standards (Guidance		
on Heritage Impact Assessments for		
Cultural World Heritage Properties);		
and		
The UNESCO Convention		
In terms of the National Heritage		
Resources Act, 1999 (Act No. 25 of		
1999) comment will be obtained from		
SAHRA. Permits will be obtained if		
necessary.		
Concerning the Protection of the World		
Cultural and Natural Heritage (1972).		
The National Water Act (Act No. 36 of	Any stream	Any stream crossings or
1998) for water uses as defined in	crossings and	wetlands applicable to the
section 21 (c) and section 21 (i).	application of a	quarries.
	general	
The application for a General	authorization or	
Authorisation or Water Use License	WUL at the	
(WUL) in terms of the National Water	Department of	
Act, 1998.	Water and	
	Sanitation	

#### f) Need and desirability of the proposed activities.

Southown Africa Constitution and

(Motivate the need and desirability of the proposed development including the need and desirability of the activity in the context of the preferred location).

The gravel material will be used as aggregate in the concrete turbine bases between turbines on the wind farm close to the quarry. The proposed development is paramount to the success of the wind farm completion. Geological tests in the surrounding area show insufficient quality of gravel material for road construction practices and the cumulative impact of importing high volumes of suitable aggregate for the wind turbines' concrete bases will exceed the quarry's impact, therefore the need for the quarry is extremely high.

It was also found that no commercial sources are available in close proximity to the site that is suitable as aggregate for the concrete to be used in the wind turbine bases for the wind farm. The use of only commercial sources of gravel/aggregates for a project of this magnitude would also be inordinately expensive, and would render the project unviable. It was therefore, decided that investigations would be conducted to obtain aggregate material to be used for the wind farm construction in close proximity to the quarry.

Should the mining of the aggregate material not be allowed, the necessary material for the wind farm concrete of the turbine bases will not be available and the wind farm construction will not be able to be completed.

#### g) Motivation for the overall preferred site, activities and technology alternative.

The following are reasons for the preferred site alternative on Portion 2 of the farm Leeuwenfontein No 6 RD:

- The site is not within a threatened veldtype (ecosystem).
- The site is not within or close to any priority areas, which include protected areas (nature reserves), important bird areas (IBAs) and national protected area expansion strategy (NPAES) focus areas.
- There are no watercourses in the study area, including wetlands. However, there is a small seasonal drainage line north of the study site that needs to be considered.
- During field investigations no Red Data Listed (RDL) or Orange Data Listed (ODL) plants were found, including protected trees. None are expected to occur.
- The study site is not situated within a Critical Biodiversity Area (CBA) or Ecological Support Area (ESA).
- There are no 'high' sensitive habitats present on site.
- No red data listed (RDL) faunal species were observed to be present and / or breeding with the study area boundaries.
- Site investigations were conducted during the summer and winter months and the findings and availability of field data are sufficient to achieve acceptable findings and outcomes from the assessment.
- There are no obvious fatal flaws in terms of the natural environment.
- No application for water use license necessary for this quarry as no watercourse will be affected.
- The quarry has the required aggregate material to be used for the construction of the wind turbine basis for the wind farm.
- The quarry is in close proximity to the wind farm.
- Discussions were held with the relevant landowner and he does not have any objection to the proposed opening of the quarry on his farm.

An alternative site was considered in the Basic Assessment report under paragraph h. The alternative site that was investigated is a quarry on Portion 2 of the farm Leeuwenfontein No 6 RD. However, the initial proposed site was situated too close to the riverbed and was rejected as the site was deemed to a high impact on the environment.

The reason that this alternative is not preferred is the following:

• The quarry site was situated too close to the riverbed and was rejected as the site was deemed to have a high impact on the environment.

### h) Full description of the process followed to reach the proposed preferred alternatives within the site.

NB!! – This section is about the determination of the specific site layout and the location of infrastructure and activities on site, having taken into consideration the issues raised by interested and affected parties, and the consideration of alternatives to the initially proposed site layout.

#### i) Details of the development footprint alternatives considered.

With reference to the site plan provided as Appendix 4 and the location of the individual activities on site, provide details of the alternatives considered with respect to:

- (a) The property on which or location where it is proposed to undertake the activity;
- (b) The type of activity to be undertaken;
- (c) The design or layout of the activity;
- (d) The technology to be used in the activity;
- (e) The operational aspects of the activity; and
- (f) The option of not implementing the activity.

- a. Geological tests in the surrounding area shows insufficient quality of gravel material for concrete wind turbine base construction purposes. The tests showed sufficient gravel material on Portion 2 of the farm Leeuwenfontein No 6 RD for the construction of the concrete wind turbine basis at the wind farm close to the quarry.
- b. Opencast mining will take place as it is a quarry to be mined. Quarry excavations will, therefore be present.
- c. There were no environmental restrictions pertaining to the layout of the quarry.
- d. The technology used at the activity will be a bulldozer for stripping the topsoil. An excavator will be used for the opencast mining activities. The excavated gravel material will be taken to the construction site with trucks.
- e. Open cast mining will be undertaken for the excavation of the gravel material at the quarry during the operational phase. The gravel material will be excavated by an excavator and taken to the construction site at the wind farm for the construction of the concrete wind turbine bases.
- f. Should the mining of the gravel not be allowed, the necessary material for the construction of the wind turbine bases at the wind farm will not be available and the wind farm will not be able to be opened.

Please find the quarry plans that were investigated for the alternatives in Annexure A.

#### ii) Details of Public Participation Process Followed

Describe the process undertaken to consult interested and affected parties including public meetings and one consultation. NB the affected parties must be specifically consulted regardless of whether or not they attended public meetings. (Information to be provided to affected parties must include sufficient detail of the intended operation to enable them to assess what impact the activities will have on them or on the use of their land.

Please refer to the Report on the Results of Consultation in Appendix D.

A public participation process was undertaken in accordance with the EIA Regulations, 2014, as amended.

The public participation and communication process aims to identify issues in order to maximise the social and environmental benefits, and to minimise the social and environmental costs of the proposed project. Interested and affected parties (I&APs) were consulted and afforded the opportunity to participate. The I&APs were informed and involved in the project from the outset in order to promote participation and transparency.

The aim of this public participation process is to achieve the following broad goals:

- identification of all key I&APs and stakeholders;
- the active involvement of all I&APs with respect to decision making;
- an exchange of information relevant to the proposed project through Background Information Documents (BID), consultations and newspaper advertisements.
- the development of an understanding with regards to the broader project objectives and goals and knowledge of the project; and
- the identification of issues and concerns with regards to all potential alternatives associated with the proposed development.

The following approach was followed in undertaking the public participation process:

#### a. Identification of and Consultation with I&APs

The first step in the public participation process was to identify the key I&APs. A list of the registered I&APs is attached as Appendix D.

b. Advertising

In accordance with the EIA Regulations, 2014, as amended an advertisement was placed requesting I&APs to register their interest in the project. An advertisement was placed in the **The Courier of 23 April 2021**. A copy of the advertisement is included in Appendix D.

#### c. Site Notice

Site notifications in English in A2 format requesting comments or objections were placed on site on 7 April 2021. Photographs of the site notice are included in Appendix I.

#### d. Notification Letter and Background Information Document

Notification letters about the project, a Background Information Document and locality plans were sent out to the particular Ward Councillor, Government Departments that would be relevant to this project and the affected landowner included. Please see letters in Appendix D.

#### e. Comments and Response Report

A comments and response report was drafted that included all the issues raised by the Interested and/or Affected Parties as well as the responses to the issues raised. The Comments and Response report is included in Appendix D.

#### f. Local Authority Involvement

A letter was forwarded to the Beaufort West Local Municipality. The letter is included in Appendix D.

#### g. Review of Draft Basic Assessment Report

The Draft Basic Assessment Report was made available to the public for review and comment, within an allocated 30-day period.

iii) Summary of issues raised by I&APs (Complete the summarising comments and issues raised, and reaction to those responses)

List the names of persons consulted in this column, and  Mark with an X where those who must be consulted were in fact consulted.		Date Comments Received	Issues raised	EAPs response to issues as mandated by the applicant	Section and Paragraph Reference in This report Where the Issues and or Responses were incorporated.
AFFECTED PARTIES  Landowner/s	Х				
Misthoek Trust represented by Mr Jacques Theron	*	Telephonic Discussion 7 April 2021	The following issues were raised:  1. The quarry needs to be left as a dam following the mining activities  2. The quarry must be fenced during and after the mining operation;  3. There are no graves close to the mining area.	The quarry will be left as a dam and fenced with a 1.8 m fence and the necessary warning signs will be erected.  Noted	None required
Lawful occupier/s of the land	х				
The landowner, Mr and Mrs Theron are the lawful occupiers of the land.			Please see above	Please see above	Please see above.
Landowners or lawful occupiers on					

adjacent properties					
None					
Municipal councillor	Х				
Councillor October Haarvoor		No	No issues raised	No response necessary	None
		comments			
Ward 2		received			
Municipality	Х				
Mr. MG Penxa		No	No issues raised	No response necessary	None
Acting Municipal Manager		comments			
Beaufort West Local Municipality		received			
Organs of state (Responsible for	Х				
infrastructure that may be affected Roads					
Department, Eskom, Telkom, DWA) Mr François van Heerden		No	No issues raised	No management and acceptance	None
Department of Water and		comments	No issues raised	No response necessary	None
Sanitation		received			
Sumunon		received			
Communities					
There are no communities		No	No issues raised	No response necessary	None
associated with this project		response		1 ,	
D 4 1 1 4 66 1					
Dept. Land Affairs	Х	N.T.	NT ' ' 1	NT NT	NT.
Mr Rikus Janse van Rensburg		No	No issues raised	No response necessary	None
Acting Chief Director: Land Restitution Support: Western Cape		comments received			
Traditional Leaders		received			
There are no traditional leaders		No	No issues raised	No rasponse passessory	None
			No issues raised	No response necessary	None
affected by the proposed project		response			

Dept. Environmental Affairs	Х				
Mr Piet van Zyl		No	No issues raised	No response necessary	None
HOD: Western Cape		comments			
Department of Environmental		received			
Affairs Development Planning					
<b>Other Competent Authorities</b>					
affected					
Department of Mineral Resources	Х	No	No issues raised	No response necessary	None
		comments			
		received			
OTHER AFFECTED PARTIES					
None					
INTERESTED PARTIES					

# iv) The Environmental attributes associated with the alternatives (The environmental attributes described must include socio-economic, social, heritage, cultural, geographical, physical and biological aspects)

#### (1) Baseline Environment

(a) Type of environment affected by the proposed activity.

(its current geographical, physical, biological, socio-economic and cultural character)

#### > Topography

The topography of the region is mountainous with undulating hills, valleys and plateaus. The study site is situated on a plateau or fairly flat area within the mountains. The average height above sea level for the study site is approximately 1 473m, with maximum and minimum elevations of 1 476m and 1 470m, respectively. The main downward slope is to the north / northwest towards a valley in which a small stream flows (Flori Scientific Services, 2021).

#### > Climate

The study site is within a summer rainfall region of the country, although rainfall can be erratic and unreliable. The climate of the study site is similar to that of the small Town of Murraysburg, although the weather may vary at times because the site is situated within the mountains and on top of a plateau, while the town is within a slightly more protected valley environment. The Sneeuberge (Snow Mountains) are to the east of the region and occasional snow can fall in the area.

The study site is situated within a low rainfall region of South Africa that typically averages between 201mm – 400mm per annum. The dry months can be very dry. The site is within the Temperate Interior Climatic Zone of South Africa. The summers are hot to very hot, while the winter nights and early mornings can be cold to very cold, with the temperatures warming up and being mild to warm through the day (Flori Scientific Services, 2021).

#### > Land cover

The study area is classified as a quarry area that has not been mined before. The quarry area is on a farm within natural / vacant land and is used as general grazing land for sheep and wildlife. The study site and surrounding areas are open, dry grassland and shrubland veld that is predominantly used for the grazing and farming of sheep. Due to the low veld carrying capacity and dryness of the region cattle are seldom farmed with in the area. The landuse or landcover of the study site is that of open dry grassland and grazing land with low levels of urbanisation and related infrastructure such as roads (Flori Scientific Services, 2021).

#### > Vegetation

South Africa is divided up into nine major Biomes. The study site and the surrounding area are within the Nama-Karoo Biome. Mucina & Rutherford (2006) divide the Nama-Karoo into three main bioregions, namely, Bushmanland & West Griqualand; Upper Karoo; and Lower Karoo. The site is within the Upper Karoo Bioregion and within the original extent of the veldtype of **Eastern Upper Karoo**.

The vegetation hierarchy of the study site and surrounding area is shown in the table below.

Table: Vegetation hierarchy of the study area

Category Description	Classification
Biome	Nama-Karoo
Bioregion	Upper Karoo
Veldtype	Eastern Upper Karoo

Eastern Upper Karoo is characterised by flats and gently sloping plains (interspersed with hills and rocky areas of Upper Karoo Hardeveld in the west, Besemkaree Koppies Shrubland in the northeast and Tarkastad Montane Shrubland in the southeast), dominated by dwarf microphyllous shrubs, with 'white' grasses of the genera Aristida and Eragrostis (these become prominent especially in the early autumn months after good summer rains). The grass cover increases along a gradient from southwest to northeast (Mucina & Rutherford, 2006) (Flori Scientific Services, 2021).

#### > Vegetation of the study area

The vegetation of the study site is typical dry grassland with medium grass cover and scattered very low microphyllous (small-leaved) shrubs and no trees. The dry white grasses of *Aristida* and *Eragrostis* species are visible within the veld, with the steeper slopes of the mountains with Upper Karoo Hardeveld vegetation (veldtype) in the background. The vegetation of the study site is moderately degraded with the dominant impacts that of grazing of livestock, mostly sheep. The soils of the study area were sandy yellow-red apedal and well-drained, but shallow. The area is scattered with blackish rocks (commonly known as 'ysterklip' iron stone).

There is no alien weed plant species found on site. Medicago laciniata is a common weed found in the Upper Karoo which could potentially be in the area (Flori Scientific Services, 2021).

#### > Fauna

The region of the study area is fairly open with low levels of urbanisation. The general region in which the study area is situated is open Nama-Karoo grassland and shrubveld (Eastern Upper Karoo veldtype). The grassland is less species-rich and less dense at the study site than down in the lowlands and areas closer to Murraysburg. Due to low rainfall and low livestock carrying capacity the main farming activity is the grazing of sheep. It is understandable that a number of wild faunal species will be present in the region. However, lack of water and low grazing levels will limit numbers and species. Many of the wild animals will predominantly be moving in and out of the area in search of water and food. The study site is small and lacks any ideal habitats for the long-term or permanent presence and breeding of most wild fauna species, including reptiles and birds (Flori Scientific Services, 2021).

#### > Watercourses in the Study Area

The Nama-Karoo is an arid biome and most of the rivers are non-perennial, with exceptions such as the Orange River and the few permanent streams in the southwest that originate in the higher-rainfall neighbouring areas (and in the case of the latter terminate in shallow lakes and pans (Bushmanland Vloere) that dry up in the dry season). The few perennial streams that originate in the Nama-Karoo are limited to the wetter east, with the Great Fish River being of note (Mucina & Rutherford, 2006, 2010).

There are no watercourses in the study area, including small streams, distinctive drainage lines and wetlands. However, due to the mountainous terrain of the area, with numerous valleys and slopes, there are a number of small seasonal drainage lines and small seasonal streams to be found, especially in the steep valleys down which any stormwater surface flow will be naturally channelled. There is a small seasonal stream about 600m to the north of the study site, which is an unnamed tributary of the Brak River. The stream flows southwest into the Brak River, which flows southeast and into the Buffels River. There is also a small seasonal drainage line just more than 100m north of the boundary of the study site (Flori Scientific Services, 2021).

#### > Air Quality

The region is considered rural and the air quality very good.

#### > Noise

The current noise levels are low due to the rural nature of the area. The R63 runs approximately 32 km to the south of the quarry.

#### > Visual

The quarry is not visually accessible from the R63. There is a gravel road from the R63 to the quarry that is also utilised by the landowners.

#### > Sensitive Landscapes

- The nearby small drainage line is demarcated as having a sensitivity of 'High' and will need to be buffered and protected.
- There are fossils approximately 3 km from the site towards the South West that needs to be avoided.

#### ➤ Sites of Archaeological and Cultural Interests

There are no graves or any heritage area at the proposed mining area. There are fossils approximately 3 km from the site next to the access road towards the South West of the site that needs to be avoided.

#### > Socio-Economic Aspects

The mining area would have a positive impact on the regional socio-economic structure through its support of the development industry, profit generation contributing to tax revenue, job creation and the skills development of its employees.

The landowner will be compensated by the developer for the quarry.

#### **Cumulative Impacts**

The cumulative impacts associated with the establishment of the proposed mining area could be the following:

- Additional traffic on the local road during mining of the area;
- Limited influx of people in the area during mining of the area;
- Additional water and electricity supply to the area limited, if any.

#### (b) Description of the current land uses.

The study site and surrounding areas area are open, dry grassland and shrubland veld that is predominantly used for the grazing and farming of sheep. Due to the low veld carrying capacity and dryness of the region cattle are seldom farmed with in the area. The landuse or landcover of the study site is that of open dry grassland and grazing land with low levels of urbanisation and related infrastructure such as roads (Flori Scientific Services, 2021)

### (c) Description of specific environmental features and Infrastructure on the site.

The land cover of the study site is predominantly undisturbed quarry area that was not mined before. The quarry area is on a farm within natural / vacant land and is used as general grazing land for sheep and small wildlife. There is an existing gravel road to the quarry site. There is a metmast on the site. No Telkom lines or Eskom lines are in close proximity to the area. The site is not fenced.

#### (d) Environmental and current land use map.

(Show all environmental and current land use features)

Please see map included in Appendix E.

# v) Impacts and risks identified including the nature, significance, consequence, extent, duration and probability of the impacts, including the degree to which these impacts

(Provide a list of the potential impacts identified of the activities described in the initial site layout that will be undertaken, as informed by both the typical known impacts of such activities, and as informed by the consultations with affected parties together with the significance, probability, and duration of the impacts. Please indicate the extent to which they can be reversed, the extent to which they may cause irreplaceable loss of resources, and can be avoided, managed or mitigated).

The *potential* impacts associated with the mining area have been identified as the following:

#### **CONSTRUCTION PHASE:**

#### 1. Vegetation stripping

**Potential Impacts:** 

- a. Dust Pollution
- b. Soil Erosion
- c. Noise Impact
- d. Water pollution
- e. Visual impact
- f. Terrestrial ecology
- g. Impact on uncovered heritage aspects
- h. Contamination of site due to hydrocarbon spillage
- i. Emissions from heavy vehicles

#### 2. Stripping and stockpiling of topsoil

**Potential Impacts:** 

- a. Clearing of vegetation
- b. Visual intrusion as a result of establishment of the quarry
- c. Dust nuisance caused by machinery stripping topsoil
- d. Noise nuisance caused by machinery stripping topsoil
- e. Infestation of weeds and alien vegetation on topsoil heaps
- f. Loss of topsoil due to incorrect storm water management
- g. Contamination of site due to hydrocarbons
- h. Impact on uncovered heritage aspects
- i. Emissions from heavy vehicles

#### **OPERATIONAL PHASE**

#### 1. Blasting

#### **Potential Impacts:**

- a. Health and safety risk posed by blasting activities
- b. Dust nuisance caused by blasting activities
- c. Noise nuisance caused by blasting activities

#### 2. Excavations

#### **Potential Impacts:**

- a. Visual intrusion associated with the excavation activities
- b. Dust nuisance caused by excavation activities
- c. Noise nuisance generated by excavation equipment
- d. Contamination of surface or groundwater due to effluent runoff from excavation
- e. Unsafe working conditions for employees
- f. Potential damage to uncovered cultural and heritage aspects
- g. Contamination of site due to hydrocarbons
- h. Emissions from heavy vehicles
- i. Water pollution

#### 3. Crushing

#### **Potential Impacts:**

- a. Dust nuisance due to the crushing activities
- b. Noise nuisance due to the crushing activities
- c. Contamination of site due to hydrocarbons

#### 4. Stockpiling and Transporting of gravel material

#### Potential Impacts:

- a. Visual intrusion associated with the stockpiled material and heavy vehicles transporting the gravel material
- b. Loss of material due to ineffective storm water handling
- c. Dust nuisance from stockpiled material and heavy vehicles transporting material
- d. Degradation of access roads
- e. Noise nuisance caused by heavy vehicles
- f. Contamination of site due to hydrocarbons

- g. Emissions from heavy vehicles
- h. Water pollution

#### **DECOMMISSIONING PHASE**

#### 1. Removing crusher, screening plant and sloping and landscaping during rehabilitation

#### **Potential Impacts**

- a. Soil erosion
- b. Health and safety risk posed by unsloped areas
- c. Dust nuisance caused during sloping and landscaping activities
- d. Noise nuisance caused during sloping and landscaping activities
- e. Contamination of site due to hydrocarbons
- f. Emissions from heavy vehicles

#### 2. Replacing the topsoil and revegetating the disturbed area

#### Potential Impacts:

- a. Loss of reinstated topsoil due to absence of vegetation
- b. Infestation of the area with weed and invader plants

ALL phases: Proper functioning of sanitation systems

vi) Methodology used in determining and ranking the nature, significance, consequences, extent, duration and probability of potential environmental impacts and risks;

(Describe how the significance, probability, and duration of the aforesaid identified impacts that were identified through the consultation process were determined in order to decide the extent to which the initial site layout needs revision).

Potential environmental impacts on the environment will be determined in terms of the following in order to determine the significance of each impact:

#### Nature:

A brief description of the environmental aspect being impacted upon by a particular action or activity is presented. Also:

- Probability (how likely is it that the impact will occur?)
- Magnitude (how severe will the impact be?)
- Duration (how long will the impact last?)
- Scale of the impact (what size of the area will be affected?)

Thereafter, mitigation measures will be proposed in order to reduce or eliminate negative impacts and enhance positive impacts. The impact of the proposed activity on the environment will be considered for the pre- construction, construction and operational phases. The necessary mitigation measures will be consolidated in the form of an Environmental Management Programme (EMPr).

Assessment of significance – method:

The significance of every environmental impact identified will be determined using the following approach:

In assessing the potential significance of an impact two aspects will be considered:

- i) Occurrence
- ii) Severity

Occurrence will be sub-divided into:

- Probability of occurrence
- Duration of occurrence

Severity will be sub-divided into:

- Magnitude (severity) of impact
- Scale/extent of impact

In order to assess each of these factors for each impact, ranking scales were employed as follows:

Probability: Duration:

5 - Definite/don't know 5 - Permanent 4 - Highly probable 4 - Long-term\*

3 - Medium probability 3 - Medium-term (5-15 years) 2 - Low probability 2 - Short-term (0-5 years)

1 - Improbable 1 - Immediate 0 - None 0 - None

Scale: Magnitude:

5 – International 10 - Very high/don't know

 4 - National
 8 - High

 3 - Regional
 6 - Moderate

 2 - Local
 4 - Low

 1 - Site only
 2 - Minor

 0 - None
 0 - None

Once the above factors had been ranked for each impact, the overall risk (environmental significance) of each impact will be assessed using the following formula: SP = (magnitude (M) + duration (D) + scale(S)) x probability (P). The maximum value is 100 significance points (SP). Environmental impacts will be rated as either of High, Moderate or Low significance on the following basis:

SP greater or the same as 60 indicates high environmental significance; SP 31 greater or the same as 59 indicates moderate environmental significance;  $SP \le 30$  indicates low environmental significance.

Please see actual assessment in Appendix F.

vii) The positive and negative impacts that the proposed activity (in terms of the initial site layout) and alternatives will have on the environment and the community that may be affected.

(Provide a discussion in terms of the advantages and disadvantages of the initial site layout compared to alternative layout options to accommodate concerns raised by affected parties)

<sup>\*</sup>impact ceases after operational life of the activity

There are no environmental attributes that will have an effect on the layout of the quarry.

The following are reasons for the preferred site alternative on Portion 2 of the farm Leeuwenfontein No 6-RD:

- The site is not within a threatened veldtype (ecosystem).
- The site is not within or close to any priority areas, which include protected areas (nature reserves), important bird areas (IBAs) and national protected area expansion strategy (NPAES) focus areas.
- There are no watercourses in the study area, including wetlands. However, there is a small seasonal drainage line north of the study site that needs to be considered.
- During field investigations no Red Data Listed (RDL) or Orange Data Listed (ODL) plants were found, including protected trees. None are expected to occur.
- The study site is not situated within a Critical Biodiversity Area (CBA) or Ecological Support Area (ESA).
- There are no 'high' sensitive habitats present on site.
- No red data listed (RDL) faunal species were observed to be present and / or breeding with the study area boundaries.
- Site investigations were conducted during the summer and winter months and the findings and availability of field data are sufficient to achieve acceptable findings and outcomes from the assessment.
- There are no obvious fatal flaws in terms of the natural environment.
- No application for water use license necessary for this quarry as no watercourse will be affected
- The quarry has the required aggregate material to be used for the construction of the wind turbine basis for the wind farm.
- The quarry is in close proximity to the wind farm.
- Discussions were held with the relevant landowner and he does not have any objection to the proposed opening of the quarry on his farm.

Advantages pertaining to the mining of the quarry:

The gravel will be used to construct the wind turbine basis at the wind farm close to the quarry. The wind farm will generate much needed electricity for the area. Wind is a free fuel and users of wind energy have a smaller carbon footprint.

The opening of the quarry could encourage business, industry and investment and assist in alleviating the high unemployment in the region as a whole.

The possible negative impacts associated with the opening of the quarry are the possible short term impacts associated with the construction phase i.e.

- a. Dust Pollution
- b. Soil Erosion
- c. Noise Impact
- d. Visual impact
- e. Terrestrial ecology
- f. Impact on uncovered heritage aspects

- g. Contamination of site due to hydrocarbon spillage
- h. Emissions from heavy vehicles
- i. Possible water pollution

With the implementation of the EMPr, the significance of the impacts associated with the opening of the quarry is foreseen to be low.

## viii) The possible mitigation measures that could be applied and the level of risk.

(With regard to the issues and concerns raised by affected parties provide a list of the issues raised and an assessment/ discussion of the mitigations or site layout alternatives available to accommodate or address their concerns, together with an assessment of the impacts or risks associated with the mitigation or alternatives considered).

The following measures will be implemented by BBT Contractor's Consultant to prevent or remedy any possible pollution or degradation of the environment:

### a. Possible dust and air pollution

- Dust will be suppressed through a watering management programme, especially during windy conditions.
- Dust generated will be carefully monitored by the OHS&E and should be suppressed by means of watering regularly.
- Access roads will be watered regularly, especially in the dry winter months and in periods of high wind.
- Vegetation will not be unnecessary stripped.
- Domestic fires will be prohibited on site.
- Heavy vehicle will be serviced regularly to ensure emission control.
- All heavy vehicles, excavators and generators used for the mining will be in good working condition and will be serviced regularly.
- Should a vehicle have a break down, it will be serviced immediately.

#### b. Soil Erosion

- Topsoil, if any, will be removed over the whole mining area and stored in a perimeter berm. The height of the topsoil berm will not exceed 3m.
- The topsoil berm will be inspected for erosion daily.
- Minimal amounts of topsoil shall be lost due to erosion, either by wind or water. This can be facilitated through the grassing of topsoil stockpiles, where needed.
- Condition of soil in walk or drive areas should be checked daily for erosion.
- Access road condition will be checked daily.
- If erosion is noted at walk and drive areas, access road or topsoil berms, the erosion channel will be fixed by placing cut vegetation, sandbags or rocks within the erosion channel and the cause of the erosion will be mitigated through the creation of runoff channels.

#### c. Possible Noise Pollution

- The working hours shall be limited to between 07:00 hrs and 18:00 hrs on weekdays, and 07:00 hrs and 17:00 hrs on Saturdays, or as per contract documentation.
- Vehicles must be driven at a moderate speed (50 kph) on private roads.

- Noise generated from the trucks that transport the material and the excavator that is used to mine the material shall only be carried out during normal working hours.
- Extended working hours will be in accordance with contract documentation.
- The applicant shall be obligated to maintain vehicles used at the mining area in a good condition;
- The applicant will be obliged to ensure that all personnel on site apply occupational health and safety requirements with respect to hearing protection.

#### d. Possible Visual impact

- Concurrent rehabilitation of the mining area will take place.
- All unused material would be levelled to ensure that the mining area blends back into the existing landscape fabric.
- No stockpiled material is to be retained on site.
- The mining area will be shaped to ensure no stockpiled heaps.
- All stockpiled topsoil and vegetative material will be spread over the bottom of the mining area to ensure proper seed bed for the re-establishment of vegetative growth. Placing a berm of topsoil along the perimeter of the mining site to obscure the visual impact of the excavation.
- Re-vegetation of the mining area after mining operation has ceased.
- The access gravel road will be rehabilitated and the area will be fenced following the mining of the area.

#### e. Aquatic and Terrestrial Ecology

#### **Construction & Operation Phase**

- During the construction phase all temporary laydown areas, ablution facilities, site offices, etc.
  must only be within the larger demarcated study site (quarry site area), or within laydown areas
  that might be established by the proposed wind turbine project, for which the quarry material is
  specifically required.
- During the initial Construction Phase / site establishment phase existing access roads must be used as far as possible. These roads need to be maintained and rehabilitated on completion of this phase. Especially those roads that will not be further used. Establishment and use of access roads may be connected with the wind turbine project, which is totally acceptable.
- Ensure small footprint during construction phase.
- There is a small seasonal drainage line approximately 100m north of the northern boundary of the proposed quarry site. A buffer zone (no-go zone) of 50m from the main drainage channel is recommended. The channel has no riparian zone therefore the buffer measurement is acceptable as recommended. This buffer zone (no-go zone) must be well demarcated and maintained during the operational phase of the quarry.
- All excess materials brought onto site for construction to be removed after construction / site establishment.

#### **Operational Phase**

- No site offices, parking areas, ablution facilities, etc. may be set up outside of the demarcated quarry area.
- All access roads to the site must be maintained at all times. The road is a gravel road roads
  used by surrounding farmers and landowners. During the entire operational phase / life of the
  quarry these roads must be maintained and dust-suppression must be used.
- Perimeter fences to be routinely monitored and maintained. Assurances need to be in place that local livestock (mainly sheep) as well as wild animals will not be able to enter the mining site.

- An Erosion Plan to be implemented and monitored during construction phase and operational phases of the project. Even though the erosion potential is low.
- All hazardous materials must be stored appropriately to prevent these contaminants from entering the soils and natural environment. The surrounding areas are grazing lands for sheep.
- Under no circumstances may farm livestock as well as wild animals be interfered with.
- All standard quarry mining operation procedures and regulations to be implemented. The mitigating measures recommended here are additional and do not replace any others.

#### **Quarry Closure (Rehabilitation)**

- Rehabilitation plan for quarry closure must be compiled prior to termination of mining operations and assurances must be given that it will be implemented.
- The rehabilitation will have a positive impact on the site and area, although it will not be able to restore the area back to its original state.

#### f. Possible Impact on Uncovered Heritage, Palaeontological or Archaeological site

- The fossils next to the access road towards the site need to be avoided.
- If an artefact or grave on-site is uncovered, work in the immediate vicinity shall be stopped immediately and it should immediately be reported to a heritage consultant so that an investigation and evaluation of the finds can be made. The Contractor shall take reasonable precautions to prevent any person from removing or damaging any such article.
- The South African Heritage Resources Agency (SAHRA) shall be contacted such that an archaeological/heritage resources consultant can be appointed to record the site and excavate if necessary. Work may only resume once clearance is given in writing by the archaeologist/heritage resources consultant.

#### g. Possible contamination of site due to hydrocarbons spillage

- All heavy vehicles, excavators and generators used for the mining will be in good working condition.
- A drip tray will be available to place underneath haul vehicles while the vehicles are parked at night.
- Should a vehicle have a break down, it will be serviced immediately. If soil contamination with diesel and oils occurred, the spill will be cleared up promptly. If the spill is small, it will be cleaned with a spill kit. If a major spill occurs where a spill kit is insufficient for clean-up, a specialised company will be used to clean the spill.
- Proper functioning of heavy vehicles will be ensured.

#### h. Possible establishment and spread of alien vegetation

- Every 3 months casual labour will be employed to circumnavigate the site to hand pull out known alien vegetation that may have established in the disturbed area. Special attention will be given to the perimeter topsoil berm.
- Casual labour will be provided with photographs of the alien vegetation that could establish.

#### i. Sanitation Facilities

• Chemical toilet facilities shall preferably be used on site. The toilets shall be services every second week by a service provider.

#### j. Safety of sloped areas

The quarry will not be free draining as the landowner requested the area to be left as a dam for his use after the mining activities have ceased. However, the slopes will not be left as steep slopes to keep the area safe for humans and animals.

#### k. Unsafe working conditions for employees

• Appropriate safety clothing will be worn at all times i.e. head gear, shoes, ear plugs.

With the implementation of the mitigation measures, the risk pertaining to the implementation of this project is considered to be low.

#### ix) Motivation where no alternative site were considered.

An alternative site was considered in the Basic Assessment report under paragraph h. The alternative site that was investigated is a quarry on Portion 2 of the farm Leeuwenfontein No 6 RD. However, the initial proposed site was situated too close to the riverbed and was rejected as the site was deemed to a high impact on the environment.

The reason that this alternative is not preferred is the following:

• The quarry site was situated too close to the riverbed and was rejected as the site was deemed to have a high impact on the environment.

### x) Statement motivating the alternative development location within the overall site. (Provide a statement motivating the final site layout that is proposed)

The following are reasons for the preferred development location:

- The site is not within a threatened veldtype (ecosystem).
- The site is not within or close to any priority areas, which include protected areas (nature reserves), important bird areas (IBAs) and national protected area expansion strategy (NPAES) focus areas.
- There are no watercourses in the study area, including wetlands. However, there is a small seasonal drainage line north of the study site that needs to be considered.
- During field investigations no Red Data Listed (RDL) or Orange Data Listed (ODL) plants were found, including protected trees. None are expected to occur.
- The study site is not situated within a Critical Biodiversity Area (CBA) or Ecological Support Area (ESA).
- There are no 'high' sensitive habitats present on site.
- No red data listed (RDL) faunal species were observed to be present and / or breeding with the study area boundaries.
- Site investigations were conducted during the summer and winter months and the findings and availability of field data are sufficient to achieve acceptable findings and outcomes from the assessment.
- There are no obvious fatal flaws in terms of the natural environment.
- No application for water use license necessary for this quarry as no watercourse will be affected.

- The quarry has the required aggregate material to be used for the construction of the wind turbine basis for the wind farm.
- The quarry is in close proximity to the wind farm.
- Discussions were held with the relevant landowner and he does not have any objection to the proposed opening of the quarry on his farm.
- i) Full description of the process undertaken to identify, assess and rank the impacts and risks the activity will impose on the preferred site (In respect of the final site layout plan) through the life of the activity. (Including (i) a description of all environmental issues and risks that were identified during the environmental impact assessment process and (ii) an assessment of the significance of each issue and risk and an indication of the extent to which the issue and risk could be avoided or addressed by the adoption of mitigation measures.)

The process of identifying possible impacts included:

- Discussions with Interested and/or Affected Parties including the landowner;
- Discussions with consulting engineers to the project;
- Specialist aquatic and ecological studies undertaken;
- Previous experience with regard to ECO work on projects.

The possible risks associated with the opening of the quarry are the following:

- a. Dust Pollution
- b. Soil Erosion
- c. Noise Impact
- d. Visual impact
- e. Terrestrial ecology
- f. Impact on uncovered heritage aspects
- g. Contamination of site due to hydrocarbon spillage
- h. Emissions from heavy vehicles
- i. Possible water pollution

The assessment of the significance of each is included in Table F. With the mitigation measures suggested and included in the EMPr, the risk is seen as low.

The EIA identified the potential positive and negative environmental (biophysical and social) impacts associated with the establishment of the mining areas. Mitigatory measures describe possible action for the mitigation of the identified potentially negative environmental impacts, and address current and future problems relating to the proposed project. The philosophy of identifying mitigation measures for negative impacts is based on the reduction of the impact during the planning and design phase and the management of the impacts during the construction and operational phases.

Assessment of each identified potentially significant impact and risk
(This section of the report must consider all the known typical impacts of each of the activities (including those that could or should have been identified by knowledgeable persons) and not only those that were raised by registered interested and affected parties).

(E.g. For prospecting – drill site, site camp, ablution facility, accommodation, equipment storage, sample storage, site office, access route etcetc  E.g. For mining, - excavations, blasting, stockpiles, discard dumps or dams, Loading, hauling and transport, Water supply dams and boreholes, accommodation, offices, ablution, stores, workshops, processing plant, storm water control, beams, roads, pipelines, power lines, conveyors, etcetc)	POTENTIAL IMPACT (Including the Potential impact for cumulative impacts)  (e.g. dust, noise, drainage surface disturbance, fly rock, surface water contamination, air pollution etcetc)	ASPECTS AFFECTED	PHASE In which impact is anticipated  (e.g. Construction, commissioning, operational Decommissioning, closure, post-closure)	SIGNIFICANCE if not mitigated	(modify, remedy, control, or stop) through (e.g. noise control measures, storm-water control, dust control, rehabilitation, design measures, blasting controls, avoidance, relocation, alternative activity etc. etc.  E.g. Modify through alternative method. Control through noise control through management and monitoring through rehabilitation.	SIGNIFICANCE if mitigated
Vegetation Stripping	- Dust - Soil erosion - Noise - Visual - Terrestrial ecology - Uncovering graves - Hydrocarbon spillage - Emission from heavy vehicles	- Workers - Travelling public - Fauna and flora	Construction phase	Medium	- Control through dust suppression - Control measures to prevent soil erosion - Control through noise control measures - Control measures to lower visual intrusion - Control measures to lower impacts on terrestrial ecology - Control measures for	Low

					uncovering of graves or artefacts - Control measures for hydrocarbon spillage - Control measures to lower emissions from heavy vehicles	
Stripping and stockpiling of topsoil, subsoil, overburden and spoil	- Dust - Soil erosion - Noise - Visual - Terrestrial ecology - Uncovering graves - Hydrocarbon spillage - Emission from heavy vehicles - Alien vegetation infestation	- Workers - Travelling public - Fauna and flora	Construction phase	Medium	- Control through dust suppression - Control measures to prevent soil erosion - Control through noise control measures - Control measures to lower visual intrusion - Control measures to lower impacts on terrestrial ecology - Control measures for uncovering of graves or artefacts - Control measures for hydrocarbon spillage - Control measures to lower emissions from heavy vehicles Removal of alien vegetation	Low
Excavations	<ul><li>Dust</li><li>Soil erosion</li><li>Noise</li><li>Visual</li><li>Uncovering graves</li><li>Hydrocarbon</li></ul>	- Workers - Travelling public - Fauna and flora	Operational Phase	Medium	<ul> <li>Control through dust suppression</li> <li>Control measures to prevent soil erosion</li> <li>Control through noise control measures</li> </ul>	Low

	spillage - Emission from heavy vehicles - Alien vegetation infestation				- Control measures to lower visual intrusion - Control measures to lower impacts on terrestrial ecology - Control measures for uncovering of graves or artefacts - Control measures for hydrocarbon spillage - Control measures to lower emissions from heavy vehicles Removal of alien vegetation
Blasting	a. Health and safety risk posed by blasting activities b. Dust nuisance caused by blasting activities c. Noise nuisance caused by blasting activities	- Workers - Travelling public - Fauna and flora	Operational Phase	High	Blasting shall only be carried out during normal working hours.  Should noise generating activities have to occur at night (e.g. drilling of blast holes), landowners in the vicinity of the drilling should be warned about the noise well in advance and the activities should be kept to a minimum. Compliance with the appropriate legislation with respect to noise will be mandatory.  All surrounding structures shall be checked for stability and

current condition.
Appropriate measures
should be taken to
minimise the risk to
nearby structures and to
ensure that nobody is
present inside any
potentially unsafe
structures during blasting.
• Farmers' shall be
informed in time to ensure
enough time to make
appropriate arrangements.
In particular, owners of
domestic animals must be
given sufficient warning
so as to make proper
arrangements to ensure
the safety of their animals.
• The blasting
specification shall be
adhered to pertaining to
fly-rock etc.
Thy fock etc.
- Control through dust
suppression
- Control measures to
prevent soil erosion
- Control through noise
control measures
- Control measures to
lower visual intrusion
- Control measures to
lower impacts on

					terrestrial ecology - Control measures for uncovering of graves or artefacts - Control measures for hydrocarbon spillage - Control measures to lower emissions from heavy vehicles Removal of alien vegetation	
Crushing	- Dust nuisance due to the crushing activities - Noise nuisance due to the crushing activities - Contamination of site due to hydrocarbons	- Workers - Travelling public - Fauna and flora	Operational Phase	Medium	Control through dust suppression - Control through noise control measures - Control measures for hydrocarbon spillage -	Low
Stockpiling and transporting of gravel material	- Dust - Soil erosion - Noise - Visual - Uncovering graves - Hydrocarbon spillage - Emission from heavy vehicles - Alien vegetation infestation	- Workers - Travelling public - Fauna and flora	Operational Phase	Medium	- Control through dust suppression - Control measures to prevent soil erosion - Control through noise control measures - Control measures to lower visual intrusion - Control measures to lower impacts on terrestrial ecology - Control measures for uncovering of graves or artefacts - Control measures for	Low

- Soil erosion - Noise - Visual - Uncovering graves - Hydrocarbon spillage - Emission from heavy vehicles - Alien vegetation infestation  - Soil erosion - Noise - Visual - Uncovering graves - Hydrocarbon spillage - Emission from heavy vehicles - Alien vegetation - Control measures to lower visual intrusion - Control measures to lower impacts on terrestrial ecology - Control measures for uncovering of graves or artefacts - Control measures to lower impacts on terrestrial ecology - Control measures to lower impacts on terrestrial ecology - Control measures to lower emissions from heavy vehicles - Control measures to lower emissions from heavy vehicles - Removal of alien vegetation	Sloping and Landscaping	- Dust	- Workers	Decommissionin	Medium	hydrocarbon spillage - Control measures to lower emissions from heavy vehicles Removal of alien vegetation - Control through dust	Low
		<ul> <li>Soil erosion</li> <li>Noise</li> <li>Visual</li> <li>Uncovering graves</li> <li>Hydrocarbon</li> <li>spillage</li> <li>Emission from heavy</li> <li>vehicles</li> <li>Alien vegetation</li> </ul>	public - Fauna and	g and closure		suppression - Control measures to prevent soil erosion - Control through noise control measures - Control measures to lower visual intrusion - Control measures to lower impacts on terrestrial ecology - Control measures for uncovering of graves or artefacts - Control measures for hydrocarbon spillage - Control measures to lower emissions from heavy vehicles Removal of alien	

The supporting impact assessment conducted by the EAP must be attached as an appendix marked as **Appendix** 

k) Summary of specialist reports.
 (This summary must be completed if any specialist reports informed the impact assessment and final site layout process and must be in the following tabular form):-

LIST OF STUDIES UNDERTAKEN	RECOMMENDATIONS OF SPECIALIST REPORTS	SPECIALIST RECOMMENDATIONS THAT HAVE BEEN INCLUDED IN THE EIA REPORT (Mark with an X Where applicable)	REFERENCE TO APPLICABLE SECTION OF REPORT WHERE SPECIALIST RECOMMENDATIONS HAVE BEEN INCLUDED.
Terrestrial Ecological	Construction & Operation Phase	X (all were included)	EMPr
Assessment (Fauna and	• During the construction phase all temporary		
Flora) and Aquatic	laydown areas, ablution facilities, site offices,		
Ecological (Wetland)	etc. must only be within the larger		
Assessment for the	demarcated study site (quarry site area), or		
proposed opening of the	within laydown areas that might be		
Leeuwenfontein quarry	established by the proposed wind turbine		
near Murraysburg by Flori	project, for which the quarry material is		
Scientific Services, June	specifically required.		
2021.	• During the initial Construction Phase / site establishment phase existing access roads		
	must be used as far as possible. These roads		
	need to be maintained and rehabilitated on		
	completion of this phase. Especially those		
	roads that will not be further used.		
	Establishment and use of access roads may be		
	connected with the wind turbine project,		
	which is totally acceptable.		
	• Ensure small footprint during construction		
	phase.		
	• There is a small seasonal drainage line		
	approximately 100m north of the northern		
	boundary of the proposed quarry site. A		

buffer zone (no-go zone) of 50m from the main drainage channel is recommended. The channel has no riparian zone therefore the buffer measurement is acceptable as recommended. This buffer zone (no-go zone) must be well demarcated and maintained during the operational phase of the quarry.

 All excess materials brought onto site for construction to be removed after construction / site establishment.

#### **Operational Phase**

- No site offices, parking areas, ablution facilities, etc. may be set up outside of the demarcated quarry area.
- All access roads to the site must be maintained at all times. Many of these roads are gravel / sand public roads used by surrounding farmers and landowners. During the entire operational phase / life of the quarry these roads must be maintained and dust-suppression must be used.
- Perimeter fences to be routinely monitored and maintained. Assurances need to be in place that local livestock (mainly sheep) as well as wild animals will not be able to enter the mining site.
- An Erosion Plan to be implemented and monitored during construction phase and operational phases of the project. Even though the erosion potential is low.
- All hazardous materials must be stored appropriately to prevent these

	contaminants from entering the soils and natural environment. The surrounding areas are grazing lands for sheep.  • Under no circumstances may farm livestock as well as wild animals be interfered with.  • All standard quarry mining operation procedures and regulations to be implemented. The mitigating measures recommended here are additional and do not replace any others.		
	<ul> <li>Quarry Closure (Rehabilitation)</li> <li>Rehabilitation plan for quarry closure must be compiled prior to termination of mining operations and assurances must be given that it will be implemented.</li> <li>The rehabilitation will have a positive impact on the site and area, although it will not be able to restore the area back to its original state.</li> </ul>		
Palaeontological Impact Assessment: Phase 1: Field Study for Opening of Leeuwenfontein Quarry by Dr H Fourie, June 2021	If any palaeontological material is exposed during digging, excavating, drilling or blasting, SAHRA must be notified. All development activities must be stopped and a palaeontologist should be called in to determine proper mitigation measures.	X	EMPr
Phase 1 Cultural Heritage Impact Assessment for the proposed establishment of the Leeuwenfontein Quarry on Portion 2 of the Farm Leeuwenfontein 6.	If heritage features are identified during construction, as stated in the management recommendation, these finds would have to be assessed by a specialist, after which a decision will be made regarding the application for relevant permits.	X	EMPr

Attach copies of Specialist Reports as appendices

Copy of report attached as Appendix K.

#### I) Environmental impact statement

# (i) Summary of the key findings of the environmental impact assessment;

The primary findings for the opening of the gravel quarry on the farm Leeuwenfontein would probably result in:

- No negative environmental impacts of high significance with mitigation;
- Potential positive impacts due to increased economic activity, employment and training and capacity building.

The essence of the Basic Assessment process is aimed at ensuring informed decision-making and environmental accountability, and to assist in achieving environmentally sound and sustainable development. No long-term environmental impact should arise with this alternative.

In conclusion, it is believed the information contained in this report and the documentation attached hereto is sufficient to make a decision in respect of the activity applied for. This report covers the full suite of potential environmental issues related to the proposed development, and that sufficient information regarding the identification, assessment and potential mitigation of impacts has been presented to facilitate informed decision making by the appropriate authorities.

Based on the specialist studies undertaken within this BAR, both benefits and negative impacts are anticipated as a result of the proposed project. The findings of this BAR have highlighted these impacts and prioritised them in terms of high, medium or low significance. It is therefore recommended that this project be authorised by the authorities with the condition that the mitigation measures as stipulated in the EMPr should be adhered to. The authorities need to use this document to aid the decision- making process with respect to the future outcome of this application.

#### (ii) Final Site Map

Provide a map at an appropriate scale which superimposes the proposed overall activity and its associated structures and infrastructure on the environmental sensitivities of the preferred site indicating any area that should be avoided, including buffers. Attach as **Appendix** 

Please see final site map included in Appendix C.

# (iii) Summary of the positive and negative impacts and risks of the proposed activity and identified alternatives;

The possible negative impacts related to the opening of the quarry are associated with the construction phase of the gravel material:

- a. Dust Pollution
- b. Soil Erosion
- c. Noise Impact
- d. Visual impact

- e. Impact on terrestrial ecology
- f. Impact on uncovered heritage aspects
- g. Contamination of site due to hydrocarbon spillage
- h. Emissions from heavy vehicles
- i. Water pollution

These negative impacts have a low significance and can be mitigated during the construction period.

The positive impacts associated with the opening of the quarry are the following:

The gravel aggregate will be used to construct the concrete turbine bases for the wind farm close to the quarry. The wind farm will generate electricity for the area that will be feed into the national grid. Wind is a free fuel and users of wind energy have a smaller carbon footprint.

The opening of the quarry could encourage business, industry and investment and assist in alleviating the high unemployment in the region as a whole.

# m) Proposed impact management objectives and the impact management outcomes for inclusion in the EMPr:

Based on the assessment and where applicable the recommendations from specialist reports, the recording of proposed impact management objectives, and the impact management outcomes for the development for inclusion in the EMPr as well as for inclusion as conditions of authorisation.

The following impact management measures will be implemented by BBT Contractor's Consultant to prevent or remedy any possible pollution or degradation of the environment:

#### a. Possible dust and air pollution

- Dust will be suppressed through a watering management programme, especially during windy conditions.
- Dust generated will be carefully monitored by the OHS&E and should be suppressed by means of water regularly.
- Access roads will be watered regularly, especially in the dry winter months and in periods of high wind.
- Vegetation will not be unnecessary stripped.
- Domestic fires will be prohibited on site.
- Heavy vehicle will be serviced regularly to ensure emission control.

#### b. Soil Erosion

- Topsoil, if any, will be removed over the whole mining area and stored in a perimeter berm. The height of the topsoil berm will not exceed 3m.
- The topsoil berm will be inspected for erosion daily.
- Minimal amounts of topsoil shall be lost due to erosion, either by wind or water. This can be facilitated through the grassing of topsoil stockpiles, where needed.
- Condition of soil in walk or drive areas should be checked daily for erosion.
- Access road condition will be checked daily.
- If erosion is noted at walk and drive areas, access road or topsoil berms, the erosion channel will be fixed by placing cut vegetation, sandbags or rocks within the erosion channel and the cause of the erosion will be mitigated through the creation of runoff channels.

#### c. Possible Noise Pollution

- The working hours shall be limited to between 07:00 hrs and 18:00 hrs on weekdays, and 07:00 hrs and 17:00 hrs on Saturdays, or as per contract documentation.
- Vehicles must be driven at a moderate speed (50 kph) on private roads.

- Noise generated from the trucks that transport the material and the excavator that is used to mine the material shall only be carried out during normal working hours.
- Extended working hours will be in accordance with contract documentation.
- BBT Contractor's Consultant shall be obligated to maintain vehicles used at the mining area in a good condition:
- BBT Contractor's Consultant will be obliged to ensure that all personnel on site apply occupational health and safety requirements with respect to hearing protection.

#### d. Possible Visual impact

- Concurrent rehabilitation of the mining area will take place.
- All unused material would be levelled to ensure that the mining area blends back into the existing landscape fabric.
- No stockpiled material is to be retained on site.
- The mining area will be shaped to ensure no stockpiled heaps and that the area blends in with the existing landscape.
- All stockpiled topsoil and vegetative material will be spread over the bottom of the mining area to ensure proper seed bed for the re-establishment of vegetative growth. Placing a berm of topsoil along the perimeter of the mining site to obscure the visual impact of the excavation.
- Re-vegetation of the mining area after mining operation has ceased.
- The access gravel road to the quarry will be rehabilitated and the quarry will be fenced following the mining of the area.

#### e. Aquatic and Terrestrial Ecology

#### **Construction & Operation Phase**

- During the construction phase all temporary laydown areas, ablution facilities, site offices, etc.
  must only be within the larger demarcated study site (quarry site area), or within laydown areas
  that might be established by the proposed wind turbine project, for which the quarry material is
  specifically required.
- During the initial Construction Phase / site establishment phase existing access roads must be used as far as possible. These roads need to be maintained and rehabilitated on completion of this phase. Especially those roads that will not be further used. Establishment and use of access roads may be connected with the wind turbine project, which is totally acceptable.
- Ensure small footprint during construction phase.
- There is a small seasonal drainage line approximately 100m north of the northern boundary of the proposed quarry site. A buffer zone (no-go zone) of 50m from the main drainage channel is recommended. The channel has no riparian zone therefore the buffer measurement is acceptable as recommended. This buffer zone (no-go zone) must be well demarcated and maintained during the operational phase of the quarry.
- All excess materials brought onto site for construction to be removed after construction / site establishment.

#### **Operational Phase**

- No site offices, parking areas, ablution facilities, etc. may be set up outside of the demarcated quarry area.
- All access roads to the site must be maintained at all times. Many of these roads are gravel / sand public roads used by surrounding farmers and landowners. During the entire operational phase / life of the quarry these roads must be maintained and dust-suppression must be used.
- Perimeter fences to be routinely monitored and maintained. Assurances need to be in place that local livestock (mainly sheep) as well as wild animals will not be able to enter the mining site.

- An Erosion Plan to be implemented and monitored during construction phase and operational phases of the project. Even though the erosion potential is low.
- All hazardous materials must be stored appropriately to prevent these contaminants from entering the soils and natural environment. The surrounding areas are grazing lands for sheep.
- Under no circumstances may farm livestock as well as wild animals be interfered with.
- All standard quarry mining operation procedures and regulations to be implemented. The mitigating measures recommended here are additional and do not replace any others.

#### **Quarry Closure (Rehabilitation)**

- Rehabilitation plan for quarry closure must be compiled prior to termination of mining operations and assurances must be given that it will be implemented.
- The rehabilitation will have a positive impact on the site and area, although it will not be able to restore the area back to its original state.

#### f. Possible Impact on Uncovered Heritage, Palaeontological or Archaeological site

- The fossils next to the access road towards the site need to be avoided.
- If an artefact or grave on-site is uncovered, work in the immediate vicinity shall be stopped immediately and it should immediately be reported to a heritage consultant so that an investigation and evaluation of the finds can be made. The Contractor shall take reasonable precautions to prevent any person from removing or damaging any such article.
- The South African Heritage Resources Agency (SAHRA) shall be contacted such that an archaeological/heritage resources consultant can be appointed to record the site and excavate if necessary. Work may only resume once clearance is given in writing by the archaeologist/heritage resources consultant.

#### g. Possible contamination of site due to hydrocarbons spillage

- All heavy vehicles, excavators and generators used for the mining will be in good working condition.
- A drip tray will be available to place underneath haul vehicles while the vehicles are parked at night.
- Should a vehicle have a break down, it will be serviced immediately. If soil contamination with diesel and oils occurred, the spill will be cleared up promptly. If the spill is small, it will be cleaned with a spill kit. If a major spill occurs where a spill kit is insufficient for clean-up, a specialised company will be used to clean the spill.
- Proper functioning of heavy vehicles will be ensured.

#### h. Possible establishment and spread of alien vegetation

- Every 3 months casual labour will be employed to circumnavigate the site to hand pull out known alien vegetation that may have established in the disturbed area. Special attention will be given to the perimeter topsoil berm.
- Casual labour will be provided with photographs of the alien vegetation that could establish.

#### i. Sanitation Facilities

• Chemical toilet facilities shall preferably be used on site. The toilets shall be serviced every second week by a service provider.

#### j. Safety of sloped areas

The quarry will not be free draining as the landowner requested the area to be left as a dam for his use after the mining activities have ceased. However, the slopes will not be left as steep slopes to keep the area safe for humans and animals.

#### k. Emissions from heavy vehicles, excavator and generators

- All heavy vehicles, excavators and generators used for the mining will be in good working condition and will be serviced regularly.
- Should a vehicle have a break down, it will be serviced immediately.

#### 1. Unsafe working conditions for employees

• Appropriate safety clothing will be worn at all times i.e. head gear, shoes, ear plugs.

#### n) Aspects for inclusion as conditions of Authorisation.

Any aspects which must be made condition of the Environmental Authorisation

- a. A Site Environmental Control Officer must be appointed for implementation of the EMPr;
- b. All mining activities must take place in accordance with the approved EMPr;
- c. Rehabilitation of mining area must be done concurrently with mining activities (whenever and wherever possible)
- d. Dump structures must not be left on the surface after the mining has ceased. This include topsoil stockpiles and gravel stockpiles.
- e. Should any archaeological artefact be exposed during mining activities, mining must be stopped. Under no circumstances shall any artefact be destroyed. The area must be fenced off and the South African Heritage Agency must be contacted as soon as possible.

#### o) Description of any assumption, uncertainties and gaps in knowledge.

(Which relate to the assessment and mitigation measures proposed)

- a. The following assumptions have been made for the purposes of this report:
- All information received from sources contributing to this project is correct;
- That BBT Contractor's Consultant will consider the recommendations derived from this study, and
- The Department of Mineral Resources would be the decision making authority with regard to this application.

b. I	Limitations

None.

c. Knowledge Gaps

None

#### Reasoned opinion as to whether the proposed activity should or should not be authorised

#### i) Reasons why the activity should be authorized or not.

The activity should be authorised by the Department of Mineral Resources as the significance of the environmental impacts identified is low while there are positive impacts that will benefit the community as a whole.

#### ii) Conditions that must be included in the authorisation

- a. A Site Environmental Control Officer (SECO) must be appointed for implementation of the EMPr;
- b. All mining activities must take place in accordance with the approved EMPr;
- c. Rehabilitation of mining area must be done concurrently with mining activities (whenever and wherever possible)
- d. Dump structures must not be left on the surface after the mining has ceased. This include topsoil stockpiles and gravel stockpiles.
- e. Should any archaeological artefact be exposed during mining activities, mining must be stopped. Under no circumstances shall any artefact be destroyed. The area must be fenced off and the South African Heritage Agency must be contacted as soon as possible.

#### q) Period for which the Environmental Authorisation is required.

5 years

#### r) Undertaking

Confirm that the undertaking required to meet the requirements of this section is provided at the end of the EMPr and is applicable to both the Basic assessment report and the Environmental Management Programme report.

By implementing the environmental management principles outlined in this report, BBT Contractor's Consultant will ensure that the construction, operation and decommissioning of the quarry will not result in a material degradation of the local biophysical and social environments.

BBT Contractor's Consultant undertakes to implement concurrent rehabilitation of the quarry. Areas that are due for rehabilitation during the operational phase (where practical and possible) will be rehabilitated immediately following the mining of an area.

Funds are available within the guarantee submitted by BBT Contractor's Consultant for the project for the rehabilitation of the quarry.

#### s) Financial Provision

State the amount that is required to both manage and rehabilitate the environment in respect of rehabilitation.

#### i) Explain how the aforesaid amount was derived.

The rehabilitation cost for the quarry was determined by means of the SARS quantum scales. The quantum for the quarry is calculated at R108,234.00 for the rehabilitation of the quarry. Please refer to Appendix H for the quantum for the quarry.

# ii) Confirm that this amount can be provided for from operating expenditure.

(Confirm that the amount, is anticipated to be an operating cost and provided for as such in the Mining work programme, Financial and Technical Competence Report or Prospecting Work Programme as the case may be).

BBT Contractor's Consultant confirms that this amount is available and can be provided for the rehabilitation of the mining area in terms of the guarantee submitted.

#### t) Specific Information required by the competent Authority

- i) Compliance with the provisions of sections 24(4)(a) and (b) read with Section 24 (3) (a) and (7) of the National Environmental Management Act (Act 107 of 1998). The EIA report must include the:-
  - (1) Impact on the socio-economic conditions of any directly affected person. (Provide the results of Investigation, and evaluation of the impact of the mining, bulk sampling or alluvial diamond prospecting on any directly affected person including the landowner, lawful occupier, or, where applicable, potential beneficiaries of any land restitution claim, attach the investigation report as an Appendix).

A potential socio-economic impact is that the landowner will not be able to use the land for grazing purposes for the duration of the quarry activity. However, the landowner of the proposed mining area will be compensated by BBT Contractor's Consultant for the area to be used for the excavation of the gravel material.

No other person will be affected by the mining of the area as it is not situated in close proximity to any community.

(2) Impact on any national estate referred to in section 3(2) of the National Heritage Resources Act (Provide the results of Investigation, assessment, and evaluation of the impact of the mining, bulk sampling or alluvial diamond prospecting on any national estate referred to in section 3(2) of the National Heritage Resources Act, 1999 (Act No. 25 of 1999) with the exception of the national estate contemplated in section 3 (2)(i)(vi) and (vii) of that Act, attach the investigation report as Appendix 2.19.2 and confirm that the applicable mitigation is reflected in 2.5.3; 2.11.6 and 2.12. herein).

There is no heritage or archaeological impacts associated with the quarry. There are fossils approximately 3 km from the south next to the access road that needs to be avoided.

u) Other matters required in terms of sections 24(4)(a) and (b) of the Act.

(the EAP managing the application must provide the competent authority with detailed, written proof of an investigation as required by section 24(4)(b)(i) of the Act and motivation if no reasonable or feasible alternatives, as contemplated in sub-regulation 22(2)(h), exist. The EAP must attach such motivation as **Appendix 4**).

None

#### **PART B**

#### **ENVIRONMENTAL MANAGEMENT PROGRAMME REPORT**

- 1) Draft environmental management programme.
  - a) Details of the EAP, (Confirm that requirement for the provision of the details and expertise of the EAP are already included in PART A, section 1(a) herein as required).

It is confirmed that the details of the EAP as included in Part A section 3(ii).

**b)** Description of the Aspects of the Activity (Confirm that the requirement to describe the aspects of the activity that are covered by the draft environmental management programme is already included in PART A, section (1)(h) herein as required).

It is confirmed that a description of the aspects is included in Part A.

#### c) Composite Map

(Provide a map (Attached as an Appendix) at an appropriate scale which superimposes the proposed activity, its associated structures, and infrastructure on the environmental sensitivities of the preferred site, indicating any areas that any areas that should be avoided, including buffers)

Please see composite map included in Appendix C.

- d) Description of Impact management objectives including management statements
  - i) **Determination of closure objectives.** (ensure that the closure objectives are informed by the type of environment described)

After the utilisation of the quarry, it will be rehabilitated and closed. Proper fencing around the quarry and clearly visible signage indicating a dangerous area will be put into place.

1. Shaping of Quarry

The mining area will be shaped to ensure no stockpiled heaps.

The quarry will not be free draining as the landowner requested the area to be left as a dam for his use after the mining activities have ceased. However, the slopes will not be left as steep slopes to keep the area safe for humans and animals.

#### 2. Closure Measures

After the mining contract of the quarry has ceased, the area that was mined will be rehabilitated. The following will be undertaken:

- a. Removal of mobile equipment and all scrap material;
- b. No stockpiled material is to be retained on site. Waste will not be permitted to be deposited in the excavations. All rocks and coarse material removed from the excavation must be removed from site together with the tailings.

- c. Removal of crushing- and screening plant as well as the concrete footings and the primary ramp retaining wall:
- d. Removal of all containers used as offices, workshops and stores. Where office/camp sites have been rendered devoid of vegetation/grass or where soils have been compacted owing to traffic, the surface shall be scarified or ripped. Areas containing French drains, if any, shall be compacted and covered with a final layer of topsoil to a height of 10cm above the surrounding ground surface;
- e. Clean-up of any fuel or lubricant spillage;
- f. Ensuring that all stormwater control mechanisms are in place.
- g. Ensuring alien vegetation is removed during and at the end of each contract;
- h. Ensuring that the access road is maintained and properly rehabilitated;
- i. Waste or bitumen will not be permitted to be deposited in the excavations. Rocks and coarse material removed from the excavation must be dumped into the excavation simultaneously with the tailings.
- j. Vegetative growth on the slopes is usually not possible at a quarry.
- k. Any permanent structures and facilities including brick-built personnel amenities, soak-aways, workshop aprons and workshop floors, gas stores and any electrical supply from the grid need to be removed and the area rehabilitated.
- 1. Photographs of the camp and office sites, before and during the mining operation and after rehabilitation, shall be taken at selected fixed points and kept on record.
- m. The area will be fenced.
- o. The area will be reverted back to the landowner.

#### ii) Volumes and rate of water use required for the operation.

It is anticipated that borehole water will be used for the operation of the quarry. The water will be transported from the licensed borehole from the land owner or alternatively from the wind farm. It is not anticipated that large volumes of water will be used as water for dust suppression on the access road will be minimal,  $(10\,000L-20\,000L/day)$ . Should it be required that mist sprayers might be used on the crushers for dust suppression, approximately 5000L of water will be required per day. Potable drinking water will be sourced in town. Chemical toilets will be used which uses very little water.

#### iii) Has a water use licence has been applied for?

No water course will be affected by the quarry and no water use license is applicable to this quarry area.

## iv) Impacts to be mitigated in their respective phases

### Measures to rehabilitate environment affected by the undertaking of any listed activity

ACTIVITIES  E.g. For prospecting – drill site, site camp, ablution facility, accommodation, equipment storage, sample storage, site office, access route etcetc  E.g. For mining, - excavations, blasting, stockpiles, discard dumps or dams, Loading, hauling and transport, Water supply dams and boreholes, accommodation, offices, ablution, stores, workshops, processing plant, storm water control, beams, roads, pipelines, power lines, conveyors,	PHASE  (of operation in which activity will take place.  State; Planning and design, Pre-Construction' Construction, Operational, Rehabilitation, Closure, Post Closure).	SIZE AND SCALE of disturbance (volumes, tonnages and hectares or m²)	(describe how each of the recommendations in herein will remedy the cause of pollution or degradation and migration of pollutants)	COMPLIANCE WITH STANDERDS  (A description of how each of the recommendations herein will comply with any prescribed environmental management standards or practices that have been identified by Competent Authorities)	TIME PERIOD FOR IMPLEMENTATION Describe the time period when the measures in the environmental management programme must be implemented Measures must be implemented when required. With regard to Rehabilitation specifically this must take place at the earliest opportunity. With regard to Rehabilitation, therefore state either:  Upon cessation of mining, bulk sampling or alluvial diamond prospecting as the case may be.
etcetc) Vegetation stripping	Construction,	4.43 ha	- Control through dust suppression - Control measures to prevent soil erosion - Control through noise control measures - Control measures to lower visual intrusion - Control measures to lower impacts on terrestrial ecology - Control measures for uncovering of graves or	SANS noise control legislation  Dust standards  Safety standards  Approved EMPr	The measures in the Environmental Management Programme must be implemented during the construction and operational phases for the quarry.

			artefacts - Control measures for hydrocarbon spillage - Control measures to lower emissions from heavy vehicles		
Stripping and stockpiling of topsoil, subsoil, vegetative material and spoil	Construction	4.43 ha	- Control through dust suppression - Control measures to prevent soil erosion - Control through noise control measures - Control measures to lower visual intrusion - Control measures to lower impacts on terrestrial ecology - Control measures for uncovering of graves or artefacts - Control measures for hydrocarbon spillage - Control measures to lower emissions from heavy vehicles	SANS noise control legislation  Dust standards  Safety standards  Approved EMPr	The measures in the Environmental Management Programme must be implemented during the construction and operational phases for the quarry.
Blasting	Operational	4.43 ha	- Control through dust suppression - Control through noise control measures - Control measures to lower impacts on terrestrial ecology - Control measures for hydrocarbon spillage	Approved EMPr	The measures in the Environmental Management Programme must be implemented during the construction and operational phases for the quarry.

			- Control measures to lower emissions from heavy vehicles		
Excavations	Operational	4.43 ha	- Control through dust suppression - Control measures to prevent soil erosion - Control through noise control measures - Control measures to lower visual intrusion - Control measures to lower impacts on terrestrial ecology - Control measures for uncovering of graves or artefacts - Control measures for hydrocarbon spillage - Control measures to lower emissions from heavy vehicles	SANS noise control legislation  Dust standards  Safety standards  Approved EMPr	The measures in the Environmental Management Programme must be implemented during the construction and operational phases for the quarry.
Crushing	Operational	4.43 ha	Control through dust suppression - Control through noise control measures - Control measures to lower impacts on terrestrial ecology - Control measures for hydrocarbon spillage	SANS noise control legislation  Dust standards  Safety standards  Approved EMPr	The measures in the Environmental Management Programme must be implemented during the construction and operational phases for the quarry.
Stockpiling and transporting of gravel material	Operational	4.43 ha	- Control through dust suppression	SANS noise control legislation	The measures in the Environmental Management

			<ul> <li>Control measures to prevent soil erosion</li> <li>Control through noise control measures</li> <li>Control measures to lower visual intrusion</li> <li>Control measures to lower impacts on terrestrial ecology</li> <li>Control measures for uncovering of graves or artefacts</li> <li>Control measures for hydrocarbon spillage</li> <li>Control measures to lower emissions from heavy vehicles</li> </ul>	Dust standards Safety standards Approved EMPr	Programme must be implemented during the construction and operational phases for the quarry.
Sloping and Landscaping	Decommissi oning and closure phases	4.43 ha	- Control through dust suppression - Control measures to prevent soil erosion - Control through noise control measures - Control measures to lower visual intrusion - Control measures to lower impacts on terrestrial ecology - Control measures for uncovering of graves or artefacts - Control measures for hydrocarbon spillage - Control measures to lower	SANS noise control legislation  Dust standards  Safety standards  Approved EMPr	Upon cessation of mining activities. Progressive rehabilitation to be implemented

	emissions from heavy	
	vehicles	

#### e)

Impact Management Outcomes
(A description of impact management outcomes, identifying the standard of impact management required for the aspects Contemplated in paragraph ();

ACTIVITY (whether listed or not listed).  E.g. Excavations, blasting, stockpiles, discard dumps or dams, Loading, hauling and transport, Water supply dams and boreholes, accommodation, offices, ablution, stores, workshops, processing plant, storm water control, beams, roads, pipelines, power lines, conveyors, etcetc)	POTENTIAL IMPACT  e.g. dust, noise, drainage surface disturbance, fly rock, surface water contamination, air pollution etcetc)	ASPECTS AFFECTED	PHASE  In which impact is anticipated  (e.g. Construction, commissioning, operational Decommissioning, closure, post-closure)	MITIGATION TYPE  (modify, remedy, control, or stop) through (e.g. noise control measures, storm- water control, dust control, rehabilitation, design measures, blasting controls, avoidance, relocation, alternative activity etc. etc.  E.g.  • Modify through alternative method. • Control through noise control • Control through management and monitoring • Remedy through rehabilitation.	STANDARD TO BE ACHIEVED  (Impact avoided, noise levels, dust levels, rehabilitation standards, end use objectives) etc.
Vegetation stripping	- Dust - Soil Erosion - Noise - Visual - Terrestrial Ecology - Uncovering graves or artefacts - Hydrocarbon spillage - Emissions from heavy vehicles	- Workers - Travelling public - Fauna and flora	Construction	Control through dust suppression - Control measures to prevent soil erosion - Control through noise control measures - Control measures to lower visual intrusion - Control measures to lower impacts on terrestrial ecology - Control measures for uncovering graves or artefacts - Control measures for hydrocarbon spillage	- No dust nuisance or complaints from landowners or public - No soil erosion and complaints from landowners - Noise levels shall be kept to a minimum. The working hours shall be limited to between 07:00 hrs and 18:00 hrs on weekdays, and 07:00 hrs and 17:00 hrs on

				- Control measures to lower emissions from heavy vehicles - Control measures for removal of	Saturdays, or as per contract documentation Earth berms should be
				alien vegetation	placed to the side of the
				anen vegetation	road to obscure the
					mining activities from
					the travelling public, if
					possible.
					- Impact to the terrestrial
					ecology low. Mitigation
					measures as per specialist
					study
					- No artefact or grave
					destroyed
					- Spillage contained - Low emissions
					- Low emissions - No alien vegetation at
					quarry
Stripping and stockpiling	- Dust	- Workers	Construction	Control through dust suppression	- No dust nuisance or
of topsoil	- Soil Erosion	- Travelling	Construction	- Control measures to prevent soil	complaints from
	- Noise	public		erosion	landowners or public
	- Visual	- Fauna and		- Control through noise control	- No soil erosion and
	- Terrestrial	flora		measures	complaints from
	Ecology			- Control measures to lower visual	landowners
	- Uncovering			intrusion	- Noise levels shall be
	graves or artefacts			- Control measures to lower	kept to a minimum. The
	- Hydrocarbon			impacts on terrestrial ecology	working hours shall be
	spillage			- Control measures for uncovering	limited to between 07:00
	- Emissions from			graves or artefacts	hrs and 18:00 hrs on
	heavy vehicles			- Control measures for	weekdays, and 07:00 hrs
				hydrocarbon spillage - Control measures to lower	and 17:00 hrs on
				emissions from heavy vehicles	Saturdays, or as per contract documentation.
				- Control measures for removal of	- Earth berms should be
				- Control measures for femoval of	- Larui bernis snould be

Evapostions	Duct	Workorg	Organicanal	Control through dust suppression	placed to the side of the road to obscure the mining activities from the travelling public, if possible.  - Impact to the terrestrial ecology low. Mitigation measures as per specialist study  - No artefact or grave destroyed  - Spillage contained  - Low emissions  - No alien vegetation at quarry
Excavations	- Dust - Soil Erosion - Noise - Visual - Terrestrial Ecology - Uncovering graves or artefacts - Hydrocarbon spillage - Emissions from heavy vehicles	- Workers - Travelling public - Fauna and flora	Operational	Control through dust suppression - Control measures to prevent soil erosion - Control through noise control measures - Control measures to lower visual intrusion - Control measures to lower impacts on terrestrial ecology - Control measures for uncovering graves or artefacts - Control measures for hydrocarbon spillage - Control measures to lower emissions from heavy vehicles - Control measures for removal of alien vegetation	- No dust nuisance or complaints from landowners or public - No soil erosion and complaints from landowners - Noise levels shall be kept to a minimum. The working hours shall be limited to between 07:00 hrs and 18:00 hrs on weekdays, and 07:00 hrs and 17:00 hrs on Saturdays, or as per contract documentation Earth berms should be placed to the side of the road to obscure the mining activities from

Blasting	- Dust - Soil Erosion - Noise	- Workers - Travelling public - Fauna and flora	Operational	- Control through dust suppression - Control measures to prevent soil erosion - Control through noise control measures	the travelling public, if possible.  - Impact to the terrestrial ecology low. Mitigation measures as per specialist study  - No artefact or grave destroyed  - Spillage contained  - Low emissions  - No alien vegetation at quarry  - No dust nuisance or complaints from landowners or public  - No soil erosion and complaints from landowners  - Noise levels shall be kept to a minimum. The working hours shall be limited to between 07:00 hrs and 18:00 hrs on weekdays, and 07:00 hrs and 17:00 hrs on Saturdays, or as per
Stockpiling and	- Dust	- Workers	Operational	- Control through dust suppression	contract documentation.  - No dust nuisance or
transporting of gravel	- Soil Erosion	- Travelling	Operational	- Control measures to prevent soil	complaints from
material	- Noise	public		erosion	landowners or public
	- Visual	- Fauna and		- Control through noise control	- No soil erosion and
	- Terrestrial	flora		measures	complaints from
	Ecology			- Control measures to lower visual	landowners
	- Uncovering			intrusion	- Noise levels shall be

Canalhina	graves or artefacts - Hydrocarbon spillage - Emissions from heavy vehicles	Worksers	On anatic well	- Control measures to lower impacts on terrestrial ecology - Control measures for uncovering graves or artefacts - Control measures for hydrocarbon spillage - Control measures to lower emissions from heavy vehicles - Control measures for removal of alien vegetation	kept to a minimum. The working hours shall be limited to between 07:00 hrs and 18:00 hrs on weekdays, and 07:00 hrs and 17:00 hrs on Saturdays, or as per contract documentation.  - Earth berms should be placed to the side of the road to obscure the mining activities from the travelling public, if possible.  - Impact to the terrestrial ecology low. Mitigation measures as per specialist study  - No artefact or grave destroyed  - Spillage contained  - Low emissions  - No alien vegetation at quarry
Crushing	<ul> <li>- Dust</li> <li>- Noise</li> <li>- Visual</li> <li>- Hydrocarbon</li> <li>spillage</li> <li>- Emissions from</li> <li>heavy vehicles</li> </ul>	- Workers - Travelling public	Operational	<ul> <li>Control through dust suppression</li> <li>Control through noise control measures</li> <li>Control measures to lower visual intrusion</li> <li>Control measures for hydrocarbon spillage</li> <li>Control measures to lower emissions from heavy vehicles</li> </ul>	- No dust nuisance or complaints - Noise levels shall be kept to a minimum. The working hours shall be limited to between 07:00 hrs and 18:00 hrs on weekdays, and 07:00 hrs and 17:00 hrs on Saturdays, or as per

					contract documentation Spillage contained - Low emissions
Sloping and Landscaping	- Dust - Soil Erosion - Noise - Visual - Terrestrial Ecology - Uncovering graves or artefacts - Hydrocarbon spillage - Emissions from heavy vehicles	- Workers - Travelling public - Fauna and flora	Closure and Decommissioning phase	- Control through dust suppression - Control measures to prevent soil erosion - Control through noise control measures - Control measures to lower visual intrusion - Control measures to lower impacts on terrestrial ecology - Control measures for uncovering graves or artefacts - Control measures for hydrocarbon spillage - Control measures to lower emissions from heavy vehicles - Control measures for removal of alien vegetation	- No dust nuisance or complaints - No soil erosion - Noise levels shall be kept to a minimum. The working hours shall be limited to between 07:00 hrs and 18:00 hrs on weekdays, and 07:00 hrs and 17:00 hrs on Saturdays, or as per contract documentation Earth berms should be placed to the side of the road to obscure the mining activities from the travelling public, if possible Impact to the terrestrial ecology low. Mitigation measures as per specialist study - No artefact or grave destroyed - Spillage contained - Low emissions - No alien vegetation at quarry

Impact Management Actions

(A description of impact management actions, identifying the manner in which the impact management objectives and outcomes contemplated in paragraph (c) and (d) will be achieved).

ACTIVITY	POTENTIAL IMPACT	MITIGATION	TIME PERIOD FOR	COMPLIANCE WITHSTANDARDS
whether listed or not listed.	4	TYPE	IMPLEMENTATION	
E.g. Excavations, blasting, stockpiles, discard dumps	(e.g. dust, noise, drainage surface disturbance, fly rock, surface water	(modify, remedy, control, or stop)	Describe the time period when the	
or dams, Loading,	contamination, air pollution	through (e.g. noise control measures,	measures in the environmental	(A description of how each of the
hauling and transport, Water	etcetc)	storm-water control, dust	management programme must be	recommendations in 2.11.6 read with
supply dams and boreholes, accommodation,		control, rehabilitation, design	implemented Measures must be	2.12 and 2.15.2 herein will comply with any prescribed environmental
offices, ablution, stores,		measures, blasting controls, avoidance, relocation, alternative	implemented when required.	management standards or practices that
workshops, processing plant, storm water control, beams,		activity etc. etc.		have been identified by Competent Authorities)
roads, pipelines, power		E.g.	With regard to Rehabilitation	/ tourismos)
lines, conveyors, etcetc etc.)		Modify through alternative	specifically this must take place at	
cio.,		<ul><li>method.</li><li>Control through noise control</li></ul>	the earliest opportunityWith	
		Control through management	regard to Rehabilitation, therefore	
		and monitoring	state either:	
		Remedy through rehabilitation.		
			Upon cessation of the individual	
			activity	
			or.	
			Upon the cessation of mining,	
			bulk sampling or alluvial diamond	
			prospecting as the case may be.	
Vegetation stripping	- Dust	- Control through dust	The measures in the	SANS noise control legislation
, egetation surpping	- Soil Erosion	suppression	Environmental Management	STI IS HOUSE CONTROL TO SISTEMAN
	- Noise	- Control measures to prevent	Programme must be	Dust standards
	- Visual	soil erosion	implemented during the	
	- Terrestrial Ecology -	- Control through noise	construction and operational	Safety standards
	Uncovering graves or	control measures	phases for the quarry.	
	artefacts	- Control measures to lower		Approved EMPR
	- Hydrocarbon spillage	visual intrusion		

Stripping and stockpiling of topsoil	- Emissions from heavy vehicles  - Dust - Soil Erosion - Noise - Visual - Terrestrial Ecology - Uncovering graves or artefacts - Hydrocarbon spillage - Emissions from heavy vehicles	- Control measures to lower impacts on terrestrial ecology - Control measures for uncovering graves or artefacts - Control measures for hydrocarbon spillage - Control measures to lower emissions from heavy vehicles - Control measures for removal of alien vegetation - Control through dust suppression - Control measures to prevent soil erosion - Control through noise control measures - Control measures - Control measures to lower visual intrusion - Control measures to lower impacts on terrestrial ecology - Control measures for uncovering graves or artefacts - Control measures for hydrocarbon spillage - Control measures to lower emissions from heavy vehicles - Control measures for	The measures in the Environmental Management Programme must be implemented during the construction and operational phases for the quarry.	SANS noise control legislation  Dust standards  Safety standards  Approved EMPR
Disating	Dead	removal of alien vegetation	TTI	CANC mains and 11 '14'
Blasting	<ul><li>Dust</li><li>Soil Erosion</li><li>Noise</li></ul>	<ul><li>Control through dust suppression</li><li>Control measures to prevent soil erosion</li></ul>	The measures in the Environmental Management Programme must be implemented during the	SANS noise control legislation  Dust standards

		- Control through noise control measures	operational phases for the quarry.	Safety standards
				Approved EMPR
Crushing	- Dust - Noise	- Control through dust suppression	The measures in the Environmental Management	SANS noise control legislation
	- Hydrocarbon spillage	- Control through noise control measures	Programme must be implemented during the	Dust standards
		- Control measures for hydrocarbon spillage	construction and operational phases for the quarry.	Safety standards
		- Control measures to lower		Approved EMPR
Excavations	- Dust - Soil Erosion	- Control through dust suppression	The measures in the Environmental Management	Tree permit
	- Noise - Visual	- Control measures to prevent soil erosion	Programme must be implemented during the	SANS noise control legislation
	- Terrestrial Ecology - Uncovering graves or	- Control through noise control measures	construction and operational phases for the quarry.	Dust standards
	artefacts - Hydrocarbon spillage	- Control measures to lower visual intrusion	T	Safety standards
	- Emissions from heavy vehicles	- Control measures to lower impacts on terrestrial ecology - Control measures for		Approved EMPR
		uncovering graves or artefacts - Control measures for		
		hydrocarbon spillage - Control measures to lower		
		emissions from heavy vehicles		
		- Control measures for removal of alien vegetation		
Stockpiling and	- Dust	- Control through dust	The measures in the	SANS noise control legislation
transporting of gravel	- Soil Erosion	suppression	Environmental Management	
material	- Noise	- Control measures to prevent	Programme must be	Dust standards
	- Visual	soil erosion	implemented during the	
	- Terrestrial Ecology	- Control through noise	construction and operational	Safety standards

	- Uncovering graves or	control measures	phases for the quarry.	
	artefacts	- Control measures to lower	phases for the quarry.	Approved EMPR
	- Hydrocarbon spillage	visual intrusion		119910 (00 21/11 11
	- Emissions from heavy	- Control measures to lower		
	vehicles	impacts on terrestrial ecology		
	Vemeres	- Control measures for		
		uncovering graves or artefacts		
		- Control measures for		
		hydrocarbon spillage		
		- Control measures to lower		
		emissions from heavy		
		vehicles		
		- Control measures for		
		removal of alien vegetation		
Sloping and Landscaping	- Dust	- Control through dust	The measures in the	SANS noise control legislation
Stoping and Landscaping	- Soil Erosion	suppression	Environmental Management	SANS hoise control legislation
	- Noise	- Control measures to prevent	Programme must be	Dust standards
	- Noise - Visual	soil erosion	implemented during the	Dust standards
	- Visual - Terrestrial Ecology	- Control through noise	decommissioning and	Safety standards
	- Uncovering graves or	control measures	closure phases for the	Safety standards
	artefacts	- Control measures to lower	_	Approved EMDD
		visual intrusion	quarry.	Approved EMPR
	- Hydrocarbon spillage	- Control measures to lower		
	- Emissions from heavy			
	vehicles	impacts on terrestrial ecology		
		- Control measures for		
		uncovering graves or artefacts		
		- Control measures for		
		hydrocarbon spillage		
		- Control measures to lower		
		emissions from heavy		
		vehicles		
		- Control measures for		
		removal of alien vegetation		

#### i) Financial Provision

- (1) Determination of the amount of Financial Provision.
  - (a) Describe the closure objectives and the extent to which they have been aligned to the baseline environment described under the Regulation.

After the utilisation of the quarry, it will be rehabilitated and closed. Proper fencing around the quarry and clearly visible signage indicating a dangerous area will be put into place.

#### 1. Shaping of Quarry

The mining area will be shaped to ensure no stockpiled heaps.

The quarry will not be free draining as the landowner requested the area to be left as a dam for his use after the mining activities have ceased. However, the slopes will not be left as steep slopes to keep the area safe for humans and animals.

#### 2. Closure Measures

After the mining contract of the quarry has ceased, the area that was mined will be rehabilitated. The following will be undertaken:

- a. Removal of mobile equipment and all scrap material;
- b. No stockpiled material is to be retained on site. Waste will not be permitted to be deposited in the excavations. All rocks and coarse material removed from the excavation must be removed from site together with the tailings.
- c. Removal of crushing- and screening plant as well as the concrete footings and the primary ramp retaining wall;
- d. Removal of all containers used as offices, workshops and stores. Where office/camp sites have been rendered devoid of vegetation/grass or where soils have been compacted owing to traffic, the surface shall be scarified or ripped. Areas containing French drains, if any, shall be compacted and covered with a final layer of topsoil to a height of 10cm above the surrounding ground surface;
- e. Clean-up of any fuel or lubricant spillage;
- f. Ensuring that all stormwater control mechanisms are in place.
- g. Ensuring alien vegetation is removed during and at the end of each contract;
- h. Ensuring that the access road is maintained and properly rehabilitated;
- i. Waste or bitumen will not be permitted to be deposited in the excavations. Rocks and coarse material removed from the excavation must be dumped into the excavation simultaneously with the tailings.
- j. Vegetative growth on the slopes is usually not possible at a quarry.
- k. Any permanent structures and facilities including brick-built personnel amenities, soak-aways, workshop aprons and workshop floors, gas stores and any electrical supply from the grid need to be removed and the area rehabilitated.
- 1. Photographs of the camp and office sites, before and during the mining operation and after rehabilitation, shall be taken at selected fixed points and kept on record.
- m. The area will be fenced.
- o. The area will be reverted back to the landowner.

# (b) Confirm specifically that the environmental objectives in relation to closure have been consulted with landowner and interested and affected parties.

It is confirmed that the environmental objectives pertaining to the closure have been consulted with the landowner. Please see landowner consultation form signed by the landowner, Mr J Theron.

(c) Provide a rehabilitation plan that describes and shows the scale and aerial extent of the main mining activities, including the anticipated mining area at the time of closure.

Please Appendix G for the rehabilitation plan and the closure report for the quarry.

(d) Explain why it can be confirmed that the rehabilitation plan is compatible with the closure objectives.

The rehabilitation of the quarry was discussed with the landowner and is therefore compatible with closure objectives of the quarry.

The rehabilitation plan is also compatible with the specialist report compiled by Flori Scientific Services submitted as part of this study.

(e) Calculate and state the quantum of the financial Provision required to manage and rehabilitate the environment in accordance with the applicable guideline.

The rehabilitation cost for the quarry was determined by means of the SARS quantum scales.

The quantum for the quarry is calculated at R108,234.00 for the rehabilitation of the quarry.

Please refer to Appendix H for the quantum calculated.

(f) Confirm that the financial provision will be provided as determined.

BBT Contractor's Consultant confirms that this amount is available and can be provided for the rehabilitation of the quarry in terms of the guarantee provided.

#### Mechanisms for monitoring compliance with and performance assessment against the environmental management programme and reporting thereon, including

- Monitoring of impact Management Actions
- Monitoring and reporting frequency h)
- Responsible persons
- Time period for implementing impact management actions Mechanism for monitoring compliance

SOURCE ACTIVITY	IMPACTS REQUIRING MONITORING PROGRAMMES	FUNCTIONAL REQUIRMENTS FOR MONITORING	ROLES AND RESPONIBILITIES  (FOR THE EXECUTION OF THE MONITORING PROGRAMMES)	MONITORING AND REPORTING FREQUENCY and TIME PERIODS FOR IMPLEMENTING IMPACT MANAGEMENT ACTIONS
CONSTRUCTION	CONSTRUCTION	See Appendix J	See Appendix J	See Appendix J
PHASE	PHASE			
1 17	D ( ) II			
1. Vegetation stripping	Potential Impacts:			
by heavy vehicles	a. Dust Pollution			
	b. Soil Erosion			
2. Stripping and	c. Noise Impact			
stockpiling of topsoil by	d. Visual impact			
heavy vehicles	e. Terrestrial ecology			
	f. Impact on uncovered			
OPERATIONAL	heritage aspects			
PHASE	g. Contamination of site due			
	to hydrocarbon spillage			
<ol> <li>Excavations by</li> </ol>	h. Emissions from heavy			
heavy vehicles	vehicles			
<ol><li>Stockpiling and</li></ol>				
transporting of	2. Stripping and stockpiling			
gravel material	of topsoil			
by heavy				
vehicles	Potential Impacts:			

	C1 C		
	a. Clearing of vegetation		
DECOMMISSIONIN	b. Visual intrusion as a		
G PHASE	result of establishment of		
	the quarry.		
1. Sloping and	c. Dust nuisance caused by		
Landscaping during	machinery stripping topsoil		
rehabilitation	d. Noise nuisance caused by		
	machinery stripping topsoil		
2. Replacing the topsoil	e. Infestation of weeds and		
and revegetating the	alien vegetation on topsoil		
disturbed area	heaps		
	f. Loss of topsoil due to		
	incorrect storm water		
	management		
	g. Contamination of site due		
	to hydrocarbons		
	h. Impact on uncovered		
	heritage aspects		
	i. Emissions from heavy		
	vehicles		
	OPERATIONAL PHASE		
	Potential Impacts:		
	a. Visual intrusion		
	associated with the		
	excavation activities		
	b. Dust nuisance caused by		
	excavation activities		
	c. Noise nuisance generated		
	by excavation equipment		
	d. Contamination of surface		
	or groundwater due to		
	effluent runoff from		

		1
excavation		
e. Unsafe working		
conditions for employees		
f. Potential damage to		
uncovered cultural and		
heritage aspects		
g. Contamination of site due		
to hydrocarbons		
h. Emissions from heavy vehicles		
venicies		
2. Stockpiling and		
Transporting of gravel		
material		
Potential Impacts:		
a. Visual intrusion		
associated with the		
stockpiled material and		
heavy vehicles transporting		
the gravel material		
b. Loss of material due to		
ineffective storm water		
handling		
c. Dust nuisance from		
stockpiled material and		
heavy vehicles transporting		
material		
d. Degradation of access		
roads		
e. Noise nuisance caused by		
heavy vehicles		
f. Contamination of site due		
to hydrocarbons		

	1	1	<u> </u>
g. Emissions from he	avy		
vehicles			
DECOMMISSIONI	NG		
PHASE			
Potential Impacts			
a. Soil erosion			
	3.1.		
b. Health and safety i			
posed by unsloped ar	eas		
c. Dust nuisance caus	ed		
during sloping and			
landscaping activities			
d. Noise nuisance cau	ised		
during sloping and			
landscaping activities			
e. Contamination of s			
to hydrocarbons			
f. Emissions from hea	07/7/		
vehicles	iv y		
venicies			
2. Replacing the tops			
revegetating the distu	rbed		
area.			
Potential Impacts:			
a. Loss of reinstated t	opsoil		
due to absence of veg			
b. Infestation of the a			
with weed and invade			
plants			
prants			
ATTt. D			
ALL phases: Proper			
functioning of sanitat	10n		

systems		

# I) Indicate the frequency of the submission of the performance assessment /Environmental audit report.

A performance assessment/environmental audit report shall be submitted to the Department yearly. A final audit report will be submitted to the Department following the final rehabilitation of the quarry.

#### m) Environmental Awareness Plan

# (1) Manner in which the applicant intends to inform his or her employees of any environmental risk which may result from their work.

BBT Contractor's Consultant shall ensure that its employees are adequately trained with regard to the implementation of the EMPr, as well as regarding environmental legal requirements and obligations.

#### a. Induction Training:

All employees and visitors on site will have an **Induction** training on environmental awareness. Where possible, the presentation needs to be conducted in the language of the employees.

The environmental training should, as a minimum, include the following:

- Information on Environmental Risks

Employees will be adequately trained with regard to the following potential environmental risks:

- The risk of non-conformance with all environmental policies, procedures, plans and systems.
- The risk of not strictly implementing the approved EMPR.
- The potential consequences of departure from specified operating procedures.
- The significant environmental impacts, actual or potential, as a result of their work activities.
- General awareness training and training on dealing with emergency situations:

Employees will be given general awareness training and training on dealing with emergency situations by means of the following:

- Understanding, and importance of, and the reasons why, the environment must be protected.
- Basic awareness and understanding of the key environmental features of the work site and environments.
- The mitigation measures required to be implemented when carrying out their work activities.
- The environmental benefits of improved personal performance.
- Their roles and responsibilities in achieving conformance with the environmental policy and procedures, including emergency preparedness and response requirements.
- What to do in the case of a hydrocarbon spill.
- Who to contact in the case of an emergency.

# (2) Manner in which risks will be dealt with in order to avoid pollution or the degradation of the environment.

Employees will be adequately trained with regard to dealing with environmental risks by means of the following:

- Details regarding archaeological and/or historical sites that may be unearthed during construction, and the procedures to be followed should these be encountered.
- The procedures which should be followed should a grave be encountered or unearthed during the construction phase.
- Details of and encouragement to minimise the production of waste and re-use, recover and recycle waste where possible.
- Ways to minimise the environmental impacts.
- How to identify erosion and how to fix it.
- The importance of not littering.
- Prevention and handling of fire
- The need to use water sparingly.
- The importance of dust management.
- How to identify alien vegetation and the best practice for removing it.
- Requirements of the EMPr.

# n) Specific information required by the Competent Authority (Among others, confirm that financial provision will be reviewed annually)

By implementing the environmental management principles outlined in this report, BBT Contractor's Consultant will ensure that the construction, operation and decommissioning of the quarry will not result in a material degradation of the local biophysical and social environments.

BBT Contractor's Consultant undertakes to implement concurrent rehabilitation of the quarry. Areas that are due for rehabilitation during the operational phase (where practical and possible) will be rehabilitated immediately following the mining of an area.

Funds are available within the financial guarantee that was submitted by BBT Contractor's Consultant.

The financial provision will be reviewed annually.

#### 2) UNDERTAKING

	herewith	

a)	The correctness of the information provided in the reports x
b)	The inclusion of comments and inputs from stakeholders and I&Aps x
c)	The inclusion of inputs and recommendations from the specialist report where relevant $x$ ; and
d)	that the information provided by the EAP to interested and affected parties and any responses by the EAP to comments or inputs made by interested and affected. Parties are correctly reflected herein.

J'=n-
Signature of the environmental assessment practitioner:
Chameleon Environmental
Name of company:
2021-08-01
· · · · · · · · · · · · · · · · · · ·
Date:

-END-