SCOPING AND ENVIRONMENTAL IMPACT ASSESSMENT FOR THE PROPOSED DEVELOPMENT OF A 75 MW SOLAR PHOTOVOLTAIC FACILITY (KENHARDT PV 2) ON THE REMAINING EXTENT OF ONDER RUGZEER FARM 168, NORTH-EAST OF KENHARDT, NORTHERN CAPE PROVINCE: EIA REPORT - HERITAGE IMPACT ASSESSMENT

Required under Section 38 (8) of the National Heritage Resources Act (No. 25 of 1999).

Report for:

CSIR Environmental Management Services P.O. Box 17001, Congella, Durban, 4013 Tel: 031 242 2300 Email: RAbed@csir.co.za

On behalf of:

Scatec Solar SA 350 (Pty) Ltd



Dr Jayson Orton ASHA Consulting (Pty) Ltd 6A Scarborough Road, Muizenberg, 7945 Tel: (021) 788 8425 | 083 272 3225 Email: jayson@asha-consulting.co.za

> 1st draft: 09 November 2015 Final report: 31 January 2015

EXECUTIVE SUMMARY

ASHA Consulting (Pty) Ltd was appointed by the Council for Scientific and Industrial Research (CSIR) to conduct an assessment of the potential impacts to heritage resources that might occur through the proposed construction, operation and decommissioning of the 75 Megawatt (MW) Kenhardt PV 2 solar energy facility on the remainder of farm Onder Rugzeer 168. The site lies 20 km northeast of Kenhardt.

The area is relatively flat, although gently undulating terrain occurs in places. Vegetation is low and sparse with ground visibility being excellent. A small rocky koppie occurs along the eastern margin of the site; it was not examined because it was only included in the study area after the ground survey had been completed.

Archaeological material in the form of background scatter was located across much of the site but this is of very low heritage significance. Two archaeological sites of medium heritage significance were found and a single possible grave was located. Should the latter be found to be a grave, it would be of high heritage significance – if not a grave then it would have no significance. The landscape was identified as a heritage resource but, because of the presence of electrical and other infrastructure in the area, the significance of new impacts in heritage terms is considered to be low.

The potential impacts to archaeological resources and the landscape are of low significance, while the potential impacts to graves are of high significance. With mitigation the potential impacts to archaeology and graves would be reduced to very low significance, but mitigation measures to reduce impacts to the landscape would not have a bearing on the overall impact significance which would remain low. Under a permit issued to the appointed archaeologist, the archaeological mitigation (including graves) would involve excavation and controlled collection of artefacts for analysis and storage in perpetuity. Note that although the rocky koppie was not surveyed, general knowledge of the area suggests that no archaeological sites with high heritage significance are likely to occur there.

Because the potential impacts are few and entirely manageable, it is recommended that the proposed project be allowed to continue but subject to the following conditions:

- If they cannot be avoided with a buffer of at least 75 m from the centre of the pan, the two significant archaeological sites should be excavated;
- The potential grave should be avoided with a buffer of at least 5 m or else tested and, if necessary, exhumed prior to construction;
- If the rocky koppie along the eastern margin of the site cannot be avoided with a buffer of at least 120 m from its summit it will need to be examined to determine if any significant archaeological material is present mitigation may then be required;
- The construction team should be made aware of the potential to locate more graves and instructed to report any suspicious stone features prior to disturbance;
- The built elements of the facility should be painted in an earthy colour to minimise visual contrast in the landscape; and
- If any archaeological material or human burials are uncovered during the course of development then work in the immediate area should be halted. The find would need to be reported to the heritage authorities and may require inspection by an archaeologist.

Such heritage is the property of the state and may require excavation and curation in an approved institution.

Glossary

Background Scatter: Artefacts whose spatial position is conditioned more by natural forces than by human agency.

Early Stone Age: Period of the Stone Age extending approximately between 2 million and 200 000 years ago.

Hand-axe: A bifacially flaked, pointed stone tool type typical of the Early Stone Age.

Holocene: The geological period spanning the last approximately 10-12 000 years.

Hominin: a group consisting of modern humans, extinct species of humans and all their immediate ancestors.

Later Stone Age: Period of the Stone Age extending over the last approximately 20 000 years.

Middle Stone Age: Period of the Stone Age extending approximately between 200 000 and 20 000 years ago.

Abbreviations

ASAPA : Association of Southern African Professional Archaeologists	LSA: Later Stone Age				
CCS : Crypto-crystalline Silica	MSA: Middle Stone Age				
CRM : Cultural Resources Management	NEMA: National Environmental Management Act (No. 107 of 1998)				
CSIR: Council for Scientific and Industrial	NHRA: National Heritage Resources Act (No.				
Research	25) of 1999				
EIA: Environmental Impact Assessment	PPP : Public Participation Process				
EMPr: Environmental Management Programme	SAHRA : South African Heritage Resources Agency				
5	Agency SAHRIS: South African Heritage Resources				
Programme	Agency				

HIA: Heritage Impact Assessment

COMPLIANCE WITH THE APPENDIX 6 OF THE 2014 EIA REGULATIONS

Require	ements of Appendix 6 – GN R982	Addressed in the Specialist Report
1. (1) A a)	 specialist report prepared in terms of these Regulations must contain- details of- i. the specialist who prepared the report; and ii. the expertise of that specialist to compile a specialist report including a curriculum vitae; 	Section 1.4 and Appendix 1
b)	a declaration that the specialist is independent in a form as may be specified by the competent authority;	Section 1.5 and Appendix 2
c)	an indication of the scope of, and the purpose for which, the report was prepared;	Section 1.3
d)	the date and season of the site investigation and the relevance of the season to the outcome of the assessment;	Section 3.2
e)	a description of the methodology adopted in preparing the report or carrying out the specialised process;	Section 3
f)	the specific identified sensitivity of the site related to the activity and its associated structures and infrastructure;	Section 1.1
g)	an identification of any areas to be avoided, including buffers;	Sections 7, 11 & 13
h)	a map superimposing the activity including the associated structures and infrastructure on the environmental sensitivities of the site including areas to be avoided, including buffers;	Figure 8
i)	a description of any assumptions made and any uncertainties or gaps in knowledge;	Section 3.5
j)	a description of the findings and potential implications of such findings on the impact of the proposed activity, including identified alternatives on the environment;	Sections 7 & 8
k)	any mitigation measures for inclusion in the EMPr;	Sections 7, 8 & 9
I)	any conditions for inclusion in the environmental authorisation;	Section 13
m)	authorisation;	Section 11
n)	 a reasoned opinion- i. as to whether the proposed activity or portions thereof should be authorised; and ii. if the opinion is that the proposed activity or portions thereof should be authorised, any avoidance, management and mitigation measures that should be included in the EMPr, and where applicable, the closure plan; 	Sections 12 and 13
o)	a description of any consultation process that was undertaken during the course of preparing the specialist report;	Section 3.6
p)	a summary and copies of any comments received during any consultation process and where applicable all responses thereto; and	Section 3.6
q)	any other information requested by the competent authority.	n/a

Contents

1. INTRODUCTION	1
1.1. Project Description	2
1.2. Terms of Reference	-
1.3. Scope and Purpose of the Report	
1.4. The author	
1.5. Declaration of independence	4
2. HERITAGE LEGISLATION	5
3. METHODS	6
3.1. Literature Survey and Information Sources	6
3.2. Field Survey	6
3.3. Impact Assessment	
3.4. Grading	
3.5. Assumptions and Limitations	
3.6. Consultation Processes Undertaken	8
4. PHYSICAL ENVIRONMENTAL CONTEXT	8
4.1. Site Context	8
4.2. Site Description	8
5. CULTURAL HERITAGE CONTEXT	10
5.1. Archaeological Aspects	10
5.2. Historical Aspects	11
5.3. Built Environment	
5.4. Graves	
5.5. Other Aspects	11
6. IDENTIFICATION OF KEY ISSUES	12
6.1. Key Issues Identified During the Scoping Phase	
6.2. Sensitivity of the site in relation to proposed activity	
6.3. Identification of Potential Impacts	
6.3.1. Construction Phase	
6.3.2. Operational Phase	
6.3.3. Decommissioning Phase 6.3.4. Cumulative Impacts	
7. FINDINGS OF THE HERITAGE STUDY	
7.1. Archaeological Resources	
7.2. Graves	
7.3. Cultural and Natural Landscape 7.4. Statement of Significance	
7.4. Statement of Significance	
8. ASSESSMENT OF IMPACTS AND IDENTIFICATION OF MANAGEMENT ACTIONS	
8.1. Damage to and Destruction of Archaeological Resources (Construction Phase)	
8.2. Damage to and Destruction of Graves (Construction Phase)	20

8.3. Impacts to the Natural and Cultural Landscape (Construction, Operational and	
Decommissioning Phases)	20
8.4. Cumulative Impacts to Archaeological Resources	20
8.5. Cumulative Impacts to Graves	21
8.6. Cumulative Impacts to the Natural and Cultural Landscape	21
9. IMPACT ASSESSMENT SUMMARY	21
10. PERMIT REQUIREMENTS	25
11. INPUT TO THE ENVIRONMENTAL MANAGEMENT PROGRAMME	25
11.1. For inclusion in the EMPr	25
11.2. For inclusion in the Environmental Authorisation	25
12. CONCLUSIONS	26
13. RECOMMENDATIONS	27
14. REFERENCES	28
APPENDIX 1 – Curriculum Vitae	29
APPENDIX 2 – Specialist Declaration	

1. INTRODUCTION

ASHA Consulting (Pty) Ltd (ASHA) was appointed by the Council for Scientific and Industrial Research (CSIR) to conduct an assessment of the potential impacts to heritage resources that might occur through the proposed construction, operation and decommissioning of the 75 Megawatt (MW) Kenhardt PV 2 solar energy facility on the remainder of farm Onder Rugzeer 168 (Figure 1). A transmission line across the Remainder of Boven Rugzeer 169 and Portion 2 of Boven Rugzeer 169 will link the facility with the Eskom Nieuwehoop Substation presently under construction on Gemsbok Bult 120/3. As noted in Chapter 1 of the EIA Report, this power line will be assessed in a separate Basic Assessment process. This specialist study only assesses the potential impacts of the Kenhardt PV 2 project (in terms of the preferred site).




Figure 1: Map showing the location of the site (green polygon).

1.1. Project Description

This project, referred to as Kenhardt PV 2, is one of three proposed on the same land parcel (Figure 2). It will entail construction of the following main components:

- Solar arrays;
- Buildings (offices, operational and maintenance control centre, warehouse/workshop, ablution facilities and converter station);
- Electrical infrastructure (including a transmission line and substation);
- Access Road;
- Internal gravel roads;
- Fencing;
- Operation and maintenance area;
- Laydown area;
- Storm water channels; and
- Water pipelines, if required.




Figure 2: Map showing the location of the three proposed facilities. That assessed in the present report is shaded purple.

Although the study area is some 315.44 ha in extent, the final constructed footprint of the facility will be approximately 250 ha. The developer will select the final layout area in such a way as to minimise impacts to the natural and cultural environment. A detailed project description is provided in Chapter 2 of the EIA Report.

A detailed description of the transmission line corridor is provided and assessed separately in the Basic Assessment for the Kenhardt PV 2 – Transmission Line project.

Any aspect of the development as proposed might have a negative impact on heritage resources and thus the entire project is relevant to the heritage assessment. Aspects that disturb the ground (e.g. foundations, roads, trenches) may affect archaeology, palaeontology and graves, while all superstructures (e.g. solar panels, buildings, fences) would introduce impacts to the cultural landscape.

1.2. Terms of Reference

ASHA was requested to conduct a field study and produce a Heritage Impact Assessment (HIA) that would meet the requirements of the heritage authorities.

During the Scoping Phase the South African Heritage Resources Agency (SAHRA) was notified of the proposed development. They responded requesting an impact assessment that examined archaeology, palaeontology and other aspects of heritage as relevant.

The HIA was based on the following broad Terms of Reference:

- Describe the affected environment and determine the status quo in terms of its heritage sites, heritage features and archaeology.
- Undertake a desktop study on the archaeology, cultural landscape and heritage sites within the proposed project area. Highlight any gaps in the baseline data.
- Based on the project description, define the environmental risks to the archaeology and heritage features.
- Undertake a detailed field examination of the archaeological sites and heritage features within or in the region of the development area. Record sites of archaeological relevance (photos, maps, aerial or satellite images, Global Positioning System (GPS) co-ordinates, and stratigraphic columns).
- Provide a sensitivity map indicating the presence of sensitive areas, "no-go" areas, setbacks/buffers, as well as the identification of red flags or risks associated with heritage and archaeological impacts.
- Evaluate the potential for occurrence of archaeological features within the study area.
- Identify relevant protocols, legal and permit requirements relating to heritage and archaeological impacts likely to be generated as a result of the proposed project.
- Identify and rate potential direct, indirect and cumulative impacts of the proposed project on the archaeological heritage during the construction, operational and decommissioning phases of the project.
- Comply with the requirements of the relevant heritage authority in order to obtain a letter of approval, in terms of the National Heritage Resources Act (Act 25 of 1999).

- Compile a report providing a review of heritage resources within the study area based on the desktop study and data from fieldwork and analysis.
- Provide input to the EMPr, including mitigation and monitoring requirements to ensure that the impacts on the archaeological features and heritage features are limited.
- Provide recommendations and suggest appropriate mitigation measures (if required), for the recording, sampling and dating of any archaeological sites that could potentially be destroyed as a result of the proposed project.

1.3. Scope and Purpose of the Report

An HIA is a means of identifying any significant heritage resources before development begins so that these can be managed in such a way as to allow the development to proceed (if appropriate) without undue impacts to the fragile heritage of South Africa. This HIA report aims to fulfil the requirements of the heritage authorities such that a comment can be issued for consideration by the National Department of Environmental Affairs (DEA) who will review the EIA and grant or withhold authorisation. The HIA report will outline any mitigation requirements that will need to be complied with from a heritage point of view and that should be included in the conditions of authorisation should this be granted.

1.4. The author

Dr Jayson Orton has an MA (UCT, 2004) and a D.Phil (Oxford, UK, 2013), both in archaeology, and has been conducting HIAs and archaeological specialist studies in the Western Cape and Northern Cape provinces of South Africa since 2004 (Please refer to the Curriculum Vitae included as Appendix 1). He has also conducted research on aspects of the Later Stone Age in these provinces and published widely on the topic. He is accredited with the Association of Southern African Professional Archaeologists (ASAPA) Cultural Resources Management (CRM) section (Member #233) as follows:

- Principal Investigator: Stone Age, Shell Middens & Grave Relocation; and
- Field Director: Colonial Period & Rock Art.

1.5. Declaration of independence

The declaration of independence by the specialist is provided below with a full declaration included in Appendix 2 of this HIA Report.

DECLARATION OF INDEPENDENCE

I, Dr Jayson Orton, declare that I am an independent consultant and have no business, financial, personal or other interest in the proposed Kenhardt PV 2 Project, application or appeal in respect of which I was appointed, other than fair remuneration for work performed in connection with the activity, application or appeal. There are no circumstances that compromise the objectivity of my performing such work.

JAYSON ORTON

2. HERITAGE LEGISLATION

The National Heritage Resources Act (NHRA) No. 25 of 1999 protects a variety of heritage resources as follows:

- Section 34: structures older than 60 years;
- Section 35: palaeontological, prehistoric and historical material (including ruins) more than 100 years old;
- Section 36: graves and human remains older than 60 years and located outside of a formal cemetery administered by a local authority; and
- Section 37: public monuments and memorials.

Following Section 2, the definitions applicable to the above protections are as follows:

- Structures: "any building, works, device or other facility made by people and which is fixed to land, and includes any fixtures, fittings and equipment associated therewith";
- Palaeontological material: "any fossilised remains or fossil trace of animals or plants which lived in the geological past, other than fossil fuels or fossiliferous rock intended for industrial use, and any site which contains such fossilised remains or trace";
- Archaeological material: a) "material remains resulting from human activity which are in a state of disuse and are in or on land and which are older than 100 years, including artefacts, human and hominid remains and artificial features and structures"; b) "rock art, being any form of painting, engraving or other graphic representation on a fixed rock surface or loose rock or stone, which was executed by human agency and which is older than 100 years, including any area within 10m of such representation"; c) "wrecks, being any vessel or aircraft, or any part thereof, which was wrecked in South Africa, whether on land, in the internal waters, the territorial waters or in the maritime culture zone of the Republic, as defined respectively in sections 3, 4 and 6 of the Maritime Zones Act, 1994 (Act No. 15 of

1994), and any cargo, debris or artefacts found or associated therewith, which is older than 60 years or which SAHRA considers to be worthy of conservation"; and d) "features, structures and artefacts associated with military history which are older than 75 years and the sites on which they are found";

- Grave: "means a place of interment and includes the contents, headstone or other marker of such a place and any other structure on or associated with such place"; and
- Public monuments and memorials: "all monuments and memorials a) "erected on land belonging to any branch of central, provincial or local government, or on land belonging to any organisation funded by or established in terms of the legislation of such a branch of government"; or b) "which were paid for by public subscription, government funds, or a public-spirited or military organisation, and are on land belonging to any private individual."

While landscapes with cultural significance do not have a dedicated Section in the NHRA, they are protected under the definition of the National Estate (Section 3). Section 3(2)(c) and (d) list "historical settlements and townscapes" and "landscapes and natural features of cultural significance" as part of the National Estate. Furthermore, Section 3(3) describes the reasons a place or object may have cultural heritage value; some of these speak directly to cultural landscapes.

Section 38 (2a) states that if there is reason to believe that heritage resources will be affected then an impact assessment report must be submitted. This report fulfils that requirement.

Under the National Environmental Management Act (No. 107 of 1998; NEMA), as amended, the project is subject to an EIA. Ngwao-Boswa Ya Kapa Bokoni (Heritage Northern Cape; for built environment and cultural landscapes) and SAHRA (for archaeology and palaeontology) are required to provide comment on the proposed project in order to facilitate final decision making by the DEA.

3. METHODS

3.1. Literature Survey and Information Sources

A survey of available literature was carried out to assess the general heritage context into which the development would be set. This literature included published material, unpublished commercial reports and online material, including reports sourced from the South African Heritage Resources Information System (SAHRIS). The 1:250 000 map was sourced from the Chief Directorate: National Geo-Spatial Information.

3.2. Field Survey

The three Kenhardt PV projects and their alternative site locations were assessed together in the field on 28 to 31 October 2015. This was conducted during late Spring, although in this dry area seasonality has no effect on the visibility of heritage resources – visibility was

excellent. The survey did not aim to be comprehensive – that would have taken many weeks – but rather sought to conduct a landscape survey where certain landscape features known to be more sensitive were located and searched. Nevertheless, transects through all areas of the site were carried out to ensure that consistent results were being obtained and that the survey methodology was reliable. During the survey the positions of finds were recorded on a hand-held GPS receiver set to the WGS84 datum. Photographs were taken at times in order to capture representative samples of both the affected heritage and the landscape setting of the proposed development.

The survey was conducted by the author in the company of Mr Matthew Shaw, an archaeology Masters student.

The Kenhardt PV 2 (preferred) site and Kenhardt PV 2b (alternative) site were both surveyed, however, as noted above, this specialist study only assesses the potential impacts related to the preferred site. Furthermore, the final layout of the proposed facility will only occupy 250 ha of this preferred site with the development area being chosen to avoid as many sensitive features as possible.

3.3. Impact Assessment

For consistency, the impact assessment was conducted through application of a scale supplied by the CSIR as shown in Chapter 4 of the EIA Report.

3.4. Grading

Section 7 of the NHRA provides for the grading of heritage resources into those of National (Grade 1), Provincial (Grade 2) and Local (Grade 3) significance. Grading is intended to allow for the identification of the appropriate level of management for any given heritage resource. Grade 1 and 2 resources are intended to be managed by the national and provincial heritage resources authorities, while Grade 3 resources would be managed by the relevant local planning authority. These bodies are responsible for grading, but anyone may make recommendations for grading.

It is intended that the various provincial authorities formulate a system for the further detailed grading of heritage resources of local significance but this is generally yet to happen. Heritage Western Cape (2012), however, uses a system in which resources of local significance are divided into Grade 3A, 3B and 3C. These approximately equate to high, medium and medium-low local significance, while sites of low or very low significance (and generally not requiring mitigation or other interventions) are referred to as ungradeable. For convenience, the Heritage Western Cape system is employed here.

3.5. Assumptions and Limitations

The study is carried out at the surface only and hence any completely buried archaeological sites will not be readily located. Similarly, it is not always possible to determine the depth of archaeological material visible at the surface. Given the nature of the surface geology, neither of these limitations are likely to have affected the outcome of the report.

With regards to cumulative impacts, various other solar energy facilities and electrical transmission lines have been proposed in the immediate area. A new substation is presently under construction and three solar energy facilities have received positive Environmental Authorisations, although it is unknown when/if they will be built. The full list of developments considered in the cumulative impact assessment is provided in Chapter 4 of the EIA Report.

3.6. Consultation Processes Undertaken

The NHRA requires consultation as part of an HIA but, since the present study falls within the context of an EIA which includes a public participation process (PPP), no dedicated consultation was undertaken as part of the HIA.

4. PHYSICAL ENVIRONMENTAL CONTEXT

4.1. Site Context

The PV 2 site is located in a remote area some 20 km northeast of Kenhardt. It is located to the south of the Sishen-Saldanha Railway Line and its gravel service road. Although major power lines are not currently present in the area, a large substation is currently under construction approximately 5 km to the northeast of the site – this is the Eskom Nieuwehoop Substation (Figure 3). Three other PV facilities have already been granted authorisation in close proximity to the substation setting a precedent for electrical development in the area. The land is otherwise generally undeveloped and used for small stock grazing. Farm tracks and fences criss-cross the general area and occasional wind pumps occur.



Figure 3: View towards the northeast (from the PV 1 site just north of the railway line) of the Nieuwehoop Substation currently under construction.

4.2. Site Description

The site is generally quite flat with occasional very low rocky outcrops. The vegetation is sparse and largely less than knee-high; trees are rare. The surface is coated mostly with fine gravel which is a product of the weathering bedrock. Very ephemeral stream beds cross the site, but these are generally only evident because of the elevated vegetation density and slightly larger bushes along their alignments. Because all three sites adjoin one another and

were assessed together, the photographs in Figures 4 to 7 show examples of the landscape in the broader study area across the remainder of Onder Rugzeer 168.



Figure 4: View of an ephemeral stream bed with its slightly elevated vegetation density.



Figure 5: Example of overgrazed land with very sparse vegetation.

Figure 6: Example of gravel surface and one of the few trees in the study area.



Figure 7: View of a small pan in the PV 2 section of the study area (assessed as part of this HIA Report).

5. CULTURAL HERITAGE CONTEXT

This section of the HIA contains the desktop study and establishes what is already known about heritage resources in the vicinity of the study area. What was found during the field survey as presented below may then be compared with what is already known in order to gain an improved understanding of the significance of the newly reported resources.

5.1. Archaeological Aspects

Bushmanland is well known for the vast expanses of gravel that occur in places and which frequently contain stone artefacts in varying densities (Beaumont *et. al* 1995). Such material is referred to as 'background scatter' and is invariably of very limited significance. At times, however, the scatter can become very dense and mitigation work is occasionally called for. The artefacts located in these contexts are largely Early Stone Age (ESA) and Middle Stone Age (MSA) and are not associated with any other archaeological materials – these would have long since decomposed and disappeared. Previous experience immediately east of the present site suggests that such dense accumulations of artefacts are unlikely to occur in this area.

Of potentially more significance, however, are Later Stone Age (LSA) sites which are commonly located along the margins of water features in Bushmanland. These features include both pans and ephemeral drainage lines. Such sites were identified to the east of the present study area in association with pans but artefact scatters associated with drainage lines were rare (Orton 2014a, 2014b, 2014c). The drainage lines on the present site, however, are more prominent and perhaps more likely to reveal LSA camp sites. These sites would typically contain mostly stone artefacts, but fragments of ostrich eggshell (used as water containers and also as a food source) and pottery are also found at times, while bone is rare and likely confined to sites that are very recent. Similar LSA sites can also be found in association with rocky outcrops but none appear to occur within the present study area. Because of their positions along water courses and adjacent to rocky areas, such sites are often avoided by development proposals because of the need to avoid the relevant natural features. Despite the increased likelihood of locating archaeology along streams, Morris (2009) noted that a search along the banks of the Hartbees River close to Kenhardt, where he expected elevated frequencies of archaeological material, revealed virtually nothing.

Another kind of archaeological site fairly commonly encountered in Bushmanland is small rock outcrops that have been quarried as a source of stone material for making stone tools. Several such occurrences were noted to the east where quartz outcrops where frequently flaked (Orton 2014a; 2014b; 2014c).

Rock engravings are known from the broader area (Louw Roux Bushmanland 2013). From the limited information available, these appear to be naturalistic images produced by the Bushmen. Geometric images, produced by the Khoekhoen, are not well known from the area (Orton 2013), although David Morris (pers. comm. 2015) has seen examples in the region. Painted art is also very rare but again, examples are known, particularly on large granite boulders.

5.2. Historical Aspects

The Anglo-Boer War was fought across the Northern Cape, but information on the role of Kenhardt appears difficult to locate. The town was occupied by the Boers in late February 1900 after they convinced the magistrate that they had a large gun and would fire on the town if it did not surrender. They later surrendered to the British who occupied the town on 31^{st} March 1900. By mid-1900 there were perhaps 100 Cape Rebels detained in a camp outside of Kenhardt (Grobler 2004). The British raised a local force known as the Border Scouts in Upington in May 1900. Many were mixed-race individuals, some local farmers, others Kalahari hunters, but all disliked the Boers. The scouts were responsible for a large area of the north-western Cape Colony centred on Upington and Kenhardt. They eventually numbered 786 by January 1901 and were under the command of Major John Birbeck (AngloBoerWar.com 2015; Rodgers 2011). At the beginning of 1902 there were 150 Border Scouts stationed at Kenhardt. Two boers, H.L. Jacobs and A.C. Jooste, were accused of treason and executed in the town on 24 July 1901 (Grobler 2004). A memorial stands there to their honour (Green Kalahari n.d.).

No major action appears to have taken place around Kenhardt, although the Boers are known to have attacked a patrol on 17th May 1901, while the British attacked a Boer position on 25th June 1901 (AngloBoerWar.com 2015).

5.3. Built Environment

The built environment is sparsely represented in Bushmanland because the farms tend to be so large. The vast majority of structures appear to be quite recent in age (20th century) and are of very limited heritage significance. In any case, the development will not affect any buildings.

5.4. Graves

Graves are also very rare. Some older farms may have small graveyards located close to their farm buildings but, again, these are highly unlikely to be included within the areas proposed for development. Unmarked pre-colonial graves can, in theory, be located anywhere, although they are generally more common in sandy areas where excavation of graves was easier and in more productive areas where population densities would have been higher. It is highly unlikely that pre-colonial graves would be encountered in the study area.

5.5. Other Aspects

The cultural and natural landscape is also of concern. However, the cultural landscape is very poorly developed in this area with fences, water troughs and wind pumps being the primary features. The natural landscape lacks visually interesting and sensitive features. In addition, the proposed site is a long distance from any important roads (it is 11 km from the R27) and is highly unlikely to be visible to anyone other than local residents making use of the gravel road along the railway line. Solar PV facilities are not very tall and, if an earthy

coloured paint is used for the buildings, they can be almost invisible from as little as 1 km away.

6. IDENTIFICATION OF KEY ISSUES

6.1. Key Issues Identified During the Scoping Phase

Only one potentially significant heritage issue was identified during the Scoping Phase of this EIA Process. This was:

 The potential damage to or destruction of Stone Age archaeological sites occurring in proximity to water courses and pans.

The following comment was also received from the SAHRA on 22 September 2015 (via SAHRIS) based on their review of the Background Information Document. It is important to note that only the points relating to Archaeology and Heritage aspects have been extracted from the SAHRA comment and reproduced below:

In terms of the National Heritage Resources Act, no 25 of 1999, heritage resources, including archaeological or palaeontological sites over 100 years old, graves older than 60 years, structures older than 60 years are protected. They may not be disturbed without a permit from the relevant heritage resources authority. This means that prior to development it is incumbent on the developer to ensure that a Heritage Impact Assessment is done. This must include the archaeological component (Phase 1) and any other applicable heritage components. Appropriate (Phase 2) mitigation, which involves recording, sampling and dating sites that are to be destroyed, must be done as required.

The quickest process to follow for the archaeological component is to contract an accredited specialist (see the web site of the Association of Southern African Professional Archaeologists www.asapa.org.za) to provide a Phase 1 Archaeological Impact Assessment Report. This must be done before any large development takes place.

The Phase 1 Impact Assessment Report will identify the archaeological sites and assess their significance. It should also make recommendations (as indicated in section 38) about the process to be followed. For example, there may need to be a mitigation phase (Phase 2) where the specialist will collect or excavate material and date the site. At the end of the process the heritage authority may give permission for destruction of the sites.

Any other heritage resources that may be impacted such as built structures over 60 years old, sites of cultural significance associated with oral histories, burial grounds and graves, graves of victims of conflict, and cultural landscapes or viewscapes must also be assessed.

The present HIA meets the requirements of SAHRA in that it aims to satisfy Section 38(3) of the NHRA, the author is an appropriately accredited CRM Section member of ASAPA and recommendations for further studies as may be required are presented.

6.2. Sensitivity of the site in relation to proposed activity

The site is sensitive for the many archaeological artefacts and sites on its surface that would be damaged or destroyed through construction related activities. These include site preparation and all works related to installation of the project components.

6.3. Identification of Potential Impacts

The potential impacts identified during the EIA Phase are:

6.3.1. Construction Phase

- Damage to or destruction of archaeological resources;
- Damage to or destruction of graves; and
- Impacts to the cultural and natural landscape.

6.3.2. Operational Phase

- Impacts to the cultural and natural landscape.
- 6.3.3. Decommissioning Phase
 - Impacts to the cultural and natural landscape.

6.3.4. Cumulative Impacts

- Damage to or destruction of archaeological resources;
- Damage to or destruction of graves; and
- Impacts to the cultural and natural landscape.

7. FINDINGS OF THE HERITAGE STUDY

This section describes the heritage resources recorded in the study area during the course of the project. Besides the landscape itself, all are archaeological in nature and comprise largely of Stone Age remains. These are listed in Table 1 and mapped in Figure 8.

Table 1: List of archaeological resources found during the survey. Note that, even though the alternative site is not formally assessed here, the resources found are still listed for the record. Where the PV number appears in brackets this indicates that the resource is close to but not actually within the footprint area. A number of hours under mitigation is the suggested time required to carry out mitigation excavations.

PV	Waypoint	Co-ordinates	Description	Heritage Significance	Suggested Mitigation
2	207	S29 11 57.4 E21 18 58.7	Flaked quartz outcrop with a few artefacts around it.	Low	
2	726	S29 11 53.7 E21 18 17.0	Likely grave. It is a loosely rectangular area packed with quartz cobbles that are all of similar size (showing human selection). Although some stones have been spread a few metres away with time, there is no quartz present in the general area. The substrate is very sandy (ephemeral stream bed) and well suited to excavation. It is not possible to tell if the grave is historical or pre- historic.	High	Avoid with a buffer of at least 5 m or test excavate to check for human remains and then make a decision to avoid or exhume in line with required process.
2	727	S29 11 55.0 E21 18 24.1	A light scatter of undiagnostic quartz flakes.	Low	
2	728	S29 11 37.1 E21 17 57.4	LSA artefact scatter along the north-western margin of a pan. Mostly quartz but quartzite, silcrete and crypto-crystalline silica (CCS) are also present. A partially made clear quartz backed bladelet was noted. Three waypoints were taken to define the site but only the first is provided here.	Medium	Avoid with a buffer of at least 75 m from the centre of the pan or conduct archaeological excavations to rescue artefacts and data (8 hours).
2	729	S29 11 38.2 E21 17 59.1	Fairly dense artefact scatter of uncertain (and probably mixed) age located to the southeast of a pan. Mostly quartz but quartzite, silcrete and CCS are also present.	Medium	Avoid with a buffer of at least 75 m from the centre of the pan or conduct archaeological excavations to rescue artefacts and data (8 hours).
2	730-737	Central location: S29 11 59.2 E21 17 49.8	Eight flaked quartz outcrops situated on a large, quartz- coated hill. Ephemeral artefact scatter in the gravel is almost all quartz but occasional other materials are evident. Co- ordinates for waypoint 735 are provided.	Low	
2	n/a	S29 11 30.0 E21 18 58.0	This koppie is the rocky koppie along the eastern margin of the site. It was not surveyed	Unknown	Avoid koppie with a buffer of 120 m from the summit of the

PV	Waypoint	Co-ordinates	Description	Heritage Significance	Suggested Mitigation
			because of the change in layout after the survey. However, the eastern half of it on the neighbouring farm has been examined for another project and archaeological resources do occur on the koppie.		koppie.
2B	217	S29 15 01.5 E21 17 56.9	Isolated quartzite hand-axe about 18 cm long.	Low	
2B	218	S29 14 50.6 E21 18 06.3	Flaked quartz outcrop with a few artefacts around it.	Low	




Figure 8: Aerial view of the study area (green) with waypoints (numbered symbols) and tracks (grey lines) indicated. The significant heritage sites in PV 2 are highlighted in red. The koppie in the east is not numbered because it was not visited during the survey (it was not included in the study area at the time). Waypoints and tracks to the north and south are in the PV 1 and PV 3 study areas.

7.1. Archaeological Resources

The most common type of archaeological site encountered in the study area was quartz quarries (Figures 9 & 10). These are natural outcrops of quartz that have been struck in order to remove flakes from them for use elsewhere. They generally have some artefacts scattered around them as well. A number of these sites were scattered over the crest of a large, low hill that was entirely coated in quartz gravel.



Figure 9: Flaked quartz outcrop at waypoint 732.

Figure 10: Close-up of a flaked edge on a quartz outcrop at waypoint 737.

Two artefact scatters with some cultural significance were found alongside a small pan in the north-western part of the study area close to the railway line. The one was an LSA scatter (Figures 11 and 12) that included a partly made quartz backed bladelet, while the other was a dense scatter of possibly mixed age. Scattered across the remainder of the site were occasional isolated artefacts ascribable to background scatter (e.g. Figure 13). Such items have no significance and are of no further concern.



Figure 11: View of the LSA artefact scatter alongside the pan at waypoint 728.

Figure 12: View of the artefacts on the surface at waypoint 728.



Figure 13: An MSA artefact found in the PV 2 study area. Scale in 10 mm intervals.

7.2. Graves

One likely grave was encountered in the centre of the study area. It was comprised of a loosely rectangular area packed with similarly-sized quartz cobbles (Figure 14). Importantly, it was located in a sandy area and no naturally occurring quartz gravel was found in close proximity.



Figure 14: The likely grave found at waypoint 726.

7.3. Cultural and Natural Landscape

The cultural landscape is rather weakly developed and relates to the keeping of small stock in the region. The landscape is characterised by wide open space with occasional fence lines, farm tracks and wind pumps. In the vicinity of the study area, it is compromised by the presence of the railway line and substation.

7.4. Statement of Significance

Section 38(3)(b) of the NHRA requires an assessment of the significance of all heritage resources. In terms of Section 2(vi), "cultural significance" means aesthetic, architectural, historical, scientific, social, spiritual, linguistic or technological value or significance.

The archaeological resources are deemed to have medium cultural significance for their scientific value, graves are deemed to have high cultural significance for their social value, while the landscape has low cultural significance for its aesthetic and historical value.

7.5. Summary of Heritage Indicators and Provisional Grading

Although the potential for human remains means that possible grave sites should be regarded as significant, the nature of the site in the PV 2 study area suggests that a 3C grading is appropriate (i.e. medium-low local significance). The archaeological remains are worthy of no more than a 3C rating, while the cultural landscape has low significance and is not considered gradeable.

8. ASSESSMENT OF IMPACTS AND IDENTIFICATION OF MANAGEMENT ACTIONS

8.1. Damage to and Destruction of Archaeological Resources (Construction Phase)

The potential impact of damage to and destruction of archaeological resources is predicted to be a negative, direct impact. The impact is rated with a site specific spatial extent and a permanent duration. The consequence and probability of the impact are respectively rated as moderate and likely. The reversibility and irreplaceability of the impact are respectively rated as non-reversible and high. It is anticipated that any archaeological sites located within the final development footprint would be physically damaged or, more likely, destroyed when the surface is levelled in preparation for construction. Because the consequence of the impact on the two archaeological sites (alongside a pan at waypoints 728 and 729) found within the proposed development area is moderate, the significance of any potential impacts is likely to be low before mitigation. Mitigation would involve an archaeologist conducting excavations to rescue archaeological material from the relevant sites and, once this is complete, the significance of the potential impacts would be reduced to very low. Alternatively, the archaeological sites could be avoided. If this route is chosen then it is suggested that a buffer of 75 m from the centre of the pan be employed. Mitigation also includes avoiding the rocky koppie along the eastern boundary with a buffer of 120 m from the summit of the koppie or survey and mitigate if required. It should also be ensured that all works take place within the authorised footprint so as to avoid impacts to any nearby archaeological sites.

8.2. Damage to and Destruction of Graves (Construction Phase)

It is anticipated that any graves located within the final development footprint would be physically damaged or possibly even destroyed when the surface is levelled in preparation for construction. Graves have high cultural significance and it is best to avoid them. The feature (shown in Figure 14 (waypoint 726)) is likely to be a grave and the impact significance before mitigation is rated as high. This potential impact is predicted to be a negative, direct impact, with a site specific spatial extent and a permanent duration. The consequence and probability of the impact are respectively rated as extreme and likely. The reversibility of the impact and irreplaceability of the resource are respectively rated as nonreversible and high.

In terms of mitigation, in the event that any graves or potential graves cannot be avoided with a buffer of at least 5 m then an archaeologist should be contracted to conduct a test excavation to determine the status of the feature. If it is determined to be a grave after the test excavation, then exhumation would need to occur with the permission of SAHRA. With mitigation the impact significance would be reduced to very low.

8.3. Impacts to the Natural and Cultural Landscape (Construction, Operational and Decommissioning Phases)

The impact of the proposed project on the natural and cultural landscape is expected to occur during the construction, operational and decommissioning phases. These potential impacts are predicted to be negative and direct, with a local spatial extent, and a long-term duration for the construction and operational phases and a short-term duration for the decommissioning phase. The consequence and probability of the impact are respectively rated as moderate and very likely. The reversibility and irreplaceability of the impact are respectively rated as high and moderate.

During the operational phase, the addition of solar panels to the landscape will result in a marked change in its character from a rural landscape to one characterized by electrical infrastructure. Given that the precedent has already been set for electrical development, the significance of these potential impacts is considered to be low. Solar panels are not as visible from a distance as the built aspects of the proposed development would be, but with the use of earthy-coloured paint on the buildings the degree of visual intrusion would be slightly reduced but the impact significance is still rated as being low. No mitigation measures are recommended for the operational and decommissioning phases.

8.4. Cumulative Impacts to Archaeological Resources

The development of multiple solar energy facilities will result in many archaeological artefacts and sites being disturbed and /or destroyed over a wide area. Few of the sites recorded in the region have high cultural significance and it is likely that the vast majority of those that do would be protected from harm because of their proximity to water courses and pans. Cumulative impacts would be negative and direct in nature. They would occur at the local level and would be permanent. Because some significant sites were found in the present study area, the cumulative impact consequence is rated as being moderate, while

the probability is likely. These ratings result in an overall cumulative impact significance rating of low. With mitigation of those sites that are to be destroyed the cumulative impacts would be reduced to very low significance because scientific data would have been rescued. The impacts are irreversible and the irreplaceability of archaeological resources is high.

8.5. Cumulative Impacts to Graves

The development of multiple solar energy facilities may result in a number of graves being disturbed and /or destroyed over a wide area. However, because graves can be very difficult to identify and many may well continue to exist beneath any developments, it is difficult to evaluate any cumulative impacts. The nature of graves as individual and generally isolated heritage resources is such that, although each is significant, the disturbance of multiple examples will not result in a significant cumulative impact. Cumulative impacts would be negative and direct and occur at the local level. They would be permanent in duration. The moderate consequence and likely probability combine to give an impact significance rating before mitigation of low. After mitigation it is expected to be very low. The mitigation measures include avoiding graves with a buffer of at least 5 m or testing via excavations to check for human remains. If any are located then exhumation would be required (in line with regulatory requirements).

8.6. Cumulative Impacts to the Natural and Cultural Landscape

The development of multiple solar energy facilities will result in significant visual degradation of the local environment. However, it is also worth noting that it is far better, from the cumulative impact point of view, to cluster the facilities rather than to have them spread out over the landscape. The present application is one of a number of applications for solar energy facilities in close proximity to the Nieuwehoop Substation and, because of this clustering, the cumulative impacts are seen as acceptable. They would be direct negative impacts occurring at the local level and with long term duration. The consequence is rated as moderate and, although the impact is very likely to occur, the significance is rated as being low. Although mitigation is suggested (i.e. use earthy-coloured paint on built elements), this will not have much effect overall, therefore the post-mitigation significance is still rated as being low.

9. IMPACT ASSESSMENT SUMMARY

The assessment of potential impacts and recommendation of mitigation measures as discussed above are collated in Tables 2 to 5 below. Note that indirect impacts are not assessed because the nature of the identified heritage resources is such that significant indirect impacts are highly unlikely to occur.

							Construction	Phase					
-							Direct Imp	acts					
											ance of Impact nd Risk		
Aspect/ Impact Pathway	Nature of Potential Impact/ Risk	Status	Spatial Extent	Duration	Consequence	Probability	Reversibility of Impact	Irreplace ability	Potential Mitigation Measures	Without Mitigation/ Management	With Mitigation/ Management (Residual Impact/ Risk)	Ranking of Residual Impact/ Risk	Confidence Level
Clearing of site	Destruction of archaeologica I resources	Negative	Site	Permanent	Moderate	Likely	Non- reversible	High	Archaeological excavation to be undertaken by a professional archaeologist or avoid sites with a buffer of 75 m from centre of the pan. Avoid the rocky koppie along the easterm boundary or survey and mitigate if required. Ensure all works occur inside the approved 250 ha development footprint.	Low	Very low	5	High
Clearing of site	Destruction of graves	Negative	Site	Permanent	Extreme	Likely	Non- reversible	High	Avoid grave with a buffer of at least 5 m or test and exhume as required	High	Very low	5	Low
Clearing of site and construction of the proposed facility	Impacts to the natural and cultural landscape	Negative	Local	Long term	Moderate	Very likely	High	Moderate	Use earthy-coloured paint on built elements	Low	Low	4	High

Table 2: Impact assessment summary table for the Construction Phase.

	Operational Phase												
	Direct Impacts												
										Significance of Impact and Risk			
Aspect/ Impact Pathway	Nature of Potential Impact/ Risk	Status	Spatial Extent	Duration	Consequence	Probability	Reversibility of Impact	Irreplaceability	Potential Mitigation Measures	Without Mitigation/ Management	With Mitigation/ Management (Residual Impact/ Risk)	Ranking of Residual Impact/ Risk	Confidence Level
The presence of the proposed PV facility	Impacts to the natural and cultural landscape	Negative	Local	Long term	Moderate	Very likely	High	Moderate	None required	Low	Low	4	High

Table 3: Impact assessment summary table for the Operational Phase.

Table 4: Impact assessment summary table for the Decommissioning Phase.

	Decommissioning Phase												
	Direct Impacts												
										Significance of Impact and Risk			
Aspect/ Impact Pathway	Nature of Potential Impact/ Risk	Status	Spatial Extent	Duration	Consequence	Probability	Reversibility of Impact	Irreplaceability	Potential Mitigation Measures	Without Mitigation/ Management	With Mitigation/ Management (Residual Impact/ Risk)	Ranking of Residual Impact/ Risk	Confidence Level
The presence of constructio n vehicles	Impacts to the natural and cultural landscape	Negative	Local	Short term	Moderate	Very likely	High	Moderate	None required	Low	Low	4	High

							Cumulative In	npacts					
										Significance of Impact and Risk			
Aspect/ Impact Pathway	Nature of Potential Impact/ Risk	Status	Spatial Extent ^E	Duration	Consequence	Probability	Reversibility of Impact	Irreplace ability	Potential Mitigation Measures	Without Mitigation/ Management	With Mitigation/ Management (Residual Impact/ Risk)	Ranking of Residual Impact/ Risk	Confidence Level
Clearing of site	Destruction of archaeologica I resources	Negative	Local	Permanent	Moderate	Likely	Non- reversible	High	Archaeological excavation to be undertaken by a professional archaeologist or avoid sites with a buffer of 75 m from centre of the pan. Avoid the rocky koppie along the eastern boundary or survey and mitigate if required. Ensure all works occur inside the approved 250 ha development footprint.	Low	Very low	5	High
Clearing of site	Destruction of graves	Negative	Local	Permanent	Moderate	Likely	Non- reversible	High	Avoid grave with a buffer of at least 5 m or test and exhume as required	Low	Very low	5	Low
Clearing of site and construction of the proposed facility	Impacts to the natural and cultural landscape	Negative	Local	Long term	Moderate	Very likely	High	Moderate	Use earthy-coloured paint on built elements	Low	Low	4	High

 Table 5: Cumulative impact assessment summary table.

10. PERMIT REQUIREMENTS

The NHRA does not require the developer to obtain permits prior to construction. However, any archaeological mitigation work (i.e. test excavations, sampling, etc.) that may be required (whether as a condition of authorisation or in the event of new archaeological resources or graves of significance being found within the development footprint during construction) would need to be conducted under a permit issued to, and in the name of, the appointed archaeologist. The permit application process allows the heritage authorities to ensure that a suitably qualified and experienced archaeologist undertakes the work and that the proposed excavation/sampling methodology is acceptable.

11. INPUT TO THE ENVIRONMENTAL MANAGEMENT PROGRAMME

11.1. For inclusion in the EMPr

Provision should be made for archaeological mitigation to be carried out, if the sites are not avoided, well in advance of the start of construction, preferably at least 6 months. This will allow the archaeologist time to obtain a permit, conduct the work, analyse the material and obtain a positive comment from SAHRA.

The Environmental Control Officer (ECO) (or Environmental Officer) should meet with workers on site at the start of the construction phase to explain the possibility that graves might be present. During clearing of the surface, all personnel should be vigilant for any unusual stone features and these should be reported to the ECO, who should then report the find(s) to an archaeologist. An alternative to this is to commission an archaeologist to conduct a more detailed examination of the surface of the final development footprint in order to identify any potential issues prior to construction. The feature(s) may need to be tested by an archaeologist to confirm whether they are graves or not. If they are graves then exhumation would be required prior to further work in the area.

Note that there are no specific heritage monitoring requirements for this project but that environmental monitoring by the ECO to ensure compliance with the recommendations has been included in the EMPr.

11.2. For inclusion in the Environmental Authorisation

The following points should be included as conditions of authorisation:

- If they cannot be avoided with a buffer of at least 75 m from the centre of the pan, the two significant archaeological sites should be excavated;
- The potential grave should be avoided with a buffer of at least 5 m or else tested and, if necessary, exhumed prior to construction;
- If the rocky koppie along the eastern margin of the site cannot be avoided with a buffer of at least 120 m from its summit it will need to be examined to determine if any significant archaeological material is present mitigation may then be required;

- The construction team should be made aware of the potential to locate more graves and instructed to report any suspicious stone features prior to disturbance;
- The built elements of the facility should be painted in an earthy colour to minimise visual contrast in the landscape; and
- If any archaeological material or human burials are uncovered during the course of development then work in the immediate area should be halted. The find would need to be reported to the heritage authorities and may require inspection by an archaeologist. Such heritage is the property of the state and may require excavation and curation in an approved institution.

12. CONCLUSIONS

Only three significant heritage resources were identified – two archaeological sites and a likely grave (Figure 15). It should be easy to avoid the archaeological sites because they occur alongside a pan at the very edge of the study area. The grave, being located in the centre of the study area, is more problematic. In addition, although it was not surveyed, the rocky koppie in the east is very likely to have archaeological remains on it; however, general knowledge of the area suggests that no archaeological sites with high heritage significance are likely to occur there. The archaeological sites should be avoided or mitigated and the grave either avoided or tested and exhumed if necessary. Care should be taken to identify any further possible graves prior to the commencement of construction. Should these measures be complied with then no further significant impacts are expected and there is no heritage-related reason why the proposed development should not be allowed to proceed within the identified study area.



Figure 15: Aerial view of the PV 2 study area showing the three significant heritage sites (red) in the central and eastern parts.

13. RECOMMENDATIONS

Because the impacts are few and entirely manageable, it is recommended that the proposed project be allowed to continue but subject to the following conditions:

- If they cannot be avoided with a buffer of at least 75 m from the centre of the pan, the two significant archaeological sites should be excavated;
- The potential grave should be avoided with a buffer of at least 5 m or else tested and, if necessary, exhumed prior to construction;
- If the rocky koppie along the eastern margin of the site cannot be avoided with a buffer of at least 120 m from its summit it will need to be examined to determine if any significant archaeological material is present mitigation may then be required;
- The construction team should be made aware of the potential to locate more graves and instructed to report any suspicious stone features prior to disturbance;
- The built elements of the facility should be painted in an earthy colour to minimise visual contrast in the landscape; and
- If any archaeological material or human burials are uncovered during the course of development then work in the immediate area should be halted. The find would need to be reported to the heritage authorities and may require inspection by an archaeologist.

Such heritage is the property of the state and may require excavation and curation in an approved institution.

14. REFERENCES

- AngloBoerWar.com. 2015. South African Units: Border Scouts. Website accessed at http://www.angloboerwar.com/unit-information/south-african-units/301-borderscouts?showall=1&limitstart= on 6th November 2015.
- Beaumont, P.B., Smith, A.B. & Vogel, J.C. 1995. Before the Einiqua: the archaeology of the frontier zone. In: Smith, A.B. (ed.) *Einiqualand: studies of the Orange River frontier*: 236-264. Cape Town: University of Cape Town Press.
- Green Kalahari. n.d. Kenhardt attractions. Website accessed at http://www.greenkalahari.co.za/ index.php/kenhardt/kenhardt-attractions on 6th November 2013.
- Grobler, J.E.H. 2004. The War Reporter. Jeppestown: Jonathan Ball Publishers.
- Heritage Western Cape. 2012. A short guide to and policy statement on grading. Version 6, 30th May 2012.
- Louw Roux Bushmanland. 2013. Website accessed at http://www.bushmanland.co.za/Attractions.htm on 26th October 2015
- Morris, D. 2009. Archaeological Specialist Input with regard to the proposed Aries-Garona Eskom Transmission Power Line, Northern Cape: Inspection along the transect between Tower Positions 1 and 146. Unpublished report prepared for Tswelopele Environmental. Kimberley: McGregor Museum.
- Orton, J. 2013. Geometric rock art in western South Africa and its implications for the spread of early herding. *South African Archaeological Bulletin* 68: 27-40.
- Orton, J. 2014a. Heritage impact assessment for the proposed Boven Solar PV1 Facility, Kenhardt Magisterial District, Northern Cape. Unpublished report prepared for the CSIR. Muizenberg: ASHA Consulting (Pty) Ltd.
- Orton, J. 2014b. Heritage impact assessment for the proposed Gemsbok Solar PV1 Facility, Kenhardt Magisterial District, Northern Cape. Unpublished report prepared for the CSIR. Muizenberg: ASHA Consulting (Pty) Ltd.
- Orton, J. 2014c. Heritage impact assessment for the proposed Gemsbok Solar PV2 Facility, Kenhardt Magisterial District, Northern Cape. Unpublished report prepared for the CSIR. Muizenberg: ASHA Consulting (Pty) Ltd.

Rodgers, K. 2011. Cloth notes result of Boer War. Bank Note Reporter 2011.

APPENDIX 1 – Curriculum Vitae



Curriculum Vitae

Jayson David John Orton

ARCHAEOLOGIST AND HERITAGE CONSULTANT

Contact Details and personal information:

Address:	6A Scarborough Road, Muizenberg, 7945
Telephone:	(021) 788 8425
Cell Phone:	083 272 3225
Email:	jayson@asha-consulting.co.za
Birth date and place: Citizenship: ID no: Driver's License: Code 08 Marital Status: Languages spoken:	22 June 1976, Cape Town, South Africa South African 760622 522 4085 Married to Carol Orton English and Afrikaans

Education:

SA College High School	Matric	1994
University of Cape Town	B.A. (Archaeology, Environmental & Geographical Science)	1997
University of Cape Town	B.A. (Honours) (Archaeology)*	1998
University of Cape Town	M.A. (Archaeology)	2004
University of Oxford	D.Phil. (Archaeology)	2013

*Frank Schweitzer memorial book prize for an outstanding student and the degree in the First Class.

Employment History:

Spatial Archaeology Research Unit, UCT Department of Archaeology, UCT	Research assistant Field archaeologist	Jan 1996 – Dec 1998 Jan 1998 – Dec 1998
UCT Archaeology Contracts Office	Field archaeologist	Jan 1999 – May 2004
UCT Archaeology Contracts Office	Heritage & archaeological consultant	Jun 2004 – May 2012
School of Archaeology, University of Oxford	Undergraduate Tutor	Oct 2008 – Dec 2008
ACO Associates cc	Associate, Heritage & archaeological consultant	Jan 2011 – Dec 2013
ASHA Consulting (Pty) Ltd	Director, Heritage & archaeological consultant	Jan 2014 –

Memberships and affiliations:

South African Archaeological Society Council member	2004 –
Assoc. Southern African Professional Archaeologists (ASAPA) member	2006 –
ASAPA Cultural Resources Management Section member	2007 –
UCT Department of Archaeology Research Associate	2013 -
Heritage Western Cape APM Committee member	2013 -
UNISA Department of Archaeology and Anthropology Research Fellow	2014 –
Fish Hoek Valley Historical Association	2014 -

ASAPA membership nun	nber: 233, CRM Section member
Principal Investigator:	Coastal shell middens (awarded 2007)
	Stone Age archaeology (awarded 2007)
	Grave relocation (awarded 2014)
Field Director:	Rock art (awarded 2007)
	Colonial period archaeology (awarded 2007)

Fieldwork and project experience:

Extensive fieldwork as both Field Director and Principle Investigator throughout the Western and Northern Cape, and also in the western parts of the Free State and Eastern Cape as follows:

Phase 1 surveys and impact assessments:

- Project types
 - o Notification of Intent to Develop applications (for Heritage Western Cape)
 - Heritage Impact Assessments (largely in the Environmental Impact Assessment or Basic Assessment context under NEMA and Section 38(8) of the NHRA, but also self-standing assessments under Section 38(1) of the NHRA)
 - o Archaeological specialist studies
 - Phase 1 test excavations in historical and prehistoric sites
 - Archaeological research projects
- Development types
 - Mining and borrow pits
 - Roads (new and upgrades)
 - o Residential, commercial and industrial development
 - $\circ \quad \text{Dams and pipe lines}$
 - o Power lines and substations
 - o Renewable energy facilities (wind energy, solar energy and hydro-electric facilities)

Phase 2 mitigation and research excavations:

- ESA open sites
 - o Duinefontein, Gouda
- MSA rock shelters
 - Fish Hoek, Yzerfontein, Cederberg, Namaqualand
- MSA open sites
 - o Swartland, Bushmanland, Namaqualand
- LSA rock shelters
 - Cederberg, Namaqualand, Bushmanland
- LSA open sites (inland)
 - o Swartland, Franschhoek, Namaqualand, Bushmanland
- LSA coastal shell middens
 - o Melkbosstrand, Yzerfontein, Saldanha Bay, Paternoster, Dwarskersbos, Infanta, Knysna, Namaqualand
- LSA burials
 - o Melkbosstrand, Saldanha Bay, Namaqualand, Knysna
- Historical sites
 - Franschhoek (farmstead and well), Waterfront (fort, dump and well), Noordhoek (cottage), variety of small excavations in central Cape Town and surrounding suburbs
- Historic burial grounds
 - o Green Point (Prestwich Street), V&A Waterfront (Marina Residential), Paarl

APPENDIX 2 – Specialist Declaration

I, Jayson Orton, as the appointed independent specialist, in terms of the 2014 EIA Regulations, hereby declare that I:

- I act as the independent specialist in this application;
- I perform the work relating to the application in an objective manner, even if this results in views and findings that are not favourable to the applicant;
- regard the information contained in this report as it relates to my specialist input/study to be true and correct, and do not have and will not have any financial interest in the undertaking of the activity, other than remuneration for work performed in terms of the NEMA, the Environmental Impact Assessment Regulations, 2014 and any specific environmental management Act;
- I declare that there are no circumstances that may compromise my objectivity in performing such work;
- I have expertise in conducting the specialist report relevant to this application, including knowledge of the Act, Regulations and any guidelines that have relevance to the proposed activity;
- I will comply with the Act, Regulations and all other applicable legislation;
- I have no, and will not engage in, conflicting interests in the undertaking of the activity;
- I have no vested interest in the proposed activity proceeding;
- I undertake to disclose to the applicant and the competent authority all material information in my
 possession that reasonably has or may have the potential of influencing any decision to be taken with
 respect to the application by the competent authority; and the objectivity of any report, plan or
 document to be prepared by myself for submission to the competent authority;
- I have ensured that information containing all relevant facts in respect of the specialist input/study was
 distributed or made available to interested and affected parties and the public and that participation by
 interested and affected parties was facilitated in such a manner that all interested and affected parties
 were provided with a reasonable opportunity to participate and to provide comments on the specialist
 input/study;
- I have ensured that the comments of all interested and affected parties on the specialist input/study were considered, recorded and submitted to the competent authority in respect of the application;
- all the particulars furnished by me in this specialist input/study are true and correct; and
- I realise that a false declaration is an offence in terms of regulation 48 and is punishable in terms of section 24F of the Act.

Signature of the specialist:	
A	
Name of Specialist:JAYSON ORTON	

Date: _____<u>30 DECEMBER 2015</u>_____